
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





SUPERIOR FERTILIZERS

For the Lawn, Garden or Farm

PRICES NET F. O. B. SHIPPING POINT

CANADA UNLEACHED HARD-WOOD ASHES (ANDORRA BRAND)

Are a complete fertilizer, replenishing worn-out soils, and, for the lawn or pasture, are economical and valuable. For the lawn, they are easy to handle, produce no offensive odors, are not unsightly, and, quickly leaching into the soil, the chemical properties are at once available for plant food.

Our ashes are selected only from the hard-wood districts of Canada, are carefully screened, and put in convenient packages. Apply at the rate of 1,000 to 1,500 lbs. per acre for top-dressing, or 2,000 to 2,500

lbs. for new lawns.

50-lb.bag 100-lb.bag 200-lb.bbl. Ton (10 bbls.) Cars, 15 to 20 tons \$2 50 \$1 00 \$1 50 \$20 00 At special prices.

PREPARED LIME

Where soils, from constant applications of manure, are sour and need a fertilizer to sweeten them, lime is a valuable agent. It quickly puts the soil in condition to assimilate plant-food. It frees the potash, phosphoric acid and nitrogen already in the soil, and turns the nitrogen into the rich nitrates valuable for plant use.

Our prepared lime is fresh from the kilns, clean, well burnt, thoroughly decarbonized and especially prepared, so that it will go three times as far as the lump lime generally used, and is fine enough to run through a drill. Use 500 lbs. per acre.

100-lb, bag Ton Cars, 12 to 25 tons \$1 25 \$12 00 \$10 per ton.

POTASH AND PREPARED LIME

Where potash is needed in addition to lime, this preparation will be found valuable. It contains 4% actual potash, equal to 8% of sulphate of potash, the prepared lime being used as a filler, and makes a valuable top-dresser for lawn, pasture, or grass lands. Apply at the rate of 500 lbs. per acre.

> 100-lb. bag Ton Cars, 12 to 25 tons \$14 00 \$1 50 \$12 00 per ton

PEAT

We have on hand a stock of carefully selected peat, suitable for potting or planting Rhododendrons and shrubs that need such soil. Sack of about 100 lbs., 75 cents. In sacks, \$13.50 per ton.

PURE GROUND BONE

A brand of excellent quality. Analysis on request. 200-lb, bag Ton Cars, 15 to 30 tons

\$32 00 \$3 50 Special price.

Andorra Nurseries

CHESTNUT HILL, PHILADELPHIA, PA.

OUR NURSERIES are extensive, covering six hundred acres, of which over three hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania and the Philadelphia & Reading railroads, and the Chestnut Hill (City Line) trolley runs from the stations to within three minutes' walk of the Nurseries.

QUALITY .- The trees and shrubs offered are grown in open, unsheltered ground, in a very exposed situation, which insures their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are generally offered.

SHIPPING SEASON opens about March 1 in the spring and August 15 in

the fall.

INSPECTION AND FUMIGATION.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the State laws require it.

TERMS AND CONDITIONS

ORDERS.—All orders are accepted subject to the following terms and conditions. Write plainly and give explicit directions as to address and mode of shipment.

STOCK SELECTED by customers at the Nurseries will be charged ac-

cording to the value of the trees chosen.

QUANTITY.—Lots of 5 and 50 will be furnished at the 10 and 100 rates respectively

PACKING .- All goods are thoroughly packed, thus avoiding risk, if de-

layed in transit. Packing charges are made at actual cost.

FORWARDING.—Shipments will be forwarded exactly as directed; but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaceous plants be shipped by express.

RISK.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good

condition.

CLAIMS for damage while in transit must be made to the delivering company. Have delivering agent note the damaged condition on the freight

bill and present your claim through him promptly.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must be made within five days after receipt of goods. We give no guarantee of the life of stock.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to

their responsibility.

Address all orders to

ANDORRA NURSERIES


WM. WARNER HARPER, Prop.

Local and Long Distance Telephone

CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address CHESTNUT HILL, PHILADELPHIA

Cable Address "ANDORRA," PHILADELPHIA



Nursery Entrance and Office.

EVERGREEN TREES

Each	10
ABIES balsamea. Balsam Fir. 3 to 4 ft + \$2 00	
4 to 5 ft	
5 to 6 ft + 3 00	
Canadensis. See Tsuga Canadensis.	
concolor. White Fir. 3 to $3\frac{1}{2}$ ft 3 50	
$3\frac{1}{2}$ to 4 ft	
4 to $4\frac{1}{2}$ ft 6 00	
4½ to 5 ft	
5 to 6 ft	
6 to 9 ft	
nobilis, var. glauca. Noble Silver Fir. 4 to 4½ ft 5 00	
4½ to 5 ft 6 00 5 to 6 ft	
0 10 0 211 1111111111111111111111111111	
Nordmanniana. Nordmann's Fir. 3 ft 3 50 3 to $3\frac{1}{2}$ ft 4 50	42 50
3½ to 4 ft 6 00	57 50
4 to 4½ ft. Specimens	70 00
4½ to 5 ft. Specimens	85 00
5 to $5\frac{1}{2}$ ft. Specimens	
6 to 12 ft. Fine specimens. Prices on application.	
pectinata. European Silver Fir. 4 to 5 ft 2 50	20 00
5 to 6 ft 3 50	32 50
6 to 8 ft	
BIOTA orientalis. Oriental Arborvitæ. 5 to 6 ft 3 00	27 50
6 to 7 ft	37 50 55 00
6 to 7 ft. Very heavy	55 00
7 to 10 ft. Very heavy\$7.50 to 15 00	00 00

PRICE LIST FOR SPRING OF 1911	9
Each	10
BIOTA orientalis, var. aurea. 3½ to 4 ft	
orientalis, var. aurea nana. 15 to 18 in 2 00	\$17 50
orientalis, var. aurea pyramidalis.	
3 to 4 ft	32 50
4 to 5 ft	42 50
4 to 5 ft	
orientalis, var. compacta. Compact Chinese Arborvitæ. 3 to $3\frac{1}{2}$ ft	
vitæ. 3 to $3\frac{1}{2}$ ft	3 0 00
3½ to 4 ft 4 00	35 00
4 to 5 ft 5 00	45 00
5 to 6 ft	70 00
orientalis, var. conspicua. 5 to 6 ft	70.00
6 to 7 ft	70 00
7 to 8 ft	90 00
orientalis, var. elegantissima. Rollinson's Golden Ar-	
borvitæ. 3 to $3\frac{1}{2}$ ft	
4 to 6 ft	
orientalis, var. filiformis; syn., Japonica. Thread-	
hranched Arborvita 21 to 3 ft 2 50	
branched Arborvitæ. $2\frac{1}{2}$ to 3 ft 2 50 3 to $3\frac{1}{2}$ it 3 50	32 50
4 to 5 ft 5 00	
orientalis, var. semperaurescens. Ever-golden Arbor-	
orientalis, var. semperaurescens. Ever-golden Arborvitæ. $2\frac{1}{2}$ to 3 ft	
3 to 3½ ft	45 00
CEDRUS Atlantica, var. glauca. Mt. Atlas Silver Cedar-	10 50
5 to 6 ft	42 50
6 to 7 ft 6 00	$\frac{55}{70} \frac{00}{00}$
7 to 8 ft. +	10 00
Deodara. Deodar or Indian Cedar 21 to 3 ft 3 50	
Deodara. Deodar, or Indian Cedar. $2\frac{1}{2}$ to 3 ft 3 50 $3\frac{1}{2}$ to 4 ft	45 00
CEPHALOTAXUS Fortunei. Fortune's Yew. 4 to 4\frac{1}{2} ft 3 50	
CEPHALOTAXUS Fortunei. Fortune's Yew. 4 to $4\frac{1}{2}$ ft 3 50 5 to 6 ft. Very broad and heavy 5 00	
6 to 7 ft	
CRYPTOMERIA Japonica elegans. 6 to 7 ft	
Japonica, var. Lobbi compacta. $2\frac{1}{2}$ to 3 it $2 50$	
7 to 8 ft 10.00	
7 to 8 ft. 10 00 ILEX opaca. American Holly. 2½ to 3 ft	32 50
5 to 4 tf	02 00
4 to 6 ft	
JUNIPERUS Canadensis. Spreading Canadian Juniper—	100
12 to 15 in. spread per 100, \$60 1 00	9 00
15 to 18 in. spread	12 50
18 to 24 in. spread	
Canadensis, var. aurea; syn., Douglasi. Douglas' Golden Juniper. 12 to 15 in. spread 1 00	8 50
15 to 18 in spread 1 50	$\begin{array}{c} 8 \ 50 \\ 12 \ 50 \end{array}$
15 to 18 in. spread	12 00
Z II. spread. Heavy 2 50	
2 x 2+ ft. spread. Heavy	
Canadensis, var. prostrata. Trailing Canadian Juniper. 12 to 15 in	
Juniper. 12 to 15 in	
15 to 18 in 2 00	

	Each	10
JUNIPERUS	Chinensis. Chinese Juniper. 3 ft\$2 00	\$17 50
	$3\frac{1}{2}$ to 4 ft	32 50
	4 to 5 ft 5 00	45 00
	5 to 6 ft	55 00
	6 to 7 ft	70 00
	Chinensis, var. argentea marginata. A grand hardy variety. 2½ to 3 ft 3 50	32 50
	3½ to 4 ft + . 4 50	42 50
	4 to 4½ ft	
	5 to 6 ft	
	6 to 8 ft. Specimens	
	2½ to 3 ft	
	2 to 21 ft	
	4 to 5 ft	
	Chinensis, var. Pfitzeriana. 4 ft	47 40
	Communication Common Unright Tuning	47 50
	2 to $2\frac{1}{2}$ ft	
	3 to 4 ft	
	communis, var. oblonga. 5 to 6 ft 4 50 communis, var. Suecica. Swedish Juniper—	40 00
	communis, var. Suecica. Swedish Juniper—	00 50
	3 to 3½ ft 2 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	$3\frac{1}{2}$ to $\frac{4}{9}$ ft	32 50
	4½ to 5 ft	37 50
(A) La (B)	Japonica. $4\frac{1}{2}$ to 5 ft	45 00
	5 to 6 ft 7 50	70 00
	Japonica, var. aurea. Golden Japan Juniper—	13 50
	1½ to 2 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	2½ to 3 ft 3 50	32 50
	3 to 3½ ft 4 00	37 50
	3½ to 4 ft	47 50
	4 to 5 ft	
	Japonica, var. nana aurea. Dwarf. 10 to 12 in	
	5 to 5½ ft	12 50
	recurva. 2 to $2\frac{1}{2}$ ft	
	recurva, var. squamata. Scaly-leaved—	12 50
	3 to 4 ft. spread	12 00
	rigida. 7 to 12 ft\$7.50 to 25 00	
	rigida. 7 to 12 ft. \$7.50 to 25 00 Sabina. Savin Juniper. 12 to 15 in. 100	
	18 to 24 in	00 50
	2 to 21 ft 3 50	22 50 32 50
	Sabina, var. aurea variegata. Savin's Golden	02 00
	Juniper. 1½ to 2 ft	
	Sabina, var. aurea variegata. Savin's Golden Juniper. 1½ to 2 ft	
	Sabina, var. mas. Prostrate, 1 to 1½ ft. 2 50 Sabina, var. tamariscifolia. 1½ to 2 ft. + 1 50 2 to 2½ ft. + 2 50	12 50
	2 to 2½ ft	13 50
	2* to 3 tr	
	Virginiana. Red, or Virginia Cedar. 3 to 3½	10 mm
	ft	13 50
	3½ to 4 ft	22 50 32 50
	$4\frac{1}{2}$ to 5 ft	32 30
	0 10 0 11	

Each	10
JUNIPERUS Virginiana, var. glauca. Blue Virginia Cedar— 3 to 3½ ft. + .\$2 50 4 to 4½ ft. + .3 50 5 to 6 ft. + .4 00 6 to 8 ft. + \$7.50 to 10 00	\$22 50 32 50 37 50
Virginiana, var. Kosteri. Spreading— 12 to 15 in. +. 1 50 2 to 2½ ft. +. 2 50 3 to 3½ ft. +. 3 50 Virginiana, var. Leei elegantissima. Golden Vir-	13 50 23 50 32 50
ginian Cedar— 3 to 3½ ft. Extra heavy + 3 50 4½ to 5 ft. Extra heavy + 5 00 5 to 7 ft. Extra heavy + \$7.50 to 10 00 7 to 9 ft. + \$12.50 to 15 00	32 50
Virginiana, var. pendula. 3½ to 4 ft 3 50 4 to 5 ft	32 50
Virginiana, var. Schotti. 3 to 3½ ft. +. 2 50 4 to 5 ft. +. 3 50 5 to 6 ft. +. 5 00 6 to 8 ft. +. 86 to 10 00	20 00 32 50 45 00
PICEA alba. White Spruce. 2½ to 3 ft. 1 50 3 to 3½ ft. 2 00 3½ to 4 ft. 2 50 4 to 5 ft. 3 50 5 to 6 ft. 5 00 See 6 to 8 ft. Very fine specimens \$7.50 to 10 00	12 50 17 50 20 00 30 00
Alcockiana. Alcock's Spruce. 3½ to 4 ft	
4 to 7 ft. + \$5 to 10 00 excelsa. Norway Spruce. 3 to $3\frac{1}{2}$ ft. 2 00 $3\frac{1}{2}$ to 4 ft. 2 50 4 to $4\frac{1}{2}$ ft. 3 00 $4\frac{1}{2}$ to 5 ft. 3 50 5 to 6 ft. Specimens 5 00 6 to 7 ft. Specimens 6 00 7 to 9 ft. Specimens 7 50	32 50 45 00 57 50 60 00
9 to 12 ft	
excelsa, var. inverta. Weeping Norway Spruce— 5 to 6 ft	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50 22 50 32 50 45 00
pinsapo. Spanish Fir. 3 to 3½ ft	22 50 32 50



Loading White Pines.

	Each	10
PICEA pungens. Colorado Spruce. 3 to 3½ ft	\$4 00	\$37 50
$3\frac{1}{2}$ to 4 ft	5 00	45 00
4 to 5 ft+	7 50	
6 to 10 ft	25 00	
pungens, var. glauca. Blue Colorado Spruce-	0 -0	20 50
2½ to 3 ft. Selected color		32 50
3 to 3½ ft. Selected color	7 50	
3½ to 4 ft. Selected color	10 00	
5 to 8 ft. Selected color	35 00	
pungens, var. Kosteriana. Koster's Blue Colorado	0 -0	00 50
Spruce. 1½ to 2 ft	2 50	22 50
2 to 2½ ft	3 50	32 50
$2\frac{1}{2}$ to $\tilde{3}$ ft. Specimens	10 00	
3 to $3\frac{1}{2}$ ft. Specimens	10 00	
3½ to 4 ft. Specimens	12 00	
4 to 5 ft. Specimens	19 00	
6 to 7 ft. Grand specimens \$15 to	55 00	
pungens, var. pendula. Weeping Blue Colorado Spruce	7 50	
3 to 4 ft. Fine specimens		
4 to 4½ ft. Fine specimens		22 50
PINUS Austriaca. Austrian Pine. 2 to 2½ ft	2 50	22 00
3½ to 4 ft	4 00	
$\frac{4}{2}$ to $\frac{41}{2}$ ft	- 00	
4½ to 5 ft		
5 to 8 ft	2 50	22 50
2½ to 3 ft		32 50
22 10 3 11		37 50
3 to 3½ ft		47 50
4 to 4½ ft.	7 50	
5 to 8 ft		
J 10 8 11		

Third Piot Tox Oranio of Tox	
Each	10
PINUS excelsa. Bhotan Pine. 3 to $3\frac{1}{2}$ ft\$3 50	
4 to 4) ft	37 50
5 to 7 ft 5 00 7 to 10 ft \$7.50 to 12 50	47 50
7 to 10 ft\$7.50 to 12 50	
Koraiensis. Corean Pine. $1\frac{1}{2}$ to 2 ft	
Monticola. Mt. White Pine. 5 ft	
Mughus. Dwarf Mountain Pine. 12 to 15 in 1 50	12 50
15 to 18 in	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$
18 in	
24 in ♦ 3.50	
ponderosa. Bull Pine. 4 to 5 ft	32 50
5 to 8 ft	
rigida. Pitch Pine. 6 to 7 ft	
7 to 8 ft	
Strobus. White Pine. 15 to 18 in per 100, \$25	4 00
$\frac{11}{2}$ to 2 ft ($+$. per 100, \$35) 75	4 00
2 to $2\frac{1}{2}$ ft	6 00
$2\frac{1}{2}$ to $\frac{3}{2}$ ft	$\begin{array}{c} 8 & 50 \\ 12 & 50 \end{array}$
Strobus. White Pine. 15 to 18 in per 100, \$25 1½ to 2 ft	$\frac{12}{17} \frac{50}{50}$
4 to 4½ ft	20 00
41 to 5 ft	27 50
5 to 6 ft	27 50 32 50
6 to 7 ft 5 00	
6 to 7 ft 5 00 7 to 9 ft	
The finest and best rooted stock in this country.	
sylvestris. Scotch Pine. 4 to 5 ft	
5 to 6 ft	
6 to 7 ft. + .\$5 to 7 50 8 to 12 ft	
Tanyosho. Dwarf Japanese Variety—	
2½ ft+ 5 00	
PODOCARPUS Japonica. Japanese Yew. 2½ to 3 ft	22 50
4 to 4½ ft	$\frac{52}{32} \frac{50}{50}$
4 to $4\frac{1}{2}$ ft	
4 to 5 ft	22 50
5 to 6 ft\$3.50 to 5 00	
6 to 8 ft\$7.50 to 10 00	
RETINOSPORA ericoides. Heath-like Japan Cypress-	0 70
$\frac{1}{2}$ to 2 ft	8 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 17 & 50 \\ 25 & 00 \end{array}$
3½ to 4 ft 3 00 filifera. Thread-branched Japan Cypress—	25 00
11 ft Thread-branched Japan Cypress—	8 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50
3 to 3½ ft 5 00	
31 to 4 ft. Specimens + 7 50 4 to 6 ft. Specimens + \$7.50 to 10 00	
4 to 6 ft. Specimens ★\$7.50 to 10 00	
6 to 8 ft. Specimens	
filifera, var. aurea. Golden Thread-branched	
Japan Cypress. 2×2 ft 3 50	
2 x 2½ ft. Specimens	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
filifera ver aurea varienata Golden veriega-	
filifera, var. aurea variegata. Golden variegations. 4 to 5 ft	
10000 100 100 100 100 100 100 100 100 1	

DETINOCOODA	Lantaclada (Phone Phone III II I	10
RETINUSPURA	leptoclada. Thuya-like Japan Cypress— 3 to 3½ ft.	\$27 50 32 50 40 00 50 00
	2½ ft	22 50
	3½ to 4 ft	32 50 47 50
	4 to 6 ft	22 50
	2½ to 3 ft. 3 50 3 to 3½ ft. 5 00 4 to 5 ft. \$7.50 to 10 00 obtusa, var. magnifica. 3 to 3½ ft. \$.\$5 to 7 50	32 50 47 50
	obtusa, var. nana. Dwarf Obtuse-leaved Japan Cypress. 1 ft. 1 25 1½ ft. 2 00 2 ft. 2 50 2½ ft. 3 00 3 ft. \$5 to 7 50 4 to 6 ft. Specimens \$15 to 20 00 obtusa, var. nana aurca. Dwarf Golden Ob-	10 00 17 50 22 50 27 50
	tuse-leaved Japan Cypress— 1½ ft.	70 00
	Distera, var. aurea. Golden Pea-truited Japan Cypress. 2 to 2½ ft	18 00 27 50 30 00 37 50 47 50
	plumosa. Plume-like Japan Cypress— 1½ to 2 ft. 1 50 2 to 2½ ft. 2 50 2½ to 3 ft. 3 50 3 to 3½ ft. 4 00 3½ to 4 ft. Specimens \$5 to 7 50 4 to 8 ft. Specimens \$7.50 to 20 00	13 50 22 50 32 50 37 50

FRICE LIST TOR STRING OF 1811	
Each	10
RETINOSPORA plumosa, var. argentea. 2 to $2\frac{1}{2}$ ft\$1 50	\$12 50
$\frac{2^{\frac{1}{2}}}{2^{\frac{1}{2}}}$ to 3 ft	$\frac{1}{22}$ 50
3 to 4 ft 3 50	32 50
4 to 5 ft 5 00	45 00
nlumosa var aurea Coldon Plume-like	
plumosa, var. aurea. Golden Plume-like Japan Cypress. 12 in 50	4 00
19 to 18 in	$\tilde{6} \ \tilde{0}\tilde{0}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 50
2½ to 3 ft	28 50 32 50
3 to 32 ft. 3 50 31 to 4 ft. Specimens + 4 00	$32 \ 50$
$3\frac{1}{2}$ to 4 ft. Specimens	37 50
4 to 4† ft. Specimens	45 00
5 to 12 ft. Specimens	
plumosa, var. flavescens. 1 to 1½ ft 1 00	8 50
3 to 4 ft	
plumosa, var. sulphurea. $1\frac{1}{2}$ to 2 ft $\frac{1}{2}$ $\frac{75}{2}$	15 00
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots \dots + \dots + \dots = 3 50$	
$3\frac{1}{2}$ to 4 ft. Very heavy	
2 to 2½ ft. + 3 50 3½ to 4 ft. Very heavy. + 6 00 4 to 5 ft. Very heavy. + 7 50	
squarrosa. Squarrose-leaved Japan Cypress—	
$\frac{2}{2}$ to $\frac{2}{2}$ ft	$\frac{22}{50}$
2½ to 3 ft. 3 00 3 to 3½ ft. 3 50	27 50
5 10 5 11,	30 00
4 to 4½ ft. Heavy specimens	
5 to 10 ft Heavy specimens \$15 to 35 00	
5 to 10 ft. Heavy specimens\$15 to 35 00 This is excellent stock; exceptionally	
broad, bushy and low-branched.	
SCIADOPITYS verticillata. Himbrella Pine 2 to 21 ft + 3 50	32 50
$2\frac{1}{2}$ to 3 ft	45 00
$3\frac{1}{2}$ to 4 ft	55 00
$4\frac{1}{2}$ to 5 ft	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	40 70
TAXUS baccata. English Yew. 2 ft	12 50
2 to 2½ it	$\begin{array}{ccc} {\bf 17} & {\bf 50} \\ {\bf 22} & {\bf 50} \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50 32 50
21 to 4 ft Specimens 5 00	47 50
$3\frac{1}{2}$ to 4 ft. Specimens $+$ 5 00 $-$ 4 to $4\frac{1}{2}$ ft. Specimens $+$ 7 50	11 00
4½ to 7 ft. Specimens+\$7.50 to 15 00	
haccata, var. aurea. Golden English Yew-	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$4\frac{1}{2}$ to 5 ft	
baccata, var. Cheshuntensis. 4 to $4\frac{1}{2}$ ft	
baccata, var. Dovastoni. Dovaston's Yew-	
2 to $2\frac{1}{2}$ ft	25 00
2½ to 3 ft	32 50
4 to 5 ft	
5 to 6 ft. Specimens	
baccata, var. Dovastoni aurea. Dovaston's Golden	
Yew. 4 to 5 ft. Specimens	
5 to 7 ft. Specimens	
3 to $3\frac{1}{2}$ ft	
$3\frac{1}{2}$ to 4 ft	
4 to 6 ft	

	Each	10
TAXUS baccata, var. erecta. Erect English Yew— 2 to 2½ ft	\$2 50	900 FA
2½ to 3 ft. + \$5	to 7 50	\$32 50
baccata, var. erecta aurea. Erect Golden Engli Yew. 2½ to 3 ft	3 50	32 50
Fastigiata.) 5 to 6 ft	o 12 50	00 50
baccata, var. fastigiata. Irish Yew. 2½ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50
4 to 6 ft. Specimens	-	00.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} & 3 & 50 \\ 0 & 10 & 00 \\ 0 & 15 & 00 \\ \end{array}$	22 50 32 50
baccata, var. gracilis pendula. $3\frac{1}{2}$ to 4 ft $+$. $\$7.50$ to 7 ft. $\{$ NEW $\}$ $\$10$ to	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
baccata, var. repandens. Spreading English Yew— 12 to 15 in	. 2 00	
baccata, var. Washingtoni aurea. Washington's Goldd English Yew. 2½ ft	en	
3 to 3½ ft	to 7 50	
Canadensis, var. aurea. Golden Canadian Yew—	3 50	32 50
3 ft	15 00	
11 ft.	. 2 50	
2½ ft	5 00	18 50
1½ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 90
$2\frac{1}{2}$ ft. cuspidata, var. capitata. $1\frac{1}{2}$ ft. $2\frac{1}{2}$ ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3 to 4 ft	5 10 00	
Sitka Cypress— 3 to 4 ft		
borealis, var. latifolia glauca. Glaucous Sitka C	у-	32 50
press. $3\frac{1}{2}$ to 4 ft. 4 to $4\frac{1}{2}$ ft. Specimens 5 to 6 ft. Specimens	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 3 0
borealis, var. pendula. Drooping Sitka Cypress 4 to 5 ft	3 00	
Standishi. Standish's Sitka Cypress— 8 to 9 ft. Specimens		

	TRICE LIST TOR STRING OF 1911	10
	Eacl	h 10
THILVA	occidentalis. American Arborvitæ—	
India	2½ to 3 ft	1
	9 40 91 64	3
	21 4 4 64	(
	3½ to 4 it	\$19 00
	4 to 4½ it.; very heavy per 100, \$173 2 00	00 50
	3½ to 4 ft.	$\frac{22}{27}$
	5 to $5\frac{1}{2}$ ft.; very heavy \(\phi\). per 100, \(\psi^2 \)00 \(\frac{3}{2}\)00.	27 50
	$5\frac{1}{2}$ to 6 ft.; very heavy 3 50	32 50
	7 to 8 ft.; very heavy 4 50 8 to 9 ft. Specimens 4. \$5 to 7 50	0 42 50
	8 to 9 ft. Specimens)
	occidentalis, var. aurea. George Peabody's Arborvitæ-	
	2½ to 3 ft)
	3^2 to $3\frac{1}{2}$ ft. 2^2	
	4 to 5 ft	
	# 10 0 11 # 00	45 00
	5 to 6 ft	7 45 00
	7 to 10 it. Specimens	9
	7 to 10 ft. Specimens)
	6 to 8 ft)
	6 to 8 ft. + \$10 to 15 00 occidentalis, var. erecta viridis. 3 to 3½ ft 2 50	0 22 50
	occidentalis, var. globosa. Globe Arborvitæ-	
	15 to 18 in)
	$1\frac{1}{2}$ to 2 ft	0 17 50
	2^2 to $2\frac{1}{2}$ ft	
	occidentalis, var. Hoveyi. Hovey's Golden Arborvitæ—	
	2 ft	0
	2 ft	0 22 50
	2½ to 3 ft. Very heavy	0 44 90
	3 to 4 it. very neavy	0 00 50
	occidentalis, var. Lobbi. Lobb's Arborvitæ. 4½ to 5 ft. 3 5	$0 32 \ 50$
	5 to 7 ft	
	occidentalis, var. Lobbi aurea. 4 to 5 ft	0 22 50
	5 to 6 ft	$\tilde{0}$ $\tilde{27}$ $\tilde{50}$
	6 to 7 ft 3 50	0 32 50
	occidentalis, var. plicata pyramidalis. 4 to 5 ft + 5 0	0
	occidentalis var nyramidalis. Pyramidal Arborvita-	
	occidentalis, var. pyramidalis. Pyramidal Arborvitæ— 3 to 3½ ft	n
	$3\frac{1}{2}$ to 4 ft	0 17 50
	4 to 5 ft	
	# 10 0 11, # 0 # +0 C f+	
	5 to 6 ft	
	6 to 8 ft	Ò
	occidentalis, var. recurva nana. 2½ to 3 ft. + \$3.50 to 4 0	Ü
	occidentalis, var. recurva nana. 2½ to 3 ft. +. \$3.50 to 4 0 3 to 4½ ft \$5 to 7 5	U
	occidentalis, var. Vervæneana. Vervæne's Arborvitæ— 3 to 3½ ft	
	3 to $3\frac{1}{2}$ ft	0 32 50
	$3\frac{1}{2}$ to 4 ft	
	$4\frac{1}{2}$ to 5 ft	0 42 50
	5 to 6 ft	0 47 50
	6 to 7 ft. Heavy specimens	0 70 00
	6 to 7 ft. Heavy specimens	0
	occidentalis, var. Wareana. Siberian Arborvitæ—	
	2 to 21 ft 25	0
	2 to $2\frac{1}{2}$ ft	32 50
	4 ft 4 0	$0 32 50 \\ 0 37 50$
	5 ft : worm hoover	0 47 50
	5 to 51 ft , worsy heavy	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	5 ft.; very heavy 5 0 5 to 5½ ft.; very heavy 7 5 5½ to 6 ft.; very heavy	0 70 00
	o₂ to o it.; very neavy	U

Each	10
THUYA occidentalis, var. Wareana aurea. 2½ ft\$2 50	\$22 50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 300$	28 00
$\frac{4^{\frac{1}{2}}}{2}$ to 5 ft $\frac{4}{2}$ 50	42 50
5 to 6 ft	47 50 4 00
	7 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 00
2 to 21 ft A now 100 \$125 1 50	13 50
$\frac{3}{3\frac{1}{2}} \frac{10}{10} \frac{3\frac{7}{2}}{4} \frac{11}{11}$ GRAND $\frac{4}{10} \frac{100}{100} \frac{100}{10$	17 50
4 to 4½ ft. STOCK 2 25	20 00
47 to 5 tt.	22 50
$5 \text{ to } 5\frac{1}{2} \text{ ft.}$	27 50
$5\frac{1}{2}$ to 6 ft.	32 50
6 to 10 ft. Heavy specimens	
The finest and largest stock offered. Canadensis, var. gracilis. 3 to 3½ ft 3 50	
Canadensis, var. Sargenti pendula. Weeping Hemlock—	
2 to 31 ft. Specimens	
Caroliniana. Southern Hemlock. 2½ to 3 ft + 3 00	27 50
3 to 3½ ft 3 50	32 50
4 to 5 ft. Specimens	
5 to 6 ft. Specimens	
6 to 7 ft. Specimens	
Hookeriana. Alpine Hemlock. 4 to $4\frac{1}{2}$ ft 4 00	
5 to 6 ft	
6 to 7 ft	
0 to 1 it	



Showing Fibrous Roots of Hemlock.



A Block of Box Bush and Evergreens.

EVERGREEN SHRUBS

E VERGREEN STIRODS	
Each	10
ANDROMEDA Catesbæi. See Leucothoë.	
floribunda. 12 in	\$13 50
	16 00
	10 00
2 to $2\frac{1}{2}$ ft. Specimens	
Japonica. 12 in	10 00
12 to 15 in	12 50
15 to 18 in	18 50
18 to 24 in	20 00
AZALEA amœna. 12 to 15 in	8 50
	12 50
1½ ft. Bushy 2 00	17 50
$2\frac{1}{2}$ ft. Specimens	32 50
amæna, var. Hinondigiro. Bright carmine—	
10 to 12 in	7 50
18 in	
Indica alba. Pure white. 18 to 20 in	22 50
20 to 22 in	32 50
22 to 24_in	47 50
BUXUS Japonica; syn., Fortunei. Japanese Box. 1 to 1½ ft 1 50	12 50
$1\frac{1}{2}$ to 2 ft	17 50
3 to 4 ft. Specimens\$3.50 to 7 50	
Japonica, var. aurea. Golden Japanese Box-	
12 to 15 in	9 00
15 to 18 in / 1 50	12 50
15 to 18 in	
52 SPECIAL (± 12)	15 00
2 it (22 22 250	22 50
47 11 3 30	32 50
Japonica, var. rotundifolia. Round-leaved—	
2½ to 3 ft. Bush shape	
4 to 5 ft. Bush shape	
5 to 6 ft. Pyramids	
0 to 0 it. Tyramius	

Each	10
BUXUS Japonica, var. rotundifolia glauca. $1\frac{1}{2}$ to 2 ft	\$13 50 27 50
sempervirens. 1 ft. Andorra-grownper 100, \$40 75	6 00
1½ ft.; light. Andorra-grownper 100, \$50 1 00	7 50
2 ft.: Andorra-grown 1 50	13 50
$\frac{2_{\frac{1}{2}}}{3}$ ft.; Andorra-grown	22 50
3 ft.; Andorra-grown, Specimens. \div . 4 50 3½ ft.; Andorra-grown, Specimens. \div . 6 00	40 00 54 00
3 ft.; Andorra-grown. Specimens. + . 4 50 3 ½ ft.; Andorra-grown. Specimens. + . 6 00 4 ft.; Andorra-grown. Specimens. + . 7 50 4 ½ ft.; Andorra-grown. Specimens. + . 10 00 5 4 ft.; Andorra-grown. Specimens. + . 10 00	67 50
4½ ft.; Andorra-grown. Specimens	90 00
5 to 5½ it.; Andorra-grown ₹\$12.50 to 25 00	
sempervirens. Pyramids—	
2½ ft.; Andorra-grown Specimens	40 00
3\frac{1}{2} ft.; Andorra-grown. Specimens \div 6 00	54 00
3 ft.; Andorra-grown. Specimens	70 00
4½ ft.; Andorra-grown. Specimens	90 00
sempervirens. Standards— 1½ to 2 ft. stems, 10 to 12 in. head. Im-	
ported	17 50
ported	
grown	40 80
sempervirens, var. angustifolia. $1\frac{1}{2}$ to 2 ft	13 50
sempervirens, var. arborescens. Tall Tree Box—	32 50
$3^{\frac{1}{2}}$ to $3^{\frac{1}{1}}$ ft	47 50
sempervirens, var. argentea marginata. Silver-tipped	
Box. $1\frac{1}{2}$ to 2 ft	13 50
2 to $2\frac{1}{2}$ ft	22 50
sempervirens, var. aurea variegata. $3 \text{ to } 3\frac{1}{2} \text{ ft. } \updownarrow 5 00$	45 00
sempervirens, var. Handsworthi. 3 to $3\frac{1}{2}$ ft	37 50 42 50
sempervirens, var. latifolia. $2\frac{1}{2}$ to 3 ft	32 50
3 to $3\frac{1}{2}$ ft	42 50
$3\frac{1}{2}$ to 4 ft	
sempervirens, var. myrtifolia. Myrtle Leaf-	40 70
3 to 3½ ft	42 50
4 to 5 ft	17 50
sempervirens var suffrutionsa Dwarf Box Edging	11 00
sempervirens, var. suffruticosa. Dwarf Box Edging— 3 to 4 in	75
4 to 5 in	1 50
6 to 7 in	2 00
CERASUS Laurocerasus Caucasica. Caucasian Laurel— 2 to 2½ ft	22 50
$2\frac{1}{2}$ to 3 ft	32 50
Laurocerasus, var. Schipkænsis. 13 to 2 ft 2 00	17 50
2 to $2\frac{1}{2}$ ft	22 50
CHAMÆDAPHNE calveulata. Leather Leaf—	10 50
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \text{per } 100, \$75 1 50$	12 50
COTONEASTER buxifolia. 12 to 15 in. 75 microphylla. 10 to 12 in. 75	6 00
interophyria. 10 to 12 III	0 00

PRICE LIST FOR SPRING OF 1911 17

	Each	10
CRATÆGUS Pyracantha. Evergreen Thorn. 2 ft	§0 75	
Pyracantha, var. Lelandi. Leland's Evergreen		
Thorn. 2 ft	75	90.00
DAPHNE Cneorum. 3-year	75	\$6 00
EUONYMUS radicans and variegata. See Trailing Plants.		
Japonica. Japan Euonymus— 2 to 3 ft	75	6 00
Japonica, var. argentea. Silver-leaved. 2 to $2\frac{1}{2}$	••	0 00
ft	75	6 00
Japonica, var. aurea. Golden-leaved. 1½ to 2 ft.	75	6 00
ILEX crenata. Japanese Holly. Box-leaved—		
1 ft	1 50	12 50
2 ft. 21 ft.	$\frac{2}{3} \frac{00}{50}$	$\begin{array}{ccc} 17 & 50 \\ 32 & 50 \end{array}$
2½ ft. 3 ft.		40 00
crenata, var. Fortunei. Fortune's Holly-	5 00	10 00
3½ to 4 ft	3 50	32 50
4 to $4\frac{1}{2}$ ft	5 00	47 50
5 to $5\frac{1}{2}$ ft	7 50	
crenata, var. latifolia. Broad-leaved Japanese Holly-	0.00	45 50
$2\frac{1}{2}$ to 3 ft	$\frac{2}{2} \frac{00}{50}$	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
3 to 3½ ft. 3½ to 4 ft.	3 50	32 50
4 to 6½ ft		02 00
4 to 6½ ft	_ `	
12 to 15 in. Bushy	1 00	8 50
15 to 18 in. Bushy	1 25	10 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{1}{2} \frac{75}{50}$	$\begin{array}{ccc} 15 & 00 \\ 22 & 50 \end{array}$
$\frac{2}{3}$ to $\frac{3}{2}$ ft. Heavy specimens\$3.50 to		22 30
4 to $5\frac{1}{2}$ ft. Heavy specimens\$7.50 to	$12\overline{50}$	
KALMIA latifolia. Mountain Laurel. 2 ft	1 00	8 50
3 ft	2 50	22 50
3 to $3\frac{1}{2}$ ft	3 00	27 50
1½ ft. Heavy clumps		12 50
2 ft. Heavy clumps	$\frac{2}{2} \frac{00}{50}$	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
$2\frac{1}{2}$ ft. Heavy clumps $2\frac{1}{2}$ to 3 ft. Heavy clumps 3 to $3\frac{1}{2}$ ft. Heavy clumps 3	$\frac{2}{3} \frac{50}{00}$	28 50
3 to 3½ ft. Heavy clumps	3 50	32 50
$3\frac{1}{2}$ to 4 ft. Heavy clumps	5 00	47 50
LAURELS. See Cerasus Laurocerasus.		
LEUCOTHOE Catesbæi. Drooping Andromeda—	1 00	0 50
12 to 15 in. Clumps+per 100, \$60 15 to 18 in. Clumps+per 100, \$75	$\frac{1}{1} \frac{00}{50}$	$\begin{array}{c} 8 \ 50 \\ 12 \ 50 \end{array}$
18 to 24 in. Clumps	1 75	15 00
MAHONIA Aquifolium. Holly-leaved—	5	10 00
12 to 15 inper 100, \$25	50	4 00
15 to 18 in. Heavyper 100, \$35	75	7 00
	1 00	9 00
24 to 30 in.	1.50	13 50
Japanese Mahonia— 1 to 2 ft	1 50	12 50
$2^{\frac{12}{2}}$ to $2^{\frac{1}{2}}$ ft	2 50	18 50
2½ to 3 ft	3 50	32 50
OSMANTHUS ilicifolia. 1½ to 2 ft	2 00	18 50
2 to $2\frac{1}{2}$ ft	2 50	22 50



Rhododendrons at Andorra.

RHODODENDRONS

HYBRID VARIETIES - ANDORRA GROWN

RHODODENDRONS.	Catawbiense Hybrids Assorted. Our selec-	
	tion of varieties— Each	10
	15 to 18 in	\$10 00
	$1\frac{1}{2}$ to 2 ft	13 50
	2 to $2\frac{1}{2}$ ft	22 50
	A large stock of fine, heavy plants,	
	3 to 5 ft. Prices on applica-	
	tion.	
	Abraham Lincoln. Rosy crimson-	
	1½ to 2 ft 1 75	15 00
	Album elegans. White-	40 =0
	$\frac{1}{2}$ to 2 ft	12 50
	2 to 2½ ft	17 50
	3 to 3½ ft	
	3½ to 5 ft\$3.50 to 10 00	10 50
	Album grandiflorum. White. 1½ to 2 ft. 1 50	12 50
	Anna Parsons. Red. $1\frac{1}{2}$ ft 1 50	12 50
	Atrosanguineum. Dark scarlet—	17 50
	Petro Persona Boddish number 2 00	11 90
	Betsy Parsons. Reddish purple—	
	4 to $4\frac{1}{2}$ ft	17 50
	2 to 2½ ft	11 00
	2½ to 3 ft\$3.50 to 7 50	
	3 to 4 ft. Specimens\$5 to 15 00	
	Boule de Neige. White. 11 to 2 ft 2 00	17 50

P	RICE LIST FOR SPRING OF 1911	19
	Each	10
RHODODENDRONS,	B. W. Elliott. Deep rose. 1 to $1\frac{1}{2}$ ft $\$1$ 50 Candidissium. White. $1\frac{1}{2}$ to 2 ft $\frac{1}{4}$ 75	
	Candidissium. White. $1\frac{1}{2}$ to 2 ft $\frac{1}{2}$ 75	\$15 00
	2 to 2½ ft	17 50 17 50
	2 to 21 ft 2 to 2 it.	$\frac{17}{22} \frac{50}{50}$
	2½ to 3 ft\$3.50 to 7 50	
	2 to 2½ ft	17 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 22 & 50 \\ 17 & 50 \end{array}$
	2 ft 2 ft 2 50	$\frac{17}{22} \frac{50}{50}$
	Delicatissimum. White, 13 to 2 ft 1 50	13 50
	$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots 250$	22 50
	$2\frac{1}{2}$ to 3 ft\$3 50 to 7 50	22 50
	Fyerestianum Rosy lilac 14 ft 1 75	15 00
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	$2\frac{1}{2}$ ft	$\frac{32}{50}$
	General Grant. Red. $1\frac{1}{2}$ to 2 ft 2 00	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
	Giganteum Rosy crimson 14 ft 1 50	$\frac{12}{12} \frac{50}{50}$
	H. W. Sargent. Scarlet. $1\frac{1}{2}$ to 2 ft 2 00	17 50
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50$	22 50
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	17 50
	J. Marshall Brooks. Scarlet. 1\frac{1}{2} to 2 ft 2 00	17 50
	John Spencer. Rose. $1\frac{1}{2}$ to 2 ft 1 75	15 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{17}{17}$ 50
	2 ft 2 50	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
	2½ ft. 3 50 Kettledrum. Deep red. 1½ to 2 ft 2 50 Lady Armstrong. Pale rose. 1½ to 2 ft 2 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	Kettledrum. Deep red. $1\frac{1}{2}$ to 2 ft 2 50	$\frac{22}{50}$
	2 to 2½ ft	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
	2 to 2\frac{1}{2} ft 2 50 2 to 2\frac{1}{2} ft 2 50 Lady Clermont. Rosy scarlet. 1\frac{1}{2} to 2 ft 2 00 3 to 3\frac{1}{2} ft \$3.50 to 5 00 Luciferum. Clear white. 1\frac{1}{2} to 2 ft 1 75 2 to 3 ft \$2.50 to 5 00 Madam Carvalho. White. 1\frac{1}{2} to 2 ft 1 75 Michael Waterer. Scarlet-crimson— 1\frac{1}{2} to 2 ft 2 00	17 50
	3 to $3\frac{1}{2}$ ft\$3.50 to 5 00	
	Luciferum. Clear white. $1\frac{1}{2}$ to 2 ft 1 75	15 00
	2 to 3 ft	15 00
	Michael Waterer. Scarlet-crimson—	15 00
	$1\frac{1}{2}$ to 2 ft 2 00	17 50
	Minnie. White. 3 to $3\frac{1}{2}$ ft	32 50
	1\frac{1}{2} to 2 ft	15 00 15 00
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	17 50
	$\frac{2\frac{1}{2}}{3}$ ft	
	Via Port. Plum. 1½ ft	$\begin{array}{ccc} 13 & 50 \\ 22 & 50 \end{array}$
	Parson's gloriosum. Blush, 1½ to 2 ft 1 50	$\frac{22}{12} \frac{50}{50}$
	$2\frac{1}{2}$ to 3 ft	22 50
	$\frac{3}{2}$ to $\frac{31}{2}$ ft	$\overline{32}$ $\overline{50}$
	3 to 3½ ft	
	1½ to 2 ft	17 50
	2 to $2\frac{1}{2}$ ft. 2 50 Perspicum. White.—	$\frac{1}{22} \frac{1}{50}$
	Perspicum. White.—	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	President Lincoln. Crimson.—	
	$3\frac{1}{2}$ to 4 ft	17 50
	3 to 3\frac{1}{2} 1t	
	Purpureum crispum. Purple, crimped.— 1½ to 2 ft. 1 75	15 00
	10	10 00

Each 10

BUODODENDONS TOTAL TO A 11 O C. C. C.	10
RHODODENDRONS, purpureum elegans. Purple. 1½ to 2 ft\$1 75	\$15 00
purpureum grandiflorum. Purple-	
1½ to 2 ft 1 50	13 50
$1\frac{1}{2}$ to 2 ft	17 50
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 250$	22 50
2 to $2\frac{1}{2}$ ft. Specimens	30 00
$2\frac{1}{2}$ to 3 ft. Specimens	47 50
3 to 5 ft. Specimens\$7.50 to 25 00	2. 00
Sir John Seabright. Purple. 11 to 2 ft 1 75	15 00
on som obtaining full figure 12 to 2 ft 1 10	10 00
NATIVE VARIETIES – ANDORRA GROWN	
RHODODENDRON Catawhiense. $1\frac{1}{2}$ to 2 ft (per 100—\$80.)\$1 25	\$10 00
9 to 91 ft	17 50
2 to 2½ ft 2 00 2½ to 3 ft	11 90
27 10 5 11	
3 to $3\frac{1}{2}$ ft. Specimens \star . \$3.50 to 5 00	
3½ to 4 ft. Specimens + \$7.50 to 20 00	
maximum. Great Laurel. 1½ to 2 ft 1 25	
$1\frac{1}{2}$ to 2 ft	11 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 00$	17 50
$2\frac{1}{2}$ to 3 ft 3 50	25 00
3 to $3\frac{1}{2}$ ft	37 50
3½ to 4 ft 5 00	47 50
4 to 5 ft 7 50	60 00
Collected Rhododendron maximum by the carload.	00 00
· ·	
DWARF VARIETIES—ANDORRA GROWN	
RHODODENDRON Hammondi. $1\frac{1}{2}$ ft\$2 00	
Hirsutum. 12 to 15 in	\$13 50
imbricata. 12 to 15 in	13 50
myrtifolium. 1½ to 2 ft. 2 50 odoratum. Fragrant. 12 to 15 in. 2 00	20 00
odoratum. Fragrant. 12 to 15 in 2 00	17 50
15 to 18 in	20 00
24 in	25 00
precox. 12 to 15 in	20 00
nunctatum Dotted 15 to 18 in A 1.50	12 50
punctatum. Dotted. 15 to 18 in 1 50	13 50
punctatum. Dotted. 15 to 18 in	20 00
punctatum. Dotted. 15 to 18 in. 1 50 18 to 24 in. 2 50 Wilsonianum. 12 to 15 in. 1 75	20 00 15 00
punctatum. Dotted. 15 to 18 in	20 00
punctatum. Dotted. 15 to 18 in	20 00 15 00
punctatum. Dotted. 15 to 18 in. 1 50 18 to 24 in. 2 50 Wilsonianum. 12 to 15 in. 1 75	20 00 15 00
punctatum. Dotted. 15 to 18 in	20 00 15 00
punctatum. Dotted. 15 to 18 in. 1 50 18 to 24 in. 2 50 Wilsonianum. 12 to 15 in. 1 75 YUCCA filamentosa. Adam's Needle. 3-yr. 35 4-yr. 50 Heavy clumps \$1.50 to 2 50	20 00 15 00
punctatum. Dotted. 15 to 18 in. 1 50 18 to 24 in. 2 50 Wilsonianum. 12 to 15 in. 1 75 YUCCA filamentosa. Adam's Needle. 3-yr. 35 4-yr. 50 Heavy clumps \$1.50 to 2 50	20 00 15 00
punctatum. Dotted. 15 to 18 in	20 00 15 00

Measurements are given as follows: Height is taken before digging, from the surface of the ground to the top branches where they round off to form the top; diameter of stem, or caliper, is taken above the collar.

Each	10
ACER campestris. European Cork Maple. 4 to 5 ft\$0 75	\$6 00
5 to 6 ft	8 50
7 to 8 ft	12 50
8 to 10 ft	15 00
colchicum, var. rubrum. Red Colchicum Maple-	
12 to 14 ft.; 23 to 3 in. cal	27 50
14 to 16 ft.: 3 to 4 in. cal	32 50



Straight Norway Maples in Wide Rows.		
Each	10	100
ACER dasycarpum. Silver Maple		
12 to 14 ft.; 2 to $2\frac{1}{2}$ in\$2 00	\$15 00	
12 to 14 ft.; $2\frac{1}{2}$ to 3 in	22 50	
12 to 14 ft.; 3 to $3\frac{1}{2}$ in $3\frac{50}{12}$	30 00	
4 to 6 in. Specimens\$5 to 25 00		
A rapid grower for immediate effects.		
dasycarpum, var. Wierii laciniatum. Wier's		
Cut-leaved Silver Maple—	22 50	
10 to 12 ft.; 2 to $2\frac{1}{2}$ in	$\frac{22}{32} \frac{50}{50}$	
12 to 14 ft.; $2\frac{1}{2}$ in	52 50	
Negundo. Ash-leaved Maple—		
10 to 12 ft.; 2 to 2½ in. Bushy 1 50	10 00	
12 to 14 ft.; $2\frac{1}{2}$ to 3 in. Bushy 2 50	20 00	
12 to 14 ft.; 3 to 4 in\$3.50 to 5 00		
Pennsylvanicum. 6 to 7 ft 1 50		
platanoides. Norway Maple—		
8 to 10 ft.; $1\frac{1}{2}$ in	16 50	150 00
10 to 12 ft.; $1\frac{3}{4}$ to 2 in	18 50	175 00
10 to 12 ft.; 2 to $2\frac{1}{4}$ in	22 50	200 00
12 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in	27 50	225 00
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	30 00	250 00
12 to 14 ft.; 2¾ to 3 in	37 50	300 00
14 to 16 ft.; $3\frac{1}{4}$ to $3\frac{1}{2}$ in	42 50	400 00
14 to 16 ft.; $3\frac{1}{2}$ to $3\frac{3}{4}$ in	50 00	475 00
14 to 16 ft.; $3\frac{3}{4}$ to 4 in	60 00	550 00
14 to 16 ft.; 4 to $4\frac{1}{4}$ in\$7.50 to 10 00		
14 to 16 ft.; $4\frac{1}{4}$ to 8 in\$12.50 to 25 00		
SPECIMEN NORWAYS. 14 to 20 feet in		
height and of heavy caliper; clean, well		
headed. Prices on application.		

ACER platanoides, var. purpurea. Schwedler's Purple	10	100
Maple. 8 to 10 ft.; 1\(\frac{1}{4}\) to 2 in\$2 50 10 to 12 ft.; 2\(\frac{1}{2}\) to 2\(\frac{3}{4}\) in\$5 to 7 50 12 to 14 ft.; 2\(\frac{1}{4}\) to 3 in\$5 to 7 50 14 to 16 ft.; 3\(\frac{1}{2}\) to 4 in\$5 to 7 50 Broad-headed specimen trees.	\$22 50 32 50 37 50	
platanoides, var. Reitenbachi. Reitenbach's Purple Maple. 8 to 10 ft 2.00 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 3 00	17 50	
pseudo-platanus. European Sycamore Maple— 6 to 8 ft. 75 8 to 10 ft. 1 50 10 to 12 ft.; 2 to 2½ in. 2 00 12 to 14 ft.; 2½ to 3 in. 2 50 14 to 16 ft. Specimens. \$5 to 25 00 pseudo-platanus, var. purpurea.	$\begin{array}{c} 6 & 00 \\ 12 & 50 \\ 17 & 50 \\ 22 & 50 \end{array}$	
more Maple. 8 to 10 ft.; 2 in 2 00 10 to 12 ft.; 2½ in 2 50 12 to 14 ft.; 3 to 6 in	17 50 22 50	
Broad-headed specimen trees. rubrum. Red or Scarlet Maple. 6 to 7 ft 1 00 8 to 10 ft.; 1\frac{3}{4} to 2 in 1 50 10 to 12 ft.; 2 to 2\frac{1}{4} in 2 00	$\begin{array}{c} 8 & 50 \\ 12 & 50 \\ 17 & 50 \end{array}$	
12 to 14 ft.; 2½ to 3½ in \$2.50 to 5 00 saccharinum. Sugar Maple. 8 to 10 ft 1 50 10 to 12 ft.; 1½ to 1½ in 1 75 10 to 12 ft.; 1½ to 1½ in 2 00 12 to 14 ft.; 2½ to 2½ in 2 50 12 to 14 ft.; 2½ to 2½ in 3 50 12 to 14 ft.; 2½ to 3 in 5 00 14 to 16 ft.; 3½ to 4½ in \$5 to 10 00 14 to 16 ft.; 3½ to 4 in \$12.50 to 35 00 Specimen low-branched trees of heavy caliper and good tops. Prices on appli-	10 00 15 00 17 50 22 50 32 00 45 00	125 00 150 00 200 00 275 00
cation. spicatum. Mountain Maple. 2 to 3 ft 50 3 to 4 ft	4 00 6 00 8 50 10 00	40 00 50 00 60 00
Tataricum, var. Ginnala. Tartarian Maple— 2 ft	3 50 6 50 9 00 10 00	35 00 50 00 60 00
JAPANESE MAPLES		
ACER polymorphum. 3 to 4 ft. Heavy 2 50 polymorphum, var. atropurpureum. Bloodleaved Japan Maple. 1½ ft 1 50	22 50 13 50	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50 30 00	

PRICE LIST FOR SPRING OF 191	1	23
ACER polymorphum, var. atropurpureum dissectum.	10	100
XXX		
$1\frac{1}{2}$ ft	\$22 50	
2 to $2\frac{1}{2}$ ft. Specimens		
polymorphum, var. aureum. Golden Japan	00 40	
Maple. $1\frac{1}{2}$ to 2 ft	$\frac{22}{20}$ $\frac{50}{20}$	
Weeping Cut-lear Blood-leaved— 1½ ft.	32 50	
polymorphum, var. dissectum. Out-lear weep-	22 50	
2 to 24 ft 4 \$3.50 to 7.50	22 30	
nolymorphum, var scopendifolium ruhrum.		
$2\frac{1}{2}$ to 3 ft\$3.50 to 7 50		
ÆSCULUS Hippocastanum. European Horse-chestnut—		
7 to 8 ft 2 00	17 50	
7 to 8 ft · 2 in 2 50	$\frac{11}{22} \frac{50}{50}$	
8 to 10 ft.: 2½ in	$\frac{1}{32} \frac{1}{50}$	
10 to 12 ft.; 3 to $3\frac{1}{2}$ in\$5 to 10 00		
7 to 8 ft 2 00 7 to 8 ft.; 2 in 2 50 8 to 10 ft.; 2½ in		
Hippocastanum, var. aida nore pieno—		
Double White-Flowered Horse-	00 50	
Chestnut. 8 to 9 ft.; 2 in 2 50	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	
9 to 10 It.; $2\frac{1}{2}$ III	54 50	
Chestnut. 8 to 9 ft.; 2 in 2 50 9 to 10 ft.; 2½ in 3 50 10 to 11 ft.; 3 in		
Specimens: 4 to 5 in\$12.50 to 25 00		
Hippocastanum, var. Bujotii—		
Specimens; 4 to 5 in\$12.50 to 25 00 Hippocastanum, var. Bujotii— 10 to 12 ft.; 2½ to 3 in+\$5 to 7 50 Hippocastanum, var. rubicunda. Red- flowered Horse-Chestrut—		
10 to 12 ft.; 3 to $3\frac{1}{2}$ in \div $5\frac{5}{5}$ to 7 50		
Hippocastanum, var. rubicunda. Red-		
flowered Horse-Chestnut— 8 to 10 ft.; 2 to $2\frac{1}{4}$ in 2 50	22 50	
10 ft : 21 to $2\frac{1}{4}$ in 3 50	$\frac{22}{32} \frac{50}{50}$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	37 50	
12 ft.; 3 to 4 in		
parviflora. See Shrubs.		
AlLANTHUS glandulosa. Ailanthus, or Tree of		
Heaven. 8 to 10 ft 1 25	10 00	
10 to 12 ft 1 50	12 50	\$100 00
ALNUS glutinosa. European, or Black Alder-		·
7 to 8 ft	5 00	35 00
7 to 8 ft	12 50	75 00
incana. 8 to 10 ft	10 00	75 00
AMELANCHIER Botryapium. Dwarf Juneberry. See		
Shrubs.		
ANDROMEDA. See Oxydendron.		
ARALIA. Chinese Angelica Tree—		
elata, var. foliis argentea marginata. 6 to 8 ft 1 00		
6 to 8 it 1 00	13 50	
lanonica 2 to 3 ft 50	4 00	
8 to 10 ft	8 00	
8 to 10 ft	0 00	
8 to 10 ft 1 50 pentaphylla; syn., Acanthopanax spinosa.		
See Shrubs.		
spinosa. 5 to 6 ft		
9 to 10 ft 1 50		

Each	10	100
BETULA alba. European White Weeping Birch—6 to 8 ft. \$1 25 8 to 10 ft. 2 00	\$10 00	
8 to 10 ft		
leaved White Birch. 6 to 7 ft. 1 50 lenta. Sweet Birch. 5 to 6 ft 1 00	7 50	
8 to 10 ft	$\begin{array}{c} 12 & 50 \\ 8 & 50 \end{array}$	
7 to 8 ft	$\begin{array}{ccc} 12 & 50 \\ 13 & 50 \end{array}$	
papyrifera. Paper, or Canoe Birch—	19 90	
7 to 8 ft	8 50	\$60 00
8 to 10 ft 1 50 10 to 12 ft.; 2½ to 3 in 2 50	$\begin{array}{ccc} 13 & 50 \\ 22 & 50 \end{array}$	150 00
BROUSSONETIA papyrifera. Paper Mulberry-		
6 to 8 ft	12 50	
CARPINUS Americana; syn., Caroliniana. American Hornbeam. 3 to 4 ft	5 00	30 00
4 to 5 ft. Bushy	$\begin{array}{c} 7 \ 50 \\ 10 \ 00 \end{array}$	$\frac{50}{75} \frac{00}{00}$
6 to 7 ft. Bushy	$\begin{array}{ccc} 13 & 50 \\ 20 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
9 to 10 ft. Bushy 3 50	$\overline{27}$ $\overline{50}$	
3 ft 35	3 00	
4 to 5 ft. Bushy	4 00 6 00	40 00
5 to 6 ft. Bushy	$\begin{array}{ccc} 13 & 50 \\ 18 & 50 \end{array}$	$\begin{array}{ccc} 75 & 00 \\ 100 & 00 \end{array}$
8 to 10 ft. Bushy 3 50	30 00	
CARYA alba. (Hickory). 2 to 2½ ft 1 00 tomentosa. 3 to 4 ft 1 50	$\begin{array}{c} 7 & 50 \\ 10 & 00 \end{array}$	
CASTANEA Americana. American Chestnut—	7 50	
7 to 8 ft 1 00 8 to 9 ft 1 25	$\begin{array}{c} 7 \ 50 \\ 9 \ 00 \end{array}$	
8 to 9 ft	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$	
12 to 14 ft.; 3 in 2 00	17 50	
Japonica. Japan Chestnut. 4 to 5 ft 1 00 vesca. Spanish Chestnut. 4 to 5 ft 1 00	7 50 7 50	
CATALPA bignonioides. 12 to 14 ft 2 50	22 50	
bignonioides, var. aurea. Golden Catalpa—		
4 to 5 ft 1 00	7 50	
7ft 3 50		
Kæmpferi. Japanese Catalpa. 6 to 8 ft. 1 50	12 50 7 50	
speciosa. Western Catalpa. 6 to 8 ft 1 00 8 to 10 ft.; 1½ to 2 in. 1 50	13 50	
CEDRELA Sinensis. Chinese Cedrela— 8 to 10 ft.		

TRIOL LIST TOR STRING OF 1ST	•	20
Each	10	100
CELTIS occidentalis. Nettle Tree. 6 to 7 ft\$1 25	\$10 00	\$75 00
7 to 8 ft	12 50	90 00
8 to 10 ft	17 50	00 00
CERASUS Padus. European Bird Cherry. 4 to 5 ft. 75	6 00	
serotina. Wild Black Cherry. 10 to	0 00	
12 ft	12 50	
Avium, var. alba plena, Double White-	3.2 00	
flowering Cherry, 5 to 6 ft, 1 50	13 50	
flowering Cherry. 5 to 6 ft 1 50 Avium, var. rosea plena. Double Pink-		
flowering Cherry, 4 to 6 ft, 1 50		
flowering Cherry. 4 to 6 ft 1 50 Avium, var. rosea pendula. Pink Weeping		
Japan Cherry. 7 ft., specimens 5 00		
Sieboldi, var. rubra plena 4 to 5 ft 1 50	12 50	
CERCIS Canadensis. Red Bud, American Judas-		
3 to 4 ft	4 00	
4 to 5 ft	$\bar{6} \ 00$	
5 to 6 ft	7 50	
6 to 8 ft 1 50	10 00	60 00
8 to 10 ft	12 50	85 00
Japonica. See Shrubs.		
CERCIDIPHYLLUM Japonicum. 5 to 6 ft 1 50	12 50	100 00
7 to 8 ft	17 50	
8 to 9 ft 2 50	22 50	
CLADRASTIS tinctoria (Virgilia lutea). Yellow		
Wood. 6 to 8 ft 1 50	13 50	100 00
8 to 10 ft 2 00	17 50	150 00
CORNUS. See, also, Shrubs.		
florida. White Dogwood. 2 to $2\frac{1}{2}$ ft 50	4 00	
$3\frac{1}{2}$ to 4 ft.; very fine	7 50	
4 to 5 ft.; very fine	10 00	60 00
5 to 6 ft · very tine 1.50	12 50	75 00
6 to 7 ft.; very fine 1 75	15 00	85 00
7 to 8 ft.; very fine	22 50	100 00
6 to 7 ft.; very fine 1 75 7 to 8 ft.; very fine 2 50 8 to 10 ft.; very fine 3 00	27 50	
very low-pranched, neavy stock.		
These trees have been repeatedly		
transplanted; lift with fine roots		
and move successfully.		
florida, var. flore rubro. Red-flowered		
Dogwood—		
4 to 5 ft. Bushy		
5 to 6 ft. Bushy		
6 to 8 It. Busny		
One of the most beautiful of		
ornamental trees, combining spring flowers, summer berries and bril-		
liant autumn foliage	•	
liant autumn foliage. florida, var. pendula. Weeping Dog-		
wood—		
7 to 10 ft. Rare		
CRATÆGUS Carrieri. 3 to 4 ft		
4 to 5 ft	7 50	
5 to 6 ft 1 25	10 00	•
5 to 6 ft	12 50	
coccinea. 4 to 5 ft	6 00	
coccinea. 4 to 5 ft. 1 00 6 to 7 ft. 1 50	12 50	
cordata. Washington Thorn-		
4 to 5 ft 1 00	8 50	

ODAT TOUG O	Each	10	100
CRATÆGUS Crus-galli. Cockspur Thorn—	\$1.00	\$7 50	\$50 00
6 to 8 ft	4. 1 25	\$1.00	\$50 00
8 to 10 ft	♦ 1 50	- 2 - 40	
mollis. Scarlet Haw. 7 to 8 ft Oxyacantha. English Hawthorn—	1 50	12 50	
5 to 6 ft	75	5 00	
6 to 8 ft	1 00	6 00	
Oxyacantha, var. alba flore pl Double White Hawthorn—	eno.		
3 to 4 ft	1 00	7 50	
4 to 5 ft	1 50	10 00	
Oxyacantha, var. coccinea flore ple Paul's Double Scarlet—	eno.		
4 to 6 ft	1 00	9 00	
4 to 6 ft	+ 5 00	45 00	
Oxyacantha, var. rosea flore please Double Pink Hawthorn—	eno.		
4 to 5 ft	1 50	10 00	
punctata. 5 to 6 ft	1 00	6 00	
$ \begin{array}{c} \textbf{punctata.} & 5 \text{ to } 6 \text{ ft.} \\ \textbf{CYTISUS Laburnum.} & \text{Golden Chain.} & 3 \text{ to } 4 \text{ ft} \\ 4 \text{ to } 5 \text{ ft.} \\ \end{array} $	$\dots 50$	$\frac{4}{6} \frac{00}{00}$	
5 to 6 ft	1 50	13 50	
DIOSPYROS Virginica. Persimmon—			
10 to 12 ft	1 50	13 50	
6 to 8 ft • • • • • • • • • • • • • • • • • •	to 5 00		
sylvatica. European Beech. 3 to 4 ft 4 to 5 ft.	75	6 00	
4 to 5 ft	1 00	$\begin{array}{c} 7 & 50 \\ 15 & 00 \end{array}$	
5 to 6 ft	$\frac{1}{3} \frac{19}{50}$	$\frac{15}{32} \frac{00}{50}$	
7 to 8 ft\$3.50	to 5 00		
6 to 7 ft. 7 to 8 ft	to 15 00		
sylvatica, var. asplenifolia. Fern-lik Beech—			
3 to 4 ft	1 50		
4 to 5 ft Weeping Booch	2 50		
sylvatica, var. pendula. Weeping Beech-	3 50		
6 10 7 11			
14 to 16 ft.; 2 to 3½ in. Sp mens\$15	eci-		
All recently transplanted.			
sylvatica, var. purpurea. Purple Beech- 4 to 5 ft.		10 50	
4 to 5 ft	$\begin{array}{cccc} \dots & 1 & 50 \\ \dots & 2 & 50 \end{array}$	12 50 22 50	
6 to 7 ft	3 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
7 to 8 ft	5 00	47 50	
9 to 10 ft	7 50	$\frac{55}{70} \frac{00}{00}$	
12 to 14 ft. Specimens\$10	to 35 00	,0 00	
11 to 12 ft\$10 12 to 14 ft. Specimens\$10 8 to 16 ft. Sheared specimens.\$10	to 35 00		
sylvatica, var. purpurea major. Large Lea	1	22 50	
5 to 6 ft	5 00	47 50	
9 to 10 ft. sylvatica, var Riversi. Rivers' Blood-lea	6 00		
sylvatica, var Riversi. Rivers' Blood-lea Beech. 6 to 7 ft	ved 3 50		
7 to 8 ft	5 00		
8 to 9 ft	7 50		



An Avenue of Sweet Gums (Liquidambar), at Andorra.

Eac	ch 10	100
FRAXINUS Americana. White Ash. 8 to 10 ft \$1	25 \$10	60
10 to 12 ft.; 2 to $2\frac{1}{2}$ in 1	50 12	
12 to 14 ft.: $2\frac{1}{2}$ to $2\frac{3}{4}$ in 2	50 22	
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 2 14 to 16 ft.; $2\frac{3}{4}$ to 3 in 3	00 - 27	
14 to 16 ft.; 3 to 4 in\$4 to 5	00	
excelsior. European Ash—		
6 to 8 ft 1		
8 to 10 ft 1	50	
Ornus. Flowering Ash-		
8 to 10 ft.; heavy\$2.50 to 3		
GLEDITSCHIA aquatica. Water Locust. 6 to 7 ft 1	50 10	00
7 to 8 ft 2	00 15	00
	75 6	
8 to 10 ft 1	50 12	50
GLYPTOSTROBUS. See Taxodium.		
GYMNOCLADUS Canadensis. Kentucky Coffee Tree-		
7 to 8 ft	50 20	00 135 00
JUGLANS nigra. Black Walnut. 2 to 2\frac{1}{2} ft	50 3	
7 to 8 ft		
	50 12	
regia. English Walnut. 8 to 10 ft.; $1\frac{1}{2}$	50 12	30 100 00
to 2 in 2	50	
10 to 12 ft.; 2 to $2\frac{1}{2}$ in 3	50	
KŒLREUTERIA paniculata. Varnish Tree—		
5 to 6 ft	50 12	50
6 to 8 ft		
8 to 10 ft		50
0 00 20 20 1111111111111111111111111111	00 02	00

in a state of the		
Each	10	100
LARIX Europæa. European Larch. 5 to 6 ft \$1 00	\$7 50	
6 to 8 ft	10 00	
8 to 10 ft	13 50	\$85 00
leptolepsis. Japanese Larch. 6 to 8 ft 1 25	10 00	
CARIA European Darch. 5 to 6 ft. \$1 00 6 to 8 ft. 1 25 8 to 10 ft. 1 50 leptolepsis. Japanese Larch. 6 to 8 ft. 1 25 10 to 12 ft. 2 00 LIQUIDAMBAR. Sweet Gum. 6 to 7 ft. Fine. 1 50 7 to 8 ft.; 2½ in. Fine. ↑ 2 50 8 to 9 ft.; 2½ to 2¾ in. Fine. ↑ 3 50 10 to 12 ft.; 3 to 3½ in. 5 00 (An excellent lot, specially prepared	15 00	C= 00
7 to 8 ft . 21 in Fine 1 50	12 50 22 50	85 00
2 to 0 ft $\cdot 21$ to 23 in Fine \bullet 2 50	$\frac{22}{32} \frac{50}{50}$	
10 to 12 ft : 3 to 31 in 5 00	45 00	
(An excellent lot, specially prepared	10 00	
for avenue planting:		
for avenue planting: $8 \text{ to } 10 \text{ ft.}; 1\frac{1}{2} \text{ to } 2 \text{ in} 2 00$	17 50	150 00
(10 to 12 ft.; 2 to $2\frac{1}{2}$ in 2 50	20 00	175 00
LIRIODENDRON Tulipifera. Tulip Tree. 8 to 9 ft 1 50	10 00	
9 to 10 ft 1 75	16 50	
10 to 12 ft.; very heavy 2 00 12 to 14 ft.; very heavy 2 50		
12 to 14 ft.; very heavy+ 2 50		
Tulipifera, var. fastigiata. 8 to 10		
ft		
MAGNOLIA, Native Sorts— acuminata. Cucumber Tree. 5 to 6 ft 1 00	7 50	
glauca. Sweet or Swamp Magnolia—	. 50	
2 to 2½ ft		
grandiflora Evergreen Magnelia-		
2 to 2½ ft 2 50 macrophylla. Great-leaved Magnolia—		
macrophylla. Great-leaved Magnolia-		
0 10 0 11		
6 to 7 ft	0.00	7= 00
tripetala. Umbrella Tree. 6 to 8 it 1 25	$\begin{array}{c} 9 & 00 \\ 12 & 50 \end{array}$	75 00 100 00
8 to 10 ft 1 50 10 to 12 ft 2 00	12 00	100 00
12 to 14 ft		
Chinese Sorts—		
Alexandriana. 4 to 5 ft		
6 to 7 ft		
7 to 8 ft		
conspicua. White— 3 to 3½ ft	20 50	
3 to $3\frac{1}{2}$ ft 4 . 3 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
0 to 0 to 1 to 1 ft 1 50	45 00	
2 to 21 ft 3 50		
Lennei Hyhrid. Lenne's Magnolia—		
3½ to 4 ft 3 50		
4 to 6 ft		
3 to 3½ ft		
3 to 4 ft		
7 to 8 ft		
purpurea; syn., obovata. Purple Magnolia—		
5 to 6 ft 3 50		
4 to 5 ft		
4 to 5 ft 3 50		
4 to 5 ft 3 50 5 to 6 ft		
6 to 7 ft		
speciosa. $4\frac{1}{2}$ to 5 ft		
stellata; syn., Halleana. Hall's Japanese Magnolia. 2 ft	00 50	
Magnolia. 2 ft	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	
27 ft	32 30	
3 to 6 ft. Specimens. +\$5 to 15 00 superba alba. 4 to 5 ft. +\$3.50 to 5 00 7 to 8 ft +\$7.50 to 10 00		
7 to 8 ft		
1 to 0 10 11.11.11.11.11.10 to 10 00		



An Avenue of "Andorra-grown" Oriental Planes. (See page 30).

Each	10
MORUS alba. White Mulberry. 5 to 6 ft\$1 00	\$6 00
alba, var. Tatarica alba. White-fruited Russian	
Mulberry. 6 ft	
alba, var. Tatarica rubra. Red Russian Mulberry.	
6 ft	
alba, var. Tatarica pendula. Teas' Weeping Mul-	
berry. 5 to $5\frac{1}{2}$ ft.; 2-yr. heads	
NEGUNDO. See Acer.	
NYASSA sylvatica. Sour Gum. 5 to 6 ft	
OSTRYA Virginica (Ironwood). 3 to 4 ft	
OXYDENDRUM arboreum; syn., Andromeda arborea. Sorrel	
Tree. 2 to 3 ft	9 00
3 to 4 ft	13 50
	18 50
5 to 6 ft	22 50
6 to 7 ft	
7 to 8 ft 3 50	
PARROTIA Persica. Persian Iron Tree. 5 to 6 ft 2 50	
10 to 12 ft	
PAULOWNIA imperialis. 10 to 12 ft	
PERSICA vulgaris, var. alba plena. Double White-flowering	
Peach. 4 to 5 ft	7 50
vulgaris, var. sanguinea plena. Double Red-flowering	
Peach. 4 to 5 ft	7 50
PHELLODENDRON Amurense. Chinese Cork Tree-	. 00
8 to 10 ft 1 50	
10 to 12 ft 2 00	
10 10 12 11	

Each	10	100
PLATANUS occidentalis. American Buttonwood-		200
8 to 10 ft\$1 00	\$8 50	
10 to 12 ft.; $1\frac{3}{4}$ to 2 in 1 50 orientalis. Oriental Plane, or European	12 50	
Buttonwood. 6 to 8 ft 1 00	7 50	\$50 00
8 to 10 ft.: $1\frac{1}{7}$ to $1\frac{1}{7}$ in 1 25	11 50	85 00
10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 1 50	12 50	115 00
10 to 12 ft.; 1\(\frac{1}{4}\) to 2 in 1 75 12 to 14 ft.; 2\(\frac{1}{2}\) to 3 in + . 3 50	$\begin{array}{ccc} 16 & 00 \\ 32 & 50 \end{array}$	150 00
12 to 14 ft.; $2\frac{1}{2}$ to 3 ft 4 3 50 14 ft.; 3 to 4 in. Specimens. \$5 to 10 00	52 50	
POPULUS alba, var. Bolleana. Bolle's Poplar—		
8 to 10 ft 1 50	13 50	
10 to 12 ft	20 00	
12 to 14 ft.; 3 to 3½ in 3 50 monilifera; syn., Carolinensis. Carolina		
Poplar. 8 to 10 ft.; 1½ to 2 in 1 00	7 50	
Poplar. 8 to 10 ft.; $1\frac{1}{2}$ to 2 in. 1 00 10 to 12 ft.; 2 to $2\frac{1}{2}$ in. 1 50 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in. 2 50	10 00	
12 to 14 ft.; 2½ to 2¾ in 2 50	22 50	
nigra, var. fastigiata. Lombardy Poplar— 8 to 10 ft.; $1\frac{1}{2}$ to 2 in 1 25	10 00	
10 to 12 ft.; 2 to 2} in	13 50	125 00
$10 \text{ to } 12 \text{ ft.}; 2 \text{ to } 2 \text{ in.} \qquad 1 \overline{50} \\ 10 \text{ to } 12 \text{ ft.}; 2 \text{ in.} \qquad 2 \overline{00}$	18 50	150 00
Transplanted several times.		
PRUNUS. See, also, Cerasus. PRUNUS Pissardii. Purple Plum. 3 to 4 ft 75	5 00	
triloba. Flowering Plum. 2 to $2\frac{1}{2}$ ft 50	3 50	
PTELEA trifoliata. Hop Tree, 4 to 6 ft	3 00	
6 to 7 ft	$\begin{array}{ccc} 4 & 50 \\ 5 & 00 \end{array}$	30 00
7 to 9 ft	5 00	
8 to 10 ft 1 50	12 50	
10 to 12 ft 2 50	20 00	
PYRUS. See, also, Shrubs.	10 00	
atrosanguinea. 4 to 5 ft	10 00	
$3\frac{1}{2}$ to 4 ft	6 00	
coronaria. Sweet-scented Crab. 4 to 5 ft. 75	$\frac{6}{7} \frac{00}{50}$	
floribunda. Flowering Crab. $3\frac{1}{2}$ to 4 ft 1 00 lænsis, var. Bechtel. Bechtel's Double-	7 50	
flowering Crab. 3 to 4 ft + 1 50	12 50	
flowering Crab. 3 to 4 ft		
3½ to 4 ft 1 00	$\frac{7}{10} = \frac{50}{50}$	
Scheideckeri (Double-flowered). 3 to 3½ ft. 1 50 spectabilis. Chinese Double-Flowering Crab—	12 50	
3 to 4 ft 1 00	7 50	
spectabilis, var. alba flore pleno. Double		
Rose-flowering Crab. 3 to 4 ft 1 00	7 50	
Toringo (Dwarf Crab). 4 to 5 ft 1 25 QUERCUS alba. White Oak. 5 to 6 ft 1 25	10 00	
6 to 7 ft		
7 to 8 ft 1 75	16 00	
8 to 10 ft 2 50	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	
10 to 12 ft	32 50	
QUERCUS bicolor. Swamp White Oak— 8 to 9 ft.; 13 to 2 in. 2 50	22 50	200 00
10 to 12 ft.: $2\frac{1}{2}$ to $2\frac{3}{2}$ in 3 50	32 50	
12 to 14 ft. Specimens\$5 to 10 00		
Cerris. Turkey Oak— 6 to 8 ft.; $2\frac{1}{2}$ to $3\frac{1}{2}$ in\$3.50 to 5 00		
0 00 0 100, 22 10 02 14, 11.140,00 10 0		

Start California Californ	Each	10	100
\$ to 9 ft; 1¼ to 2 in.	QUERCUS coccinea. Scarlet Oak. 6 to 7 ft\$1 25		010= 00
9 to 10 ft.; 2 to 2\frac{1}{2} in. \$2.75 to 5 00 12 to 14 ft. Specimens \$7.50 to 10 00 imbricaria. Laurel Oak. 7 to 8 ft. 2 50 8 to 10 ft. \$1.00 to 12 ft.; 2 to 2\frac{1}{2} in. \$2.75 to 5 00 10 to 12 ft.; 2 to 2\frac{1}{2} in. \$3.50 macrocarpa. Mossy Cup Oak— 8 to 9 ft.; 1\frac{1}{2} to 1\frac{2}{2} in. \$3.50 12 to 14 ft. Specimens \$5 to 10 00 palustris. Pin Oak— 6 to 7 ft. Low-branched \$1.25 8 to 9 ft.; 1\frac{1}{2} to 1\frac{2}{2} in. \$2.50 8 to 9 ft.; 1\frac{1}{2} to 1\frac{2}{2} in. \$2.50 10 to 12 ft.; 2 to 2\frac{1}{2} in. Low-branched \$1.25 10 to 12 ft.; 2 to 1\frac{1}{2} in. Low-branched \$1.25 10 to 12 ft.; 2 to 3\frac{1}{2} in. Low-branched \$2.50 10 to 12 ft.; 2 to 3\frac{1}{2} in. Low-branched \$3.50 9 to 10 ft.; 3 to 3\frac{1}{2} in. \$4.00 Extra heavy specimens. \$3\frac{1}{2} to 4\frac{1}{2} in. \$4.00 Extra heavy specimens. \$3\frac{1}{2} to 4\frac{1}{2} in. \$4.00 For the los. Willow Oak. 8 to 10 ft. \$3.50 10 to 12 ft.; 2 to 2\frac{1}{2} in. \$5.50 to 3 10 to 12 ft.; 2 to 2\frac{1}{2} in. \$2.50 Primus. Rock Chestnut Oak. 7 to 8 ft. \$1.25 10 to 12 ft.; 2 to 2\frac{1}{2} in. \$2.50 12 to 14 ft.; 3 to 4\frac{1}{2} in. \$2.50 12 to 14 ft.; 3 to 4\frac{1}{2} in. \$3.50 8 to 10 ft. \$2.50 12 to 14 ft.; 3 to 4\frac{1}{2} in. \$3.50 12 to 14 ft.; 3 to 4\frac{1}{2} in. \$3.50 12 to 14 ft.; 3 to 4\frac{1}{2} in. \$3.50 12 to 14 ft.; 3 to 3\frac{1}{2} in. \$3.50 13 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. \$3.50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. \$3.50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. \$3.50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. \$3.50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. \$3.50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. \$3.50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. \$3.50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. \$3.50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. \$3.50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. \$3.50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. \$3.50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. \$3.50			
Interioria Laurel Oak 7 to 8 ft. 2 50	9 to 10 ft.: 2 to 2½ in		
Interioria Laurel Oak 7 to 8 ft. 2 50	10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in\$2.75 to 5 00	00	200 00
## Sto 10 ft.	12 to 14 ft. Specimens\$7.50 to 10 00		
## Sto 9 ft; 1½ to 1½ in	imbricaria. Laurel Oak. 7 to 8 ft 2 50		
8 to 9 ft.; 1½ to 1¾ in. 2 00 10 to 12 ft.; 2 to 2½ in. 2 50 12 to 14 ft. Specimens \$5 to 10 00 palustris. Pin Oak— 6 to 7 ft. Low-branched 1 00 8 to 9 ft.; 1½ to 1¾ in. Low-branched 1 25 10 00 8 to 9 ft.; 1½ to 1¾ in. Low-branched 1 25 10 00 9 to 10 ft.; 2 to 2½ in. Low-branched 2 50 22 50 10 to 12 ft.; 2¾ to 3 in. Low-branched 3 50 30 00 275 00 ■ 10 to 12 ft.; 2¾ to 3 in. Low-branched 3 50 30 00 275 00 Extra heavy specimens. 3½ to 4½ in. cal., well-rooted and good tops, \$7.50 to 15 00 pedunculata, var. Concordia. Golden Oak— 6 to 8 ft. \$2.50 to 3 50 10 to 12 ft.; 2¼ to 2½ in. 2 00 18 50 Prinus. Rock Chestnut Oak. 7 to 8 ft. 1 25 10 00 8 to 10 ft.; 2½ to 2½ in. 2 00 18 50 10 to 12 ft.; 2½ to 2½ in. 2 00 18 50 Excellent for street planting. Robur. English Oak. 6 to 8 ft.; 2 in. 1 00 8 50 Excellent for street planting. Robur. English Oak. 6 to 8 ft.; 2 in. 1 50 12 50 12 to 14 ft.; 3 to 3½ in. 3 50 32 50 Robur, var. fastigiata. Pyramidal English Oak. 8 to 10 ft. 3 50 32 50 Robur, var. fastigiata. Pyramidal English Oak. 8 to 10 ft.; 2 to 2½ in. 2 50 20 00 Robur, var. fastigiata. Pyramidal English Oak. 8 to 10 ft.; 2 to 2½ in. 2 00 17 50 10 to 12 ft.; 2½ to 2¾ in. 2 50 20 00 Robur, var. fastigiata. Pyramidal English Oak. 8 to 10 ft.; 2 to 2½ in. 2 00 17 50 10 to 12 ft.; 2½ to 2¾ in. 2 50 32 50 Robur. Excellent. Black Oak— 6 to 8 ft. 1½ to 2 in. 1 75 15 00 15 00 Poble to 14 ft.; 2½ to 2¾ in. 2 50 22 50 200 00 Robur, var. fastigiata. Pyramidal English Oak. 8 to 10 ft.; 1½ to 2¼ in. 2 50 22 50 200 00 Robur, var. fastigiata. Pyramidal English Oak. 8 to 10 ft.; 1½ to 2½ in. 2 50 22 50 200 00 Robur, var. fastigiata. Pyramidal English Oak. 8 to 10 ft.; 1½ to 2½ in. 2 50 22 50 200 00 Robur, var. fastigiata. Pyramidal English Oak. 8 to 10 ft.; 1½ to 2½ in. 2 50 22 50 200 00 Robur, var. fastigiata. Pyramidal English Oak. 8 to 10 ft.; 1½ to 2½ in. 2 50 22 50 200 00 Robur, var. fastigiata. Pyramidal English Oak. 8 to 10 ft.; 10 2 in. 1 75 15 00 12 50 00 Robur, var. fastigiata. Pyramidal English Oa	macrocarna Mossy Cun Oak—		
12 to 14 ft. Specimens \$\\$5 to 10 00	8 to 9 ft.: $1\frac{1}{2}$ to $1\frac{3}{4}$ in 2 00		
12 to 14 ft. Specimens \$\\$5 to 10 00	10 to 12 ft.; $\tilde{2}$ to $2\frac{1}{2}$ in	22 50	
6 to 7 ft. Low-branched 1 1 00 8 50 7 to 8 ft.; 1½ to 1½ in. Low-branched 1 25 10 00 8 to 9 ft.; 1½ to 2 in. Low-branched 1 25 13 50 9 to 10 ft.; 1½ to 2 jin. Low-branched 2 50 22 50 10 to 12 ft.; 2½ to 3 jin. Low-branched 3 50 30 00 275 00 ■ 10 to 12 ft.; 2½ to 3 jin. Low-branched 3 50 37 50 350 00 Extra heavy specimens. 3½ to 4½ in. cal., well-rooted and good tops,	12 to 14 ft. Specimens\$5 to 10 00		
T to 8 ft; 1½ to 1½ in		8 50	
9 to 10 ft.; 2 to 2\frac{1}{2} in. Low-branched 2 50 22 50 30 00 275 00 10 to 12 ft.; 3\frac{1}{2} to 3\frac{1}{2} in. Low-branched 3 50 30 00 275 00 10 to 12 ft.; 3 to 3\frac{1}{2} in. Low-branched 3 50 30 00 275 00 10 to 12 ft.; 3 to 3\frac{1}{2} in. 4 00 37 50 350 00 10 to 12 ft.; 3 to 3\frac{1}{2} in. 55 to 7 50 15 00 10 to 12 ft. \$\$\$\$ \$7.50 to 15 00 \$\$\$\$ \$\$\$\$ \$7.50 to 15 00 \$\$\$\$\$ \$\$\$\$ \$10 to 12 ft. \$	7 to 8 ft.: $1\frac{1}{7}$ to $1\frac{1}{7}$ in. Low-branched 1 25		
9 to 10 ft.; 2 to 2\frac{1}{2} in. Low-branched 2 50 22 50 30 00 275 00 10 to 12 ft.; 3\frac{1}{2} to 3\frac{1}{2} in. Low-branched 3 50 30 00 275 00 10 to 12 ft.; 3 to 3\frac{1}{2} in. Low-branched 3 50 30 00 275 00 10 to 12 ft.; 3 to 3\frac{1}{2} in. 4 00 37 50 350 00 10 to 12 ft.; 3 to 3\frac{1}{2} in. 55 to 7 50 15 00 10 to 12 ft. \$\$\$\$ \$7.50 to 15 00 \$\$\$\$ \$\$\$\$ \$7.50 to 15 00 \$\$\$\$\$ \$\$\$\$ \$10 to 12 ft. \$	8 to 9 ft.; $1\frac{3}{4}$ to 2 in. Low-branched. 1 50	13 50	
pedunculata, var. Concordia. Golden Oak— 6 to 8 ft	9 to 10 ft.; 2 to 2½ in. Low-branched 2 50		977 00
pedunculata, var. Concordia. Golden Oak— 6 to 8 ft	10 to 12 it.; $2\frac{1}{4}$ to 3 in. Low-branched 3 50		
pedunculata, var. Concordia. Golden Oak— 6 to 8 ft	Extra heavy specimens. $3\frac{1}{2}$ to $4\frac{1}{2}$ in.	01 00	350 00
pedunculata, var. Concordia. Golden Oak— 6 to 8 ft	cal., well-rooted and good tops,		
6 to 8 ft	\$1.50 to 15 00		
Rock Chestnut Oak. 7 to 8 ft. 1 25 10 00	pedunculata, var. Concordia. Golden Oak—		
Rock Chestnut Oak. 7 to 8 ft. 1 25 10 00	10 to 12 ft		
Rock Chestnut Oak. 7 to 8 ft. 1 25 10 00	Phellos. Willow Oak. 8 to 10 ft 3 50	32 50	
10 to 12 ft.; 2 to 2⅓ in 2 00 18 50 10 to 12 ft.; 2½ to 2⅓ in 2 50 22 50 175 00 Excellent for street planting. Robur. English Oak. 6 to 8 ft.; 2 in 1 00 8 50 10 to 12 ft.; 2½ to 3⅓ in 2 50 20 00 12 to 14 ft.; 3 to 3⅓ in 3 50 32 50 12 to 14 ft.; 3 to 3⅓ in 3 50 32 50 Robur, var. fastigiata. Pyramidal English Oak. 8 to 10 ft 5 00 40 00 Robur, var. fastigiata. Pyramidal English Oak. 8 to 10 ft 5 00 40 00 ruhra. Red Oak. 7 to 8 ft 1 50 13 50 8 to 10 ft.; 2½ to 2⅓ in 3 00 27 50 12 to 14 ft.; 3½ to 2⅓ in 3 00 27 50 12 to 14 ft. Specimens . \$3.50 to 10 00 velutina, var. tinctoria. Black Oak— 6 to 8 ft 1 25 10 00 12 to 14 ft.; 2½ to 2⅓ in 2 00 17 50 125 00 12 to 14 ft.; 2½ to 2⅓ in 2 00 17 50 125 00 12 to 14 ft.; 2½ to 2⅓ in 2 50 22 50 200 00 Sto 10 to 12 ft.; 2⅓ to 2⅓ in 2 50 22 50 200 00 12 to 14 ft.; 2½ to 2⅓ in 2 50 25 50 200 00 3 to 3⅓ in. Specimens . 3 00 27 50 RHUS glabra. Smooth Sumac. 4 to 5 ft 50 4 00 35 00 5 to 6 ft 1 00 8 to 10 ft 1 50 40 00 glabra, var. laciniata. Cut-leaved Sumac— 2 to 2⅓ ft 1 00 shecki. 1½ to 2 ft 50 4 00 Osbecki. 1½ to 2 ft 50 4 00 Sto 6 ft	Prinus. Rock Chestnut Oak. 7 to 8 ft 1 25		
Robur. Lightsin Oak. 6 to 8 ft.; 2 fn. 1 00	8 to 10 ft		
Robur. Lightsin Oak. 6 to 8 ft.; 2 fn. 1 00	10 to 12 ft.; 2 to 2\frac{1}{2} in	$\frac{16}{22} \frac{50}{50}$	175 00
Robur. Lightsin Oak. 6 to 8 ft.; 2 fn. 1 00	12 to 14 ft.; 3 to 4 in\$3.50 to 5 00	00	1.0 00
Robur. Lightsin Oak. 6 to 8 ft.; 2 fn. 1 00	Excellent for street planting.		
12 to 14 ft.; 3 to 3½ in.	RODUE, PARTISH ONK. D 10 5 H.: Z III I UU	8 50 12 50	
12 to 14 ft.; 3 to 3½ in.	10 to 12 ft.: $2\frac{1}{2}$ to 3 in 2 50		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	12 to 14 ft.; 3^2 to $3\frac{1}{2}$ in		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$3\frac{1}{2}$ to $4\frac{1}{2}$ in. cal. Specimens. \$5 to 10 00		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Robur, var. tastigiata. Pyramidal English	22 50	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	10 to 12 ft 5 00		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	rubra. Red Oak. 7 to 8 ft	13 50	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	8 to 10 ft.; 2 to 2½ in		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	10 to 12 it.; $2\frac{1}{2}$ to $2\frac{2}{4}$ in	27 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	velutina, var. tinctoria, Black Oak—		
5 to 6 ft. 75 00 50 00 7 to 8 ft. 100 8 50 75 00 8 to 10 ft. 150 12 50 85 00 glabra, var. laciniata. Cut-leaved Sumac— 2 to $2\frac{1}{2}$ ft. 75 5 00 40 00 2 to 2 ft. 10 00 Osbecki. $1\frac{1}{2}$ to 2 ft. 50 4 00	6 to 8 ft 1 25		
5 to 6 ft. 75 00 50 00 7 to 8 ft. 100 8 50 75 00 8 to 10 ft. 150 12 50 85 00 glabra, var. laciniata. Cut-leaved Sumac— 2 to $2\frac{1}{2}$ ft. 75 5 00 40 00 2 to 2 ft. 10 00 Osbecki. $1\frac{1}{2}$ to 2 ft. 50 4 00	8 to 10 ft.; $1\frac{3}{4}$ to 2 in		
5 to 6 ft. 75 00 50 00 7 to 8 ft. 100 8 50 75 00 8 to 10 ft. 150 12 50 85 00 glabra, var. laciniata. Cut-leaved Sumac— 2 to $2\frac{1}{2}$ ft. 75 5 00 40 00 2 to 2 ft. 10 00 Osbecki. $1\frac{1}{2}$ to 2 ft. 50 4 00	10 to 12 it.; 2 to $2\frac{1}{4}$ in		
5 to 6 ft. 75 00 50 00 7 to 8 ft. 100 8 50 75 00 8 to 10 ft. 150 12 50 85 00 glabra, var. laciniata. Cut-leaved Sumac— 2 to $2\frac{1}{2}$ ft. 75 5 00 40 00 2 to 2 ft. 10 00 Osbecki. $1\frac{1}{2}$ to 2 ft. 50 4 00	$\frac{12}{3}$ to $\frac{14}{7}$ in. Specimens $\frac{2}{3}$ 00		200 00
5 to 6 ft. 75 00 50 00 7 to 8 ft. 100 8 50 75 00 8 to 10 ft. 150 12 50 85 00 glabra, var. laciniata. Cut-leaved Sumac— 2 to $2\frac{1}{2}$ ft. 75 5 00 40 00 2 to 2 ft. 10 00 Osbecki. $1\frac{1}{2}$ to 2 ft. 50 4 00	RHUS glabra. Smooth Sumac. 4 to 5 ft 50	4 00	
8 to 10 ft	5 to 6 ft		
glabra, var. laciniata. Cut-leaved Sumac— 2 to 2½ ft. 75 5 00 40 00 2½ to 3 ft. 1 00 Osbecki. 1½ to 2 ft. 50 4 00			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	glabra, var. laciniata. Cut-leaved Sumac—	12 00	00 00
Osbecki. 1½ to 2 ft	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 75$	5 00	40 00
	2½ to 3 ft	4 00	
0 10 1 10 10 10 10 10 10 10 10 10 10 10			
	0.011	- 0 00	

Each	10	100
RHUS typhina. Staghorn Sumac. 3 to 4 ft\$0 35	\$3 00	
5 to 6 ft	4 00	\$30 00
6 to 8 ft	$\begin{array}{c} 6 & 00 \\ 8 & 50 \end{array}$	50 00 60 00
SALISBURIA adiantifolia. Ginkgo, or Maidenhair	8 30	00 00
SALISBURIA adiantifolia. Ginkgo, or Maidenhair Tree. 6 to 7 ft. 1 00 7 to 8 ft.; 1½ to 2 in. 1 25 8 to 9 ft.; 2 to 2½ in. 1 50 9 to 10 ft.; 2½ to 2½ in. 2 00	8 50	
7 to 8 ft.; $1\frac{1}{2}$ to 2 in 1 25	10 00	
8 to 9 ft.; 2 to 2½ in 1 50	13 50	125 00
9 to 10 ft.; 2\frac{1}{4} to 2\frac{1}{2} \text{ in 2 00 } 10 to 19 ft : 91 in	$\begin{array}{c} 17 & 50 \\ 22 & 50 \end{array}$	150 00
10 to 12 ft.; 2½ to 2 50 12 to 14 ft.; 2½ to 3 in 5 00 SALIX alba. White Willow. 5 to 6 ft 75	40 00	
SALIX alba. White Willow. 5 to 6 ft	5 00	
10 to 12 ft 1 50	12 50	
Babylonica. Weeping Willow. 6 to 8 ft 75	$\begin{array}{c} 6 & 00 \\ 8 & 50 \end{array}$	
10 to 12 ft	0 90	
ing Willow. 8 to 10 ft. Heavy 2 50	22 50	
canrea. Pussy Willow, 5 to 6 ft	5 00	40 00
7 to 8 ft	12 50	75 00
incana. Rosemary Willow. 3 to 4 ft 50	4 00 6 00	$\frac{35}{50} \frac{00}{00}$
4 to 5 ft	0 00	30 00
10 to 12 ft.: 3 to $3\frac{1}{2}$ in 2 50	22 50	
lutea, var. pendula. Golden Weeping		
Willow—	7 50	E0 00
5 to 6 ft	7 50	50 00
12 to 14 ft\$3.50 to 5 00		
pentandra. Laurel Leaf Willow, 6 to 7 ft., 1 00	7 50	
7 to 8 ft	12 50	
7 to 8 ft	22 50	
SOPHORA Janonica. Japanese Sophora—	22 30	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$	
Wentworth. 7 to 8 ft.; 2 to $2\frac{1}{2}$ in 1 50	12 50	
Japonica, var. pendula. Weeping Sophora—		
7 to 8 ft. Specimens		
SORBUS Americana. American Mountain Ash-		
7 to 8 ft 1 50		
aucuparia. European Mountain Ash— 7 to 8 ft		
aucuparia, var. fruticosa lutea. Yellow- fruited. 7 to 8 ft 1 50 aucuparia, var. quercifolia. Oak-leaved		
fruited. 7 to 8 ft 1 50		
aucuparia, var. quercifolia. Oak-leaved		
5 to 6 ft	12 50	
TAXODIUM distichum. Deciduous Cypress. 5 to 6 ft 1 50 TILIA Americana. American Linden, or Bass-		
wood-	12 50	
7 to 8 ft.; 1½ to 2 in	$\frac{12}{22} \frac{50}{50}$	
8 to 10 ft.; 2 to 2\frac{1}{2} in		
10 to 12 ft.; 2½ to 3 in \$4 to 5 00		
12 to 14 ft.; 3 to 4 in \$5 to 10 00	Each	10
argentea; syn., tomentosa. Silver-leaved Linden-		10
argentea; syn., tomentosa. Silver-leaved Linden— 8 to 10 ft.; 2 to $2\frac{1}{4}$ in	\$2 50	\$22.50
8 to 10 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	3 50	32 50
10 to 12 ft.; 2\(\frac{3}{4}\) to 3 in	$\frac{5}{7} \frac{50}{50}$	40 00
12 (0 14 11.; 5 (0 5); 111	1 50	

Each	10
TILIA platyphyllos. Large-leaved Linden— 7 to 8 ft.; 1½ to 2 in	\$12 50
vulgaris; syn., Europæa. European Linden— 8 to 10 ft.; 2 to 2½ in	\$12 30
8 to 10 ft.; 2 to 2½ in	$\begin{array}{ccc} 15 & 00 \\ 22 & 50 \end{array}$
12 to 14 ft.; 3 to $3\frac{1}{2}$ in\$3.50 to 7 50	22 30
vulgaris, var. pyramidalis laciniata. Pyramidal Cut-	32 50
ULMUS Americana. American Elm—	
Story Story	12 50
12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{4}$ in	$\begin{array}{ccc} 22 & 50 \\ 27 & 50 \end{array}$
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	$\begin{array}{ccc} 27 & 50 \\ 32 & 50 \end{array}$
12 to 14 ft.; 24 to 3 lh	34 30
campestris. English Elm. 8 to 10 ft.; 2 to 21 in 1 50	$\begin{array}{ccc} 13 & 50 \\ 25 & 00 \end{array}$
10 to 12 it.; 2½ to 2¼ in	$\frac{25}{32} \frac{60}{50}$
Specimens. 3 to 4 in	
English Elm	
12 to 14 ft.; 2½ to 2½ in	20 50
12 to 14 ft.; 24 to 5 in	32 50
12 to 14 ft.; 2½ to 2¾ in	00 50
10 to 12 ft	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
scabra; syn., Dampieri; fastigiate form—	20 50
12 to 14 ft	32 50
8 to 10 ft.; 1½ to 2 in	
12 to 14 ft.: 3 to 3⅓ in	32 50
14 to 16 ft.; 31 to 31 in	42 50
14 to 16 ft.; 3½ to 4 in	
6 ft	
8 to 10 ft.; 1½ to 2 in	13 50
8 to 10 ft.; 1½ to 2 in	13 50 17 50
12 to 14 ft.; 3 to 3½ in 3 50	32 50
DECIDUOUS SHRUBS	
Each 10	100
ABELIA rupestris. 1 to 1½ ft\$0 50 \$4 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
ACANTHOPANAX spinosa (Aralia pentaphylla)—	01F 00
ACANTHOPANAX spinosa (Aralia pentaphylla)— 1½ ft	\$15 00 25 00
ÆSCULUS parviflora; syn., Pavia macrostachya—	
2 ft	$\begin{array}{ccc} 75 & 00 \\ 100 & 00 \end{array}$
$2\frac{1}{2}$ to 3 ft	
ALTHEA. See Hibiscus. AMELANCHIER Botryapium. 2½ to 3 ft	
3 to 4 ft 50 4 00	30 00



Dontial	View o	f Nursery	Crounde	from Ton	of Main	Munoomi
Partial	view o	i nurserv	Grounds	trom top	oi main	Nurserv.

	Each	10	100
AMORPHA canescens. 2 ft	\$0 35	\$2 50	\$15 00
fragrans. $4\frac{1}{2}$ to 5 ft			25 00
fruticosa. 2 to 3 ft			
$4\frac{1}{2}$ to 5 ft			20 00
6 to 7 ft	50	4 00	25 00
AMYGDALUS (Almond). See Prunus.			

NATIVE AZALEAS, ANDORRA GROWN

Clean, bushy, transplanted stock.					
Each	10	100			
AZALEA arborescens. Fragrant White Azalea-					
12 to 15 in. Bushy clumps\$1 00	\$9 00				
15 to 18 in. Bushy clumps 1 50	13 50	\$125 00			
$1\frac{1}{2}$ to 2 ft. Bushy clumps 2 00	18 50	150 00			
2^2 to $2\frac{1}{2}$ ft. Bushy clumps 2 50	$\frac{1}{22}$ 50	200 00			
2½ to 3 ft. Bushy clumps 3 50	30 00				
calendulacea. Flame Azalea. 12 to 15 in 1 00	9 00				
15 to 18 in. Bushy clumps 1 50	13 50	125 00			
18 to 24 in. Bushy clumps 1 75	15 00	135 00			
2 to $2\frac{1}{2}$ ft. Bushy clumps 2 50	22 50				
2½ to 4 ft\$3 50 to 5 00					
Canadensis (Rhodora). 1 ft. Bushy 1 00	8 50	75 00			
$1\frac{1}{2}$ to 2 ft	18 50	150 00			
nudiflora. 12 to 15 in	9 00				
15 to 18 in. Clumps 1 50	13 50	115 00			
$1\frac{1}{2}$ to 2 ft. Bushy clumps 1 75	15 00	125 00			
2° to $2\frac{1}{2}$ ft. Bushy clumps 2 50	22 50				
Vaseyi. Southern Azalea. 12 to 15 in 1 00	9 00				
15 to 18 in 1 50	13 50				
1½ to 2 ft. Bushy clumps 2 00	18 50	150 00			
2 to $2\frac{1}{2}$ ft. Bushy clumps 2 50	22 50	200 00			
2½ to 3 ft. Bushy clumps 3 50	30 00				
viscosa. White Azalea—					
15 to 18 in. Bushy clumps 1 50	13 50	115 00			
$1\frac{1}{2}$ to 2 ft. Bushy clumps 2 00	18 50	150 00			
2 to $2\frac{1}{2}$ ft. Bushy clumps 2 50	22 50	175 00			

MOLLIS and GHENT AZALEAS

F	Each	10	100
AZALEA mollis. 1½ ft. Named sorts		\$10 00	\$90 00
2 ft. Bushy. Named sorts		13 50	125 00
$2\frac{1}{2}$ ft. Bushy. Named sorts $1\frac{1}{2}$ ft. Unnamed	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 17 & 50 \\ 9 & 00 \end{array}$	85 00
2 ft. Unnamed	1 25	10 00	90 00
Pontica (Ghent). 1½ ft. Named sorts		10 00	90 00
2 ft. Bushy. Named sorts		12 50	120 00
$2\frac{1}{2}$ to 3 ft. Bushy	2.50	22 50	
3° to $3\frac{1}{2}$ ft. Bushy\$2.50 to	3 50		
BACCHARIS halimifolia. Groundsel Shrub-			
2 to $2\frac{1}{2}$ ft	35	2 50	17 50
BENZOIN odoriferum. Spice Bush. 2 to 2½ ft	35	3 00	9 = 00
3 to $3\frac{1}{2}$ ft	50 75	$\begin{array}{cccc} 4 & 00 \\ 6 & 00 \end{array}$	35 00
$3\frac{1}{2}$ to 4 ft	75	6 00	
	50	4 00	35 00
Dulcis. 12 in	35	3 00	27 50
The Holly-leaved. $1\frac{1}{2}$ to 21 th 2 to $2\frac{1}{2}$ ft	50 50	4 00	35 00
$2\frac{1}{2}$ to 3 ft	75	6 00	40 00
Japonica (not Mahonia). 2 to $2\frac{1}{2}$ ft	50	4 50	35 00
$2\frac{1}{2}$ to 3 ft	75	5 00	40 00
Sinensis. Chinese Barberry. 2 to $2\frac{1}{2}$ ft.	35		
$2\frac{1}{2}$ to 3 ft.; very heavy	50		
3 to $3\frac{1}{2}$ ft	75		
Thunbergii. 12 to 15 in	25	1 75	12 50
15 to 18 in. $1\frac{1}{2}$ ft.; broad and very heavy	35 50	$\begin{array}{cccc} 2 & 50 \\ 3 & 50 \end{array}$	$\begin{array}{ccc} {\bf 15} & 00 \\ {\bf 20} & 00 \end{array}$
$1\frac{1}{2}$ to 2 ft.; broad and very heavy	60	4 50	25 00
$2\frac{1}{2}$ ft.; broad and very heavy	75	$\tilde{6}$ $\tilde{0}\tilde{0}$	50 00
3 to $3\frac{1}{2}$ ft.; broad and very heavy	1 00	9 00	75 00
vulgaris. Common Barberry-	1		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50	3 50	20 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{60}{75}$	$\begin{array}{ccc} 5 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 45 & 00 \end{array}$
vulgaris, var. Amurensis. 2 to $2\frac{1}{2}$ ft	50	4 00	30 00
vulgaris, var. purpurea. 2 to $2\frac{1}{2}$ ft	35	3 00	17 50
$2\frac{1}{2}$ to 3 ft	50	3 50	25 00
$\overline{3}^2$ to $\overline{3}^1_2$ ft	60	4 00	35 00
$3\frac{1}{2}$ to 4 ft	75	6 00	50 00
4 to 5 ft	1 00	7 50	60 00
CALLICARPA purpurea. Beauty Fruit—	P1-	0.00	
3 to 4 ft	75	6 00	
CALYCANTHUS floridus. Allspice, or Sweet Shrub—3 to 3½ ft	50	4 00	30 00
$\begin{array}{c} 3 \text{ to } 3_{\frac{1}{2}} \text{ ft.} \dots \\ 4 \text{ to } 4_{\frac{1}{2}} \text{ ft.} \dots \end{array}$	75	6 00	35 00
CARAGANA arborescens. Siberian Pea-			-00
2½ to 3 ft	25	2 00	17 50
$3\frac{1}{2}$ to 4 ft	50	4 00	30 00
CARYOPTERIS Mastacanthus. Blue Spirea-	0.7	0 50	42.00
$1\frac{1}{2}$ to 2 ft	35	2 50	15 00

Foo	h	10	100
CEANOTHUS Americanus. Jersey Tea. 1½ to 2 ft\$0	25	\$2 00	100
2 to 2½ ft	35	3 00	
2½ to 3 ft	50	4 00	
Americanus, var. Fendleri—			
1½ to 2 ft	75		
$2\frac{1}{2}$ to 3 ft	35	2.50	\$20 00
$3\frac{1}{2}$ to 4 ft	50	$\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$	25 00
4 to 5 ft	75	4 00	30 00
CERCIS. See, also, Deciduous Trees.			
Japónica. Japan Judas— 2 to 3 ft	75	5 00	
Exceptionally fine stock.	10	9 00	
CHIONANTHUS Virginica. White Fringe—			
2½ to 3 ft. Bushy	50	4 50	70 00
3 to 4 ft. Bushy	75	7 00	50 00
4 to 5 ft. Bushy 1 5 to 6 ft 1	00 50	$\begin{array}{c} 8 & 50 \\ 13 & 50 \end{array}$	$\begin{array}{ccc} 75 & 00 \\ 100 & 00 \end{array}$
7 to 8 ft	50	$\frac{13}{22} \frac{50}{50}$	100 00
CI ETUPA alnifolla Sweet Pennerbuch			
2 to 2½ ft	35	2 50	
2 to 3 ft. Broad and bushy	50 60	$\begin{array}{ccc} 3 & 00 \\ 4 & 00 \end{array}$	
4 to 44 ft Rushy	75	4 00	
COLUTEA arborescens. Bladder Senna —	10		
4 to 5 ft	50	4 00	2 5 00
5 to 6 ft	75	6 00	30 00
COMPTONIA asplenifolia. Sweet Fern. 1½ to 2 ft	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
2 to $2\frac{1}{2}$ ft	50	4 00	30 00
2 to $2\frac{1}{2}$ ft	50	3 50	
Japonica, fl. pl. (Double Kerria)—			
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	50	3 50	
Japonicus, var. variegata. (Variegated Leaves). 2 to $2\frac{1}{2}$ ft	50		
CORNUS. See, also, Trees.	90		
alba. Siberian Red-twigged Dogwood—			
1½ to 2 ft	$\frac{25}{35}$	2 00	15 00
2½ to 3 ft.; very heavy		3 00 4 00	25 00
3 to 3½ ft.; very heavy	50 75	6 00	30 00
5 to 6 ft		7 50	00 00
alba; syn., Siberica, var. aurea variegata—			
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	50	4 00	
2½ to 3 ft	75	5 00	
3 to 3½ ft	35	3 00	
3½ to 4 ft	75	6 00	
alternifolia. 3 to 4 ft	50	4 00	30 00
5 to 6 ft	75	5 00 6 00	40 00 50 00
6 to 7 ft	00	0 00	50 00
2 to 2½ ft 1	00	8 50	
Mas. Cornelian Cherry, 11 to 2 ft	25	2 00	
2 to 2½ ft	35	3 00	
$2\frac{1}{2}$ to 3 ft	50 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35 00
$4\frac{1}{2}$ to 5 ft.; very heavy	75 00	7 50	50 00
6 to 10 ft. Specimens + \$1.50 to 2	50		

Ea	eh	10	100
CORNUS paniculata. $2\frac{1}{2}$ to 3 ft\$0		\$3 00	
3 to 3½ ft	50	4 00	
4 to 5 ft	75	5 00	
	00	7 50	
sanguinea. European Osier Dogwood-			
$\frac{2}{2}$ to $2\frac{1}{2}$ ft. Heavy	25	$\frac{2}{2} \frac{00}{00}$	\$15 00
3½ to 4 ft. Heavy	35	3 00	25 00
4 to 5 ft. Heavy	50	4 00	30 00
5 to 6 ft. Heavysericea. Silky Dogwood. 3 to $3\frac{1}{2}$ ft	$\frac{75}{35}$	$\begin{array}{ccc} 5 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3½ to 4 ft	50	4 00	30 00
4 to 5 ft	75	6 00	35 00
6 to 7 ft	00	7 50	50 00
stolonifera. Native Red Osier-			
$\frac{21}{2}$ to 3 ft	35	3 00	20 00
3 to $3\frac{1}{2}$ ft	50	4 00	25 00
3½ to ¼ ft	60	$\frac{5}{9} \frac{00}{00}$	30 00
4 to 5 ft	75	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	35 00
6 to 7 ft	00	1 30	50 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	50	3 50	$\tilde{25}$ $\tilde{00}$
3^2 to $3\frac{1}{2}$ ft	75	5 00	35 00
CORYLUS Americana. American Hazel-			
$3\frac{1}{2}$ to 4 ft	50	3 50	
Aveilana, var. laciniata. Cut-leaved Hazel-	-	4 00	
1½ to 2 ft	50	4 00	
maxima, var. purpurea. Purple Hazel— $2\frac{1}{2}$ to 3 ft	35	3 00	20 00
3 to $3\frac{1}{2}$ ft	50	4 50	30 00
$5\frac{1}{2}$ to 6 ft	00	7 50	60 00
COTONEASTER frigida, var. bacillaris.—			
2 to $2\frac{1}{2}$ ft	35		
4 to 4½ ft	50		
CRATÆGUS. See Trees.	25	3 00	
CYDONIA Japonica. Japan Quince. 2 to 2½ ft DESMODIUM penduliflorum. See Lespedeza Sieboldi.	35	5 00	
DEUTZIA candidissima (Double White). 2½ to 3 ft.	35	3 00	
$3\frac{1}{2}$ to 4 ft	50	4 00	
5 to 6 ft	75	5 00	
crenata. 5 to 6 ft	75	6 00	40 00
crenata, var. Pride of Rochester—	~^	0 40	
$3\frac{1}{2}$ to 4 ft	50	$\frac{3}{5}$ 50	05 00
4 to 5 ft	75 50	$\frac{5}{2} \frac{00}{50}$	35 00
erenata, var. Waterer. 3½ to 4 ft	$\frac{50}{60}$	$\begin{array}{ccc} 3 & 50 \\ 4 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
5 to 6 ft	75	6 00	35 00
crenata, var. Wellsi. 3 to 4 ft.	50	3 00	20 00
4 to 5 ft	75	5 00	25 00
gracilis. Dwarf Deutzia—			
15 to 18 in.; very heavy	50	4 00	
18 to 24 in	75	$\frac{6}{7} \frac{00}{50}$	
24 to 30 in		7 50	20 00
gracilis, var. carminea. 15 to 18 in	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00 25 00
18 to 24 in	7 5	$\frac{4}{6} \frac{00}{00}$	35 00
	00	7 50	50 00

	Each	10	100
DEUTZIA gracilis, var. rosea. 2 to 2½ ft			\$30 00
$2\frac{1}{2}$ to 3 ft	. 1 0	7 50	35 00
Lemoinei. 2 to 2½ ft.; very heavy	. 3	5 3 00	20 00
3 to $3\frac{1}{2}$ ft.; heavy	. 50		30 00
$3\frac{1}{2}$ to 4 ft	. 7		35 00
4 to 5 ft.	. 1 00		$\begin{array}{ccc} 50 & 00 \\ 20 & 00 \end{array}$
Lemoinei, var. compacta. 2 to $2\frac{1}{2}$ ft $2\frac{1}{2}$ to 3 ft	. 5		$\frac{20}{25} \frac{00}{00}$
$3^{\frac{1}{2}}$ to $3^{\frac{1}{4}}$ ft	. 7		35 00
4 to 5 ft	. 1 0		50 00
parviflora. 3 to 4 ft	. 7		35 00
scabra. 3 to $3\frac{1}{2}$ ft			15 00
4 to 5 ft	. 50		20 00
5 to 6 ft emphilia	. 7	5 6 00	30 00
DIERVILLA (Weigela) florida, var. amabilis— 3 to 3½ ft	. 50	0 3 50	
6 to 7 ft	73		40 00
florida; syn., rosea, 2½ to 3 ft	. 3		20 00
florida; syn., rosea. $2\frac{1}{2}$ to 3 ft	. 50	0 4 00	
4 to 5 ft. florida, var. candida. 2 to $2\frac{1}{2}$ ft 5 to 6 ft	. 7		
florida, var. candida. 2 to $2\frac{1}{2}$ ft	. 3		
5 to 6 ft	. 5		
6 to 8 ft	. 7	5 5 00	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$. 50	0 4 00	30 00
5 to 6 ft	. 7		40 00
florida, var. Sieboldi alba. 4 to 5 ft	. 7		
floribunda Lavallei. 5 to 6 ft			30 00
7 to 8 ft	. 7	5 6 00	40 00
Japonica (syn., hortensis), var. flor bunda. 4 to 5 ft	. 50	0 4 00	25 00
5 to 6 ft	. 7		20 00
Japonica. var. Eva Rathke. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \bigstar$.	. 3		20 00
Z* 10 5 II	. 51	0 3 50	25 00
3 to 4 ft	. 7		30 00
Japonica , var. nivea. White. 3 to $3\frac{1}{2}$ f	t. 5		
3½ to 4 ft. Japonica, var. rubra. 5 to 6 ft	. 7		30 00
6 to 7 ft	. 7		35 00
Grænewegeni. 5 to 6 ft	. 5		30 00
6 to 7 ft	. 7		40 00
Grænewegeni, var. Mad. Contourier. (Hy	V -		
brid). 3 to 4 ft	. 3		0- 00
4 to 5 ft			25 00 30 00
5 to 6 ft	t. 50		25 00
4 to 4 ft	. 60		30 00
5 to 6 ft	. 1 00		50 00
Grænewegeni, var. Van Houttei— 3 to 3½ ft			
3 to $3\frac{1}{2}$ ft	. 3		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			40.00
5 to 6 ft			40 00
5 to 6 ft	. 50		30 00
6 to 7 ft	. 7	6 00	35 00
sessilifolia. 24 to 3 ft	. 2	5 2 00	
3 to $3\frac{1}{2}$ ft	. 50	3 50	25 00
4 to 5 ft	. 73		35 00
trifida. 2 to $2\frac{1}{2}$ ft. $2\frac{1}{2}$ to 3 ft.	. 3		20 00 25 00
27 to 0 it	. 50	2 00	20 00

Each	10	100
ELÆAGNUS angustifolia. Oleaster. 2 to 2½ ft\$0 35	\$3 00	
5 to 6 ft	4 00	
6 to 8 ft 75	6 00	
longipes; syn., edulis. Japanese Oleaster. 2 to $2\frac{1}{2}$ ft 35	0.00	
ter. 2 to $2\frac{1}{2}$ ft. 35	3 00	60= 00
2½ to 3 ft. Bushy	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	\$25 00 30 00
4 to 5 ft. Bushy	10 00	50 00
4 to 5 ft. Bushy	17 50	30 00
parvifolia. 6 to 7 ft 1 00	7 50	
EUONYMUS alatus. Cork-barked. 2 to $2\frac{1}{2}$ ft \bigstar . 1 50	13 50	
EUONYMUS alatus. Cork-barked. 2 to $2\frac{1}{2}$ ft + . 1 50 $2\frac{1}{2}$ to 3 ft + . 2 50	$\frac{10}{22} \frac{50}{50}$	
3 to $3\frac{1}{2}$ ft \Rightarrow . 3 50	30 00	
One of the most ornamental of		
flowering and fruiting shrubs. Ber-		
ries are bright carmine.		
Americana. Strawberry Bush—		
3 to 4 ft 35	3 00	
4 to 5 ft 50	4 00	
4 to 5 ft	3 50	
5 to 6 ft 75	4 00	30 00
EXOCHORDA grandiflora. Pearl Bush. 4 to $4\frac{1}{2}$ ft 50	3 50	30 00
42 to 0 It 10	4 00	30 00
6 to 8 ft.; with ball	$\frac{12}{2} \frac{50}{00}$	00.00
FORSYTHIA (Golden Bell) Fortunei. 3 to 3½ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
4 to 5 ft.; very heavy 75	4 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft.; very heavy	5 00	35 00
6 to 7 ft.; very heavy	12 50	75 00
Fortunei, var. aurea variegata. 2 to 3 ft. 75	6 00	15 00
intermedia. 2 to $2\frac{1}{2}$ ft	$\frac{5}{2}$ $\frac{50}{50}$	20 00
$3\frac{1}{2}$ to 4 ft.; very heavy 50	$\frac{1}{4} 00$	$\frac{25}{25}$ $\overset{\circ}{00}$
4 to 5 ft	5 00	30 00
5 to 6 ft	7 50	40 00
suspensa. 3 to $3\frac{1}{2}$ ft	3 00	20 00
$3\frac{1}{2}$ to 4 ft	4 00	25 00
4 to 5 ft 75	6 00	. 30 00
5 to 7 ft.; very heavy 1 00	7 50	50 00
viridissima. 2 to 3 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3 to 4 ft.; very heavy; extra 35	3 00	25 00
4 to 5 ft.; very heavy; extra 50	4 00	30 00
5 to 6 ft.; very heavy; extra	$\begin{array}{ccc} 6 & 00 \\ 4 & 00 \end{array}$	50 00
HALESIA tetraptera. 2½ to 3 ft	$\begin{array}{cccc} 4 & 00 \\ 6 & 00 \end{array}$	
4 to 5 ft	0 00	
2 to 2½ ft	3 00	
$2\frac{1}{2}$ to 3 ft	4 00	
Virginiana. Witch Hazel. 4 to 5 ft 50	$\vec{4}$ $\vec{0}\vec{0}$	35 00
5 to 6 ft.; heavy	6 00	50 00
6 to 7 ft.; heavy 1 00	7 50	60 00
HIBISCUS Syriacus. Althæa; Rose of Sharon-		
alba plena. 4 to $4\frac{1}{2}$ ft	4 00	25 00
Boule de Feu. 4 to 5 ft 50	4 00	$\frac{5}{25}$ 00
cœrulea plena. 4 to $4\frac{1}{2}$ ft	4 00	30 00
Comte de Flandre. 5 to 6 ft	5 00	40 00
grandiflora superba. 4 to $4\frac{1}{2}$ ft 50	4 00	30 00
Jeanne d'Arc. $4\frac{1}{2}$ to 5 ft 50	4 00	25 00
5 to 6 ft	$\begin{array}{ccc} 6 & 00 \\ 5 & 00 \end{array}$	40 00 25 00
Lady Stanley. 4 to 5 ft	5 00	35 00

E	ach	10	100
HIBISCUS purpureus folis argentea marginata-			
3 to 3½ ft\$0		\$3 00	\$20 00
4 to $4\frac{1}{2}$ ft	50	4 00	30 00
totus albus. 3 to 3½ ft	$\frac{50}{75}$	4 00 5 00	$\frac{25}{30} \frac{00}{00}$
3½ to 4 ftviolacea (semi-plena). 4 to 5 ft	50	4 00	35 00
	00	4 00	35 00
HIPPOPHAE rhamnoides. See $Buckthorn$. $2\frac{1}{2}$ to 3 ft	50	2 50	20 00
HYDRANGEA arborescens. $2\frac{1}{2}$ to 3 ft	$\frac{50}{75}$	4 00 6 00	30 00 50 00
3½ to 4 ftarborescens, var. grandiflora—	10	0 00	30 00
3 to 4 ft	75	6 00	50 00
Hortensis, var. Imperatrice Eugenie-		0 00	00 00
1½ ft.: 4-in. pot	75		
Hortensis, var. Otaska. 3-year Hortensis, var. Japonica. 1 ft	75		
Hortensis, var. Japonica. 1 ft	75		
paniculata. 4 to 5 ft	35	3 00	
5 to 6 ft.; very heavy	50	4 00	35 00
5 6 to 7 ft paniculata grandiflora. 3 to 3 ft	75	6 00	40 00
paniculata grandiflora. 3 to 3½ ft	50	4 00	25 00
$3\frac{1}{2}$ to 4 ft	1 00	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	$\frac{35}{50} \frac{00}{00}$
$4\frac{1}{2}$ to 5 ft.; extra heavy		12 50	60 00
quercifolia. Oak-leaved—	1 00	12 00	00 00
	00	8 50	75 00
HYPERICUM aureum. 3½ to 4 ft	50	3 50	30 00
calcinum. Aaron's Beard. 1½ to 2 ft	50	4 00	30 00
hircinum. 2 to $2\frac{1}{2}$ ft	50	3 50	25 00
Moserianum hybridum. Gold-Flower-		0 00	
10 to 12 in	50	2 50	
prolificum. 3 to $3\frac{1}{2}$ ft	50	3 50	25 00
\cdot 4 to $4\frac{1}{2}$ ft	75	5 00	
ILEX Sieboldi. Red-fruited. 2½ to 3 ft	50	13 50	
Sieboldi. White-fruited. 1⅓ to 2 ft	50	13 50	
verticillata. Winter Berry. 1½ to 2 ft	25	2 00	17 50
2 to $2\frac{1}{2}$ ft	35	3 00	$\frac{25}{25} \frac{00}{00}$
2½ to 3 ft	50	4 00	35 00
ITEA Virginica. 2 to 2½ ft	50	3 00	25 00
3 to 4 ft	75	6 00	40 00
JASMINUM nudiflorum. Yellow Jasmine— 12 to 15 in	~~	0 =0	
12 to 15 in	50	3 50	
officinale. Hardy White Jasmine—	50	3 50	
12 to 15 in	50	3 30	
KERRIA. See Corchorus.	~-		
LESPEDEZA bicolor. 2 to 3 ft	35	$\frac{2}{1} \frac{50}{50}$	20 00
3 to 4 ft	50	4 00	25 00
Hoovy clumps	35	3 00	
Heavy clumps	50	9 00	
LIGUSTRUM Amurense. Amoor Privet. 2 to 2½ ft	35	3 00	
6 to 8 ft		8 50	
8 to 9 ft \$1.50 to 2		0.00	
ciliatum. Sold by many for Ibota—			
3 to 3½ ft. Broad and heavy	50	3 50	25 00
3½ to 4 ft. Broad and heavy	60	4 00	30 00
4 to 5 ft. Broad and heavy	75	5 00	3 5 00

		Each	10	100
LIGUSTRUM I	bota. The true upright form—			
	2 to 2½ ft	. \$0 25	\$2 00	\$12 50
	2½ to 3 ft		3 00	15 00
	3 to 3½ ft		3 50	20 00
			4 00	30 00
	4 to 5 ft.; heavy			
	5 to 6 ft		6 00	
	6 to 7 ft	. 1 00	8 50	75 00
I	bota. var. Regelianum. Regel's—			
	17 to 2 ft.; heavy	. 50	4 00	20 00
	\mathbf{r} 2½ to 3 ft.; heavy	75	6 00	25 00
	4 to 41 ft		7 50	35 00
	5 to 5½ ft		10 00	60 00
	ueidum. 2 to $2\frac{1}{2}$ ft		5 00	00 00
			5 00	30 00
	nedia. 4 to 5 ft.	. 10	5 00	30 00
C	ovalifolium. California Privet—	0-	4 00	7 50
	2 to $2\frac{1}{2}$ ft.; bushy 1000, \$40+	25	1 00	7 50
	$2\frac{1}{2}$ to 3 ft.; bushy 1000, \$60+	35	1 50	10 00
	3 to $3\frac{1}{2}$ ft.: bushy 1 1000, \$75\(\phi\)	~ 50	$2\ 50$	15 00
	3½ to 4 ft.; bushy 1000, \$100+) 60	4 00	2 0 00
8	4 to 5 ft.; bushy	75	5 00	35 00
	5 to 6 ft.; bushy			
	Grand stock. All our Priv			
	has been transplanted and or	et nt		
	has been transplanted and c	u t		
	back; is extra heavy, and will gi	ve		
	immediate hedge effects.		0 -0	~~ ~~
	Sinensis. Chinese Privet. 2½ to 3 ft		3 50	2 5 00
	$3\frac{1}{2}$ to 4 ft	75	4 00	
1	vulgaris. Common Privet. 3 to 4 ft	35	3 00	25 00
	4 to 5 ft		4 00	30 00
LONICERA fra	agrantissima. Chinese Fragrant Bus			
COMICENA III	Honeysuckle. $2\frac{1}{2}$ to 3 ft		2 00	
		~~	3 00	25 00
	3 to 4 ft		4 00	20 00
	4 to 5 ft.; heavy		1 00	
	5 to 6 ft.; heavy	75		



A Portion of the Propagating Grounds at Andorra.

Ea	ch	10	100
LONICERA Morrowi. Japanese Bush Honeysuckle-			
2½ to 3 ft\$0 3½ to 4 ft		\$3 00	\$20 00
4 to 5 ft	75 00	5 00 6 00	35 00 40 00
Ruprechtiana. $2\frac{1}{2}$ to 3 ft	50	3 50	25 00
3 to 3½ ft	75	5 00	35 00
Standishi. Standish's Honeysuckle— 3 to 3½ ft	75	6 00	
Tatarica, assorted. 3 to $3\frac{1}{2}$ ft	35	2 50	
$3\frac{1}{2}$ to 4 ft	50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
5 to 6 ft	75	$\begin{array}{ccc} 5 & 00 \\ 6 & 00 \end{array}$	30 00 40 00
6 to 8 ft.; heavy 1 Tatarica (rubra). 3 to $3\frac{1}{2}$ ft	50	3 50	40 00
6 to 7 ft	75	5 00	40 00
Tatarica, var. alba. 2 to 2½ ft	35	3 00	
5 to 4 ii	50 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00 40 00
Tatarica, var. bella albida. 3 to 4 ft	50	4 00	25 00
4 to 5 ft	75	5 00	30 00
5 to 6 ft	00 50	7 50 4 00	35 00
4 to 5 ft	75	6 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Tatarica, var. Chrysanthera. 2 to $2\frac{1}{2}$ ft	3.5	3 00	15 00
4 to 5 ft	50	3 50	30 00
5 to 6 ft	75 35	$\begin{array}{ccc} 5 & 00 \\ 3 & 00 \end{array}$	35 00
3 to 4 ft	50	4 00	
LYCIUM Chinense. Matrimony Vine. 2 to 2½ ft	35	2 50	15 00
$2\frac{1}{2}$ to 3 ft	50	3 50	20 00
MYRICA cerifera. Wax Myrtle. 2 to 2½ ft	35	3 00	25 00
2½ to 3 ft	50	4 00	
cerifera, var. pumila. 1 to $1\frac{1}{2}$ ft	50	4 00	
PAVIA parviflora. See Æsculus, under Shrubs.			
PHILADELPHUS coronarius. Mock Orange—	25	2 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-35 50	3 00 4 00	
4 to 5 ft	75	6 00	
coronarius, var. aureus. Golden	-0	4 00	
Mock Orange. 3½ to 4 ft. coronarius, var. Avalanche—	50	4 00	
1½ to 2 ft	50	4 00	
coronarius, var. primulæ florus-			
2½ to 3 ft	75 50	$\begin{array}{cccc} 5 & 00 \\ 4 & 00 \end{array}$	
grandiflorus. 3 to 4 ft	75	6 00	30 00
5 to 6 ft 1	00	7 50	40 00
6 to 8 ft 1		12 50	60 00
Lemoinei. (Hybrid). 2 to $2\frac{1}{2}$ ft	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
3 to 3½ ft	35	3 00	20 00
3½ to 4 ft	50	4 00	30 00
$3\frac{1}{2}$ to 4 ft	50	3 50	
Zeyheri, var. speciosissimus— 3½ to 4 ft	50	4 00	25 00
4 to 5 ft	75	6 00	35 00

	Ea	ch	10	100
POTENTILLA fruticosa. Shrubby Cinquefoil-		0-	00.00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		35 50	\$3 00 3 50	\$20 00 25 00
3^2 to $3\frac{1}{2}$ ft		75	4 00	20 00
PRUNUS amygdalus communis. Flowering Almond-				
$1\frac{1}{2}$ to 2 ft		75	5 00	
amygdalus communis, var. rosea— $1\frac{1}{2} \text{ to } 2 \text{ ft. } \dots$		75	5 00	
PYRUS arbutifolia. Chokeberry. 2½ to 3 ft		35	3 00	
$3\frac{1}{2}$ to 4 ft		50	4 00	25 00
4 to 5 ft		75	5 00	
floribunda, var. nigra. 3 to $3\frac{1}{2}$ ft $3\frac{1}{2}$ to 4 ft	•	35 50	$\begin{array}{c} 3 & 00 \\ 3 & 50 \end{array}$	
RHAMNUS cathartica. Buckthorn. 3 to 4 ft		35	3 00	15 00
4 to 5 ft		50	3 50	$\frac{10}{20} \frac{00}{00}$
6 to 7 ft		75	4 00	30 00
RHODOTYPUS kerrioides. White Kerria—		25	2.00	
$2\frac{1}{2}$ to 3 ft		35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
4 to 5 ft. Very heavy		75	$\vec{6}$ $\vec{0}\vec{0}$	40 00
5 to 6 ft. Very heavy		00	7 50	50 00
RHUS aromatica. Fragrant Sumac. 2 to $2\frac{1}{2}$ ft.		50	4 00	40.00
$2\frac{1}{2}$ to 3 ft. 3 to $3\frac{1}{2}$ ft. 3	1	75 00	$\begin{array}{c} 6 & 00 \\ 7 & 50 \end{array}$	40 00 50 00
copallina. Shining Sumac. 2 to $2\frac{1}{2}$ ft		35	3 00	25 00
$\frac{2\frac{1}{2}}{4}$ to 3 ft		50	4 00	
4 to 5 ft	•	75 35	6 00 3 00	25 00
$3\frac{1}{2}$ to 4 ft.		50	4 00	20 00
5 to 6 ft		75	6 00 7 50	40 00
6 to 8 ft	. 1	00	1 30	40 00
2½ to 3 ft,		50	4 00	
$\frac{3}{2}$ to $\frac{3}{2}$ ft		75 50	$\begin{array}{ccc} 6 & 00 \\ 12 & 50 \end{array}$	
6 to 7 ft		35	3 00	20 00
4 to 5 ft		50 50	4 00	20 00
Gordonianum. $2\frac{1}{2}$ to 3 ft		35	3 00	
ROBINIA hispida. Rose Acacia. 2½ to 3 ft		35	2 50	20 00
RUBUS Canadensis. 2 to 3 ft		35	2 00	12 50
odoratus. $2\frac{1}{2}$ to 3 ft	•	25 35	2 00 3 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3 to 4 ft		25	1 50	10 00
Melanocarpus. 5 to 6 ft			$12 \ 50$	10 00
nigra, var. aurea. Golden Elder-				
1½ to 2 ft	•	50 60	3 50 4 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft. Very heavy 5 to 6 ft. Very heavy	•	75	5 00	40 00
nigra, var. laciniata. Cut-leaved Elder-			0.00	
2½ to 3 ft		35		
3 to 4 ftracemosa. Red-fruited—	•	50		
2 to 2½ ft		50	3 00	15 00

	Each	10	100
SPIRÆA arguta. 3 to 3½ ft	\$0 35	\$2 50	\$20 00
4 to 5 ft. Heavy		3 50 3 00	25 00 25 00
Billardii. 4 to 5 ft		3 50	30 00
Bumalda. 2 ft		3 00	
2½ ft. Heavy	. 50	4 00	
3 ft	. 75	6 00	
Bumalda, var. Anthony Waterer— $1\frac{1}{2} \text{ to } 2 \text{ ft.} \dots$. 25	2 00	
$2^{\frac{1}{2}}$ to $2^{\frac{1}{2}}$ ft. Heavy		3 00	20 00
$2\frac{1}{2}$ to 3 ft. Heavy	. 50	4 00	30 00
3 to 3½ ft. Heavy		6 00	20.00
callosa. Fortune's Spirea. 5 to 6 ft		3 50 3 00	30 00 20 00
callosa, var. alba. 2 to $2\frac{1}{2}$ ft	. 35 . 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{20}{25} \frac{00}{00}$
erispifolia; syn., bullata. 1 to $1\frac{1}{2}$ ft		3 00	
Japonica, var. Fortunei rosea. 2 to 3 ft		3 50	
Hyb. Margarite. 3 to 3½ ft		3 00	2 5 00
$3\frac{1}{2}$ to 4 ft		4 00	30 00
opulifolia. 3 to 4 ft		3 00	25 00
4 to 5 ft		4 00	30 00 50 00
6 to 7 ft. Heavy		$\begin{array}{ccc} 6 & 00 \\ 10 & 00 \end{array}$	75 00
opulifolia, var. aurea. Golden-leaved—	00	20 00	
2 to 3 ft	. 35	3 00	20 00
3 to 4 ft	. 50 . 75	$\begin{array}{cccc} 4 & 00 \\ 6 & 00 \end{array}$	25 00
4 to 5 ft. Heavy	. 10	0 00	35 00
3 to 4 ft.	. 35		
Reevesiana. 3 to $3\frac{1}{2}$ ft		3 00	20 00
4 to 5 ft		4 00	30 00
5 to 6 ft		6 00	35 00
rotundifolia; syn., bracteata. 5 to $5\frac{1}{2}$ ft		7 50	1= 00
salisifolia. 2 to 3 ft		2 00	15 00 30 00
sorbifolia, 3 to 4 ft	. 50	3 50	50 00
Thunbergii. Thunberg's Spirea— 2 to 2½ ft	. 35	3 00	
$2\frac{1}{2}$ to 3 ft. Very heavy	. 50	4 00	
3 to $3\frac{1}{2}$ ft. Very heavy	. 75	6 00	
Van Houttei. 2½ to 3 ft	. 35 . 50	4 00	
3 to 3½ ft {FINE}	. 75	5 00	35 00
5 to 6 ft (11111)		8 50	50 00
STAPHYLEA Colchica. Bladder Nut. 3 to 3½ ft		3 00	0= 00
3½ to 4 ft		$\begin{array}{cccc} 4 & 00 \\ 6 & 00 \end{array}$	35 00 40 00
STEPHANANDRA flexuosa. 2 to 2½ ft		3 00	40 00
$2\frac{1}{2}$ to 3 ft. Heavy	50	4 00	
$3\frac{1}{2}$ to 4 ft. Heavy	. 75	6 00	50 00
STYRAX Japonica. 3½ to 4 ft		6 00	50 00
4 to 5 ft	. 1 00	8 50 12 50	75 00
		00	

PRICE LIST FOR SPRING OF 1911		45
SYMPHORICARPUS racemosus. Snowberry- Each	10	100
$\frac{2}{2}$ to $\frac{2\frac{1}{2}}{3}$ ft\$0 35	\$3 00	
2½ to 3 ft 50	3 50	
3 to 3½ ft	5 00	\$30 00
2 to 3 ft 35	3 00	15 00
3 to 3½ ft 50	4 00	20 00
$3\frac{1}{2}$ to 4 ft. Heavy 75	$\frac{6}{7} \frac{00}{00}$	25 00
4 to 5 ft. Heavy 1 00	7 00	30 00
SYRINGA Chinensis; syn., Rothomagensis. Rouen Lilac. 3 to 3½ ft	3 50	25 00
3½ to 4 ft	5 00	35 00
3½ to 4 ft. 75 Japonica. 6 to 7 ft. 1 50	12 50	75 00
Josikæa, $2\frac{1}{2}$ to 3 ft 1 00	7 50	
4 to 44 ft 1 50	12 50	
Josikæa, var. eximia. 4 to 5 ft 1 00		
Josikæa, var. H. Zabel. 3 to 4 ft 1 50	12 50	
Pekinensis, 5 to 4 it	4 00	
Persica. 4 to $4\frac{1}{2}$ ft	$\begin{array}{cccc} 4 & 00 \\ 4 & 00 \end{array}$	2 5 00
Persica. 4 to $4\frac{1}{2}$ ft. 50 Persica, var. alba. 3 to $3\frac{1}{2}$ ft. 50 4 to 5 ft. 75	6 00	30 00
Persica, var. laciniata. 4 to 5 ft 35	3 00	30 00
villosa. 3 to $3\frac{1}{2}$ ft	4 00	35 00
5 to 6 ft. Specimens 1 50	12 50	100 00
villosa, var. Emodi. 1 to $1\frac{1}{2}$ ft	3 00	
vulgaris. Common Lilac. $2\frac{1}{2}$ to 3 ft 35	3 00	
3 to $3\frac{1}{2}$ it	4 00	
4 to $4\frac{1}{2}$ ft.; very heavy	22 50	
5 to 6 ft	4 50	
vulyaris alba. 47 to o It	6 00	50 00
3 to $3\frac{1}{2}$ ft 1 00 vulgaris, named varieties—	0 00	30 00
Charles X. Single, reddish purple—		
2 to $2\frac{1}{2}$ ft 50	3 50	30 00
3 to $3\frac{1}{2}$ ft	6 00	
$\frac{4}{2}$ to $4\frac{1}{2}$ ft	10 00	
Frau Bertha Dammann. Single, white—	7 50	
3 to 3½ ft	7 50	
purple. 4 to $4\frac{1}{2}$ ft 1 50	12 50	
Le Gaulois. Double, peach. 4 to 5 ft 1 50	$\frac{12}{12} \frac{50}{50}$	
Mad. Lemoine. Double, white—	12 00	
4 to 5 ft 1 50	12 50	
Marie LeGraye. Single, white—	0.00	
$2\frac{1}{2}$ to 3 ft	6 00	
3 to 3½ ft	8 50	
4 to $\overline{4}\frac{1}{2}$ ft 1 50 Marc Micheli. Double, lilac-blue—	12 50	
31 to 4 ft 1 50	12 50	
3½ to 4 ft	12 00	
2½ to 3 ft 75	6 00	
3½ to 4 ft 1 50	12 50	
President Carnot. Double, light lilac—	0.75	
3 to $3\frac{1}{2}$ ft 1 00	8 50	
Rubra de Marley. Single, reddish purple—	4 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{4}{7} \frac{00}{50}$	60 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 50	85 00
Senator Volland. Double, red—	12 00	00 00
3 to 4 ft 1 00	8 50	

E	ach	10	100
SYRINGA Souvenir de Ludwig Spæth. Single red-	0 ==	00.00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		\$6 00 7 50	
4 to 4 $\frac{1}{2}$ ft		12 50	
TAMARIX Africana; syn., parviflora—			
3 to 4 ft	35	3 00	
4 to 5 ft	50 75	$\frac{4}{5} \frac{00}{00}$	
Gallica. 3 to 4 ft	35	3 00	\$25 00
4 to 5 ft	50	4 00	30 00
5 to 6 ft. Gallica, var. Indica. 5 to 6 ft.	75 50	6 00	30 00
6 to 7 ft.	75	5 00	35 00
Japonica plumosa. 2 to 3 ft	35	3 00	
3 to 4 ft	50	$\frac{4}{5} \frac{00}{00}$	$\frac{25}{30} \frac{00}{00}$
5 to 6 ft	75	3 00	30 00
VACCINIUM corymbosum. Swamp Huckleberry— 2½ to 3 ft.	50		
VIBURNUM acerifolium. 2 to 2½ ft	50	3 00	
$2\frac{1}{2}$ to 3 ft	75	$\frac{3}{5} \frac{00}{00}$	
cassanoides. White Rod-			
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	75 1 00	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	
4 to 4½ ft	50	4 00	2 5 00
$3\frac{1}{2} \text{ to } 4 \text{ ft.} \dots$	75	6 00	30 00
4 to 5 ft.; heavy	1 00	$\begin{array}{c} 8 & 50 \\ 12 & 50 \end{array}$	40 00
5 to 6 ft	1 50	12 50	75 00
$2\frac{1}{2}$ to 3 ft	35	3 00	25 00
3½ to 4 ft.; heavy	50	4 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft.; heavy	75 1 00	$\begin{array}{ccc} 6 & 00 \\ 8 & 50 \end{array}$	60 00
Lentago. Sheep-berry. 4 to 5 ft	50	4 00	30 00
5 to 6 ft	75	6 00	40 00
7 to 8 ft	1 50 50	12 50 $4 00$	75 00
4 to 5 ft	75	6 00	
5 to 6 ft	1 00	7 50	60 00
6 to 7 ft	1 50	12 50	75 00
1½ to 2 ft	35	3 00	
2 to $2\frac{1}{2}$ ft	50	3 50	30 00
3 to 4 ft. Fine	50 75	$\frac{4}{6} \frac{00}{00}$	35 00 50 00
	1 00	8 50	75 00
Opulus, var. sterile. Guelder Rose-	05	0.00	
2 to 3 ft	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
4 to 5 ft	75	6 00	40 00
	1 00	7 50	50 00
plicatum. Japanese Snowball— $2\frac{1}{2}$ to 3 ft	75	5 00	35 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	1 00	7 50	60 00

3 00 2 00

Eac	h 10
CELASTRUS scandens. False Bitter-sweet-	
2 to 3 ftper 100, \$15\$0 5	§ \$3 50
	5 5 00 5 3 00
	5 6 00
graveolens; syn., orientalls. 4-in. pots	3 00
Large-flowering varieties. — Fairy Queen, Gem, Henryi, Jackmani, Jackmani var. alba,	
Henryi, Jackmani, Jackmani var. alba,	
Jeanne d'Arc, Duchess of Edinburgh, Ker- mesina, Lady Neville, Lilacina floribunda,	
Madame Van Houtte, Miss Bateman, Presi-	
	0 4 00
	0 2 50
5-in. pots; fine 5	0 3 50
DOLICHOS. See Pueraria.	
	5 1 75
	35 2 50 25 2 00
	5 2 50 2 50 3 2 50 3 2 50 3 2 50
LONICERA Japonica. Honeysuckle. 4-in. pots	$\frac{1}{5}$ $\frac{1}{2}$ $\frac{1}{50}$
3-year; field-grown 3	3 00
Japonica, var. brachypoda; syn., flexuosa. Field-	
	3 00
	3 00
Japonica, var. Chinensis. Purplish green foliage— 4-in. pots	25 2 00
Heavy, field-grown 3	5 3 00
	5 2 00
5-in. pots	5 3 00
	3 00
sempervirens, var. fuchsioides. Scarlet Trumpet—	io 3 50
	5 3 00
5-in. pots	0 4 00
PUERARIA Thunbergiana; sya., Dolichos Japonicus. Kudzu	
Vine. In pots+1 0	0 7 50
TECOMA. See Bignonia.	- 0.00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Labrusca. Fox Grape. 4-in. pots	0 4 00
	i 3 50
WISTARIA Chinensis. Chinese Wistaria—	
2 to 3 ft.; in large pots 1 5	0 12 50
3 to 4 ft.; field grown	$\frac{0}{0}$ 7 50
	0 12 50
4 to 6 ft	0 22 50
	0 32 50
frutescens. 3 to 4 ft 1 0	·
4 to 6 ft	0
magnifica. 5 to 6 ft.; field-grown\$1.50 to 2 5	
multijuga. 2 to 3 ft.: field-grown	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	5 6 00
3 to 4 ff	0
4 to 6 ft\$1.50 to 3 5	0

FRUIT DEPARTMENT Each 10 APPLES, Summer-Early Harvest, Golden Sweet, Red Astrachan, Summer Rambo, Sweet Bough, Benoin, Yellow Transparent. Autumn-Fall Pippin, Gravenstein, Maiden's Blush, Smokehouse, Wealthy. Winter—Baldwin, Belle-fleur, Fallawater, King of \$6 00 6 00 CHERRIES. 10 00 NUTS, American Sweet Chestnut. See under Deciduous Trees. 10 00 Spanish Chestnut. See under Deciduous Trees. Hybrid Chestnut. Paragon; Numbo. 4 to 5 ft. 1 50 Japan Chestnut. 3 to 4 ft. 1 00 12 50 Walnut, Black. See Juglans nigra, under Deciduous Trees. PEACHES—Belle of Georgia, Fitzgerald, Fox's Scedling, Crawford's Late, Elberta, Mountain Rose, Morris White, Oldmixon Free, Stump the World, Susquehanna, Troth's Early, Wheatland. 5 to 6 ft.per 100, \$30.. PEARS, Summer—Bartlett, Clapp's Favorite, Doyenne d'Ete. Autumn and Winter—Beurre d'Anjou, Buffum, Duchesse o'Angauleme Howell Kieffer's Hybrid 50 3 50 10 00 15 00 7 50 QUINCES—Champion, Orange. 3 to 4 ft. 75 6 00 SMALL FRUITS Each 10 \$0 50 2 00 2 00 50

100, \$3

50

STRAWBERRIES, Early—Bederwood, Marshall; Medium—
Bubach, Glen Mary, Sharpless,
Late—Brandywine, Gandy, Runners, per 100, \$2: per 1,000, \$7.50.
Potted plants, per 100, \$3 to \$4.

ESCULENT ROOTS

ROSES

ROBED		
N. B.—Potted unless noted. Special prices per hund	lred.	
AUSTRIAN BRIERS—Harrison's Yellow and Persian Yellow \$0 SWEETBRIER—Rosa rubignosa	ach 0 40 40	10 \$3 50 3 50
Brenda, Flora McIvor, Lady Penzance, Lord Penzance, Meg Merrilies, Minna	50	4 50
BUSH—Blanda, Carolina, canina, lucida, lucida var. alba, multiflora, nitida, rubrifolia, field-grown	35	3 00
Lady Gay, Prairie Queen	50 35	3 50 3 00
Ramblers—Crimson, White, Pink and Yellow, The Dawson (carmine)	40	3 50
EVERBLOOMING Hybrid Teas—Bessie Brown, creamy white; Betty, ruddy gold; Captain Christy, flesh; Caroline Testout, rose; Countess of Caledon, carmine; Duchesse of Albany, deep pink; Gladys Harkness, salmon-pink; Gruss an Teplitz, crimson; Kaiserine Auguste Victoria, primrose; Killarney, pink; La France, rose; Madame Ravary, yellow; Souvenir du President Carnot, flesh-rose;		
Viscountess Folkestone, creamy pink	50	4 50
mannason (Botroon), nesh; white Marman Cochet (Tea), white	50	4 50
Ulrich Brunner, cherry crimson	50	4 00
son; Zenobia, rose	50	4 00

PRICE LIST FOR SPRING OF	1911		91
RUGOSA ROSES			
Ea		10	100
ROSA rugosa. 2 to 2½ ft\$0	35	\$3 00	\$20 00
$\frac{2\frac{1}{2} \text{ to } 3 \text{ ft.}}{2 \text{ to } 21 \text{ ft}}$	$\frac{50}{75}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35 00 50 00
rumosa, var. alha. 2 to 2½ ft.	50	4 00	25 00
3^{2} to 3^{1}_{2} ft. rugosa, var. alba. 2 to 2^{1}_{2} ft. 2^{1}_{2} to 3 ft.	75	6 00	50 00
rugosa hybrids atropurpurea—Atropurpurea,			
Blanc Double de Coubert, Conrad F.			
Meyer, Madame Georges Bruant, Madam Charles Worth, Mrs. A. Waterer. Pot-			
grown	50	4 00	
WICHURAIANA ROSES			
	25	\$2 00	
ROSA Wichuraiana. The Trailing Rose. 2 to 3 ft. \$0 2 to 3 ft. In 4-in. pots	$\frac{25}{35}$	$\frac{52}{3} \frac{00}{00}$	\$25 00
hybrids—Evergreen Gem, Gardenia, Manda's			1
Triumph, Pink Roamer, South Orange Perfection, Universal Favorite. In pots.		0 =0	
Perfection, Universal Favorite. In pots.	50	3 50	
SINGLE ROSES, Dickson's Hybrids—New Irish Beauty, Irish Glory, Irish		•	
Modesty, Irish Bright-			
ness	75	6 00	
TANDAY TIEDDA OFOTIO			
HARDY HERBACEOUS I	$^{\prime}$ L $^{\prime}$	ANIS	
Ea	ch	10	100
ACHILLEA filipendulina (Noble Yarrow). July.			100
Golden Yellow. 2 ft\$0	15	\$1 25	\$10 00
millefolium roseum (Rosy Milfoil).			
		1 05	
ntarmica (The Pearl). All summer.	15	1 25	
ACHILLEA filipendulina (Noble Yarrow). July. Golden Yellow. 2 ft\$0 millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	15 15	1 25 1 25	10 00
tomentosum (Woolly Yarrow). June.		1 25	10 00
tomentosum (Woolly Yarrow). June.	15 15 25		10 00
tomentosum (Woolly Yarrow). June.	25	1 25 2 00	
tomentosum (Woolly Yarrow). June.		1 25	10 00 15 00
tomentosum (Woolly Yarrow). June.	25	1 25 2 00	
tomentosum (Woolly Yarrow). June.	25 35 35	1 25 2 00 2 50 2 50	
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). September and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rosc. 3 ft. AUIGA Genevaries May Bright Blue 6 in	25 35 35 35	1 25 2 00 2 50 2 50 2 50	15 00
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). September and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rosc. 3 ft. AUIGA Genevaries May Bright Blue 6 in	25 35 35 35 25	1 25 2 00 2 50 2 50	15 00 12 50
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). September and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rosc. 3 ft. AUIGA Genevaries May Bright Blue 6 in	25 35 35 35	1 25 2 00 2 50 2 50 2 50	15 00
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). September and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rosc. 3 ft. AUIGA Genevaries May Bright Blue 6 in	25 35 35 35 25 25	1 25 2 00 2 50 2 50 2 50 1 50 1 50	15 00 12 50 12 50
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). Jeptember and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright Blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft.	25 35 35 35 25 25	1 25 2 00 2 50 2 50 2 50 1 50 1 50 1 50	15 00 12 50 12 50 12 50
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). Ceptember and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright Blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed	25 35 35 35 25	1 25 2 00 2 50 2 50 2 50 1 50 1 50	15 00 12 50 12 50
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). Leptember and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright Blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum, June and July. Golden Yellow. 1 ft.	25 35 35 35 25 25	1 25 2 00 2 50 2 50 2 50 1 50 1 50 1 50	15 00 12 50 12 50 12 50
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). Ceptember and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright Blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum, June and July. Golden Yel- low. 1 ft. saxatile compactum (Golden Tuft). May	25 35 35 35 25 25 25 25 25	1 25 2 00 2 50 2 50 2 50 1 50 1 50 1 50 2 50	15 00 12 50 12 50 12 50 12 50
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). September and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright Blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum, June and July. Golden Yellow. 1 ft. saxatile compactum (Golden Tuft). May and June. Yellow. 1 ft. ANCHUSA Italian year Preparator. New (Alkanet)	25 35 35 35 25 25 25 25	1 25 2 00 2 50 2 50 2 50 1 50 1 50 1 50	15 00 12 50 12 50 12 50
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). September and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright Blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum, June and July. Golden Yellow. 1 ft. saxatile compactum (Golden Tuft). May and June. Yellow. 1 ft. ANCHUSA Italian year Preparator. New (Alkanet)	25 35 35 35 25 25 25 25 25	1 25 2 00 2 50 2 50 2 50 1 50 1 50 1 50 2 50	15 00 12 50 12 50 12 50 12 50
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). Ceptember and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright Blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum, June and July. Golden Yellow. 1 ft. saxatile compactum (Golden Tuft). May and June. Yellow. 1 ft. ANCHUSA Italica, var. Dropmore. New (Alkanet). May and June. Blue. 3 to 4 ft ANEMONE (Windflower) Japonica. September Red.	25 35 35 25 25 25 25 25 25 75	1 25 2 00 2 50 2 50 1 50 1 50 1 50 2 50 1 50 2 50 1 50	15 00 12 50 12 50 12 50 12 50 12 50
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). Ceptember and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright Blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum, June and July. Golden Yellow. 1 ft. saxatile compactum (Golden Tuft). May and June. Yellow. 1 ft. ANCHUSA Italica, var. Dropmore. New (Alkanet). May and June. Blue. 3 to 4 ft ANEMONE (Windflower) Japonica. September Red.	25 35 35 35 25 25 25 25 25 25 25 25 25	1 25 2 00 2 50 2 50 2 50 1 50 1 50 1 50 2 50 1 50 2 50 1 50 1 50	15 00 12 50 12 50 12 50 12 50 12 50
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). September and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright Blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum, June and July. Golden Yel- low. 1 ft. saxatile compactum (Golden Tuft). May and June. Yellow. 1 ft. ANCHUSA Italica, var. Dropmore. New (Alkanet). May and June. Blue. 3 to 4 ft ANEMONE (Windflower) Japonica. September Red. 2 to 3 ft. Japonica. var. alba. Fall. White. 2 to 3 ft.	25 35 35 25 25 25 25 25 25 75	1 25 2 00 2 50 2 50 1 50 1 50 1 50 2 50 1 50 2 50 1 50	15 00 12 50 12 50 12 50 12 50 12 50
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). September and October. Blue. 3 ft Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft AJUGA Genevensis. May. Bright Blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in Purplish blue	25 35 35 35 25 25 25 25 25 25 25 25 25	1 25 2 00 2 50 2 50 2 50 1 50 1 50 1 50 2 50 1 50 2 50 1 50 1 50	15 00 12 50 12 50 12 50 12 50 12 50
tomentosum (Woolly Yarrow). June. Yellow. 1 ft. ACONITUM Fischeri (Monkshood). September and October. Blue. 3 ft. Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft. ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft. AJUGA Genevensis. May. Bright Blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in. ALTHÆA rosea (Hollyhock). July. Various colors. 4 to 6 ft. rosea, var. Allegheny Fringed ALYSSUM rostratum, June and July. Golden Yel- low. 1 ft. saxatile compactum (Golden Tuft). May and June. Yellow. 1 ft. ANCHUSA Italica, var. Dropmore. New (Alkanet). May and June. Blue. 3 to 4 ft ANEMONE (Windflower) Japonica. September Red. 2 to 3 ft. Japonica. var. alba. Fall. White. 2 to 3 ft.	25 35 35 35 25 25 25 25 25 25 25 25 25 25 25 25	1 25 2 00 2 50 2 50 1 50 1 50 1 50 2 50 1 50 2 50 1 50 6 00 1 50	15 00 12 50 12 50 12 50 12 50 12 50 12 50



Partial view of Herbaceous Plantations

Whitehold The Town	Cach	10	100
ANEMONE Japonica, var. Whirlwind. Fall. Pure	25	\$2 00	\$15 00
white. 2 to 3 ft\$0 Pennsylvanicum. June and July. White. 1 to 2 ft.	$\frac{25}{25}$	1 50	12 50
Pulsatilla (Pasque Flower). May. Violet-pur-	20	1 50	32 00
ple. 9 in	25	1 50	12 50
sylvestris. May. Pure white, 1 to $1\frac{1}{2}$ ft	$\overline{25}$	1 50	12 50
ANTHEMIS tinctoria (Chamomile). June to Sep-		2 00	
tember, Golden Yellow. 2 ft	25	1 50	10 00
AQUILEGIA baicalense. May to July. Blue and			
white. 18 in	25	1 50	12 50
Canadensis. (Common Columbine). May to			
July. Scarlet and Yellow. 1 to 2 ft	25	1 50	10 00
Chrysantha. May to August. Golden Yellow.			
3 ft	25	2 00	12 50
cærulea (Rocky Mountain Columbine). May			
to July. Blue. 18 in	25	2 00	12 50
flabellata, var. nana alba. April to June.			
White. 1 ft	25	2 00	
nivea grandiflora. April to June. White.	~~	0.00	10 50
9 to 3 ft	25	2 00	12 50
vulgaris fl. pl. May to July. White to blue.	05	0.00	10 50
1½ to 2 ft truncata. May and June. Scarlet, yellow-	25	2 00	12 50
truncata. May and June. Scarlet, yellow-	0=	2 00	12 50
tipped. 2 ft	25	2 00	12 00
ARABIS alpina (Rock Cress). April and May.	25	1 50	10.00
White. 4 in	35	$\frac{1}{2} \frac{50}{50}$	10 00
alpina fl. pl. Double	99	2 30	
ARENARIA montana, var. grandiflora (Sandwort).	25	1 50	12 50
May and June. White, 6 in	20	1 00	72 60

PRICE LIST FOR SPRING O	r 191	1	00
	Each	10	100
ARMERIA maritima, var. alba (Thrift). Sum-			
mer. White. 9 in	\$ 0 25 -	\$1 50	\$10 00
maritima, var. splendens. Summer Rose. 9 in.	25	1 50	12 50
ARTEMISIA abrotanum (Old Man). Silvery white			
foliage. 2 ft	25	1 50	10 00
Stelleriana (Old Woman), Silvery foliage, 2 ft.	25	1 50	10 00
ASCLEPIAS tuberosa (Butterfly Weed). July and			
August. Orange. 2 ft	25	1 50	10 00
ASTER alpinus. June and July. Purple. 9 in	25	1 50	10 00
Amellus elegans. September and October. Blue.			
1½ ft	25	1 50	10 00
ASTER (Michælmas Daisy) amethystinus. Septem-			
ber and October. Amethyst. 3 to 4 ft	25	1 50	10 00
grandiflorus. October and November. Violet-	0~	0 -0	00.00
blue. 2 ft	35	2 50	20 00
Lady Trevelyan. September and October. White, 3 ft	25	1 50	10.00
Madonna. September and October. White. 4 ft.	$\frac{25}{25}$	1 50	10 00
Novæ Angliæ. September and October. Purple.		1 50	10 00
4 ft	25	1 50	10 00
4 ft			
October. Bright rose. 4 ft	25	1 50	. 10 00
ptarmicoides. August and September. White.			
$1\frac{1}{2}$ ft	25	1 50	10 00
Robert Parker. September and October. Laven-	~~		40.00
der. 4 ft	$\frac{25}{25}$	1 50	10 00
Tataricus. October and November. Purple. 5 ft.		1 50	10 00
Trinervius. October and November. Violet-	25	1 50	10 00
purple. 2½ ft	20	1 50	10 00
4 ft	25	1 50	10 00
ASTILBE Japonica (Spirea). June. White. 11 ft.	25	1 50	10 00
ASTRANTIA major (Masterwort). June and July.			20 00
Pale pink. 1 ft	25	2 50	20 00
AUBRETIA Hendersoni (False Wall Cress). April.		_ 00	-0 00
Purplish violet. 4 in	25	1 50	12 50
BAPTISIA australis (False Indigo). June and July.			
Dark blue. 2 ft	25	1 50	10 00
tinctoria. June and July. Bright yellow.			
2 to 3 ft	25	1 50	10 00
BELEMCANDA Chinensis; syn., Pardanthus. June.			
Orange-red. 4 ft	25	1 50	10 00
BELLIS perennis (English Daisy) May. White and			
pink. 6 to 8 in	25	1 50	10 00
BETONICA. See Stachys.			
BOCCONIA cordata (Plume Poppy). July and			
August. White, 5 ft	25	1 50	12 50
BOLTONIA asterioides (False Chamomile). August			
and September. White. 4 ft	25	1 50	10 00
latisquama. August and September. Light	0*	1 50	40.00
lilac. 4 ft	25	1 50	10 00
CALIMERIS incisa (Starwort). July to September.	25	1 50	10.00
Light blue, 18 in	20	1 50	10 00

I	Cach	10	100
CALLIRHOË involucrata (Poppy Mallow). All			
summer. Rosy crimson. 1 ft\$0 CAMPANULA Carpatica (Carpathian Harebell).	25	\$1 50	\$10 00
June to September. Blue. 9 in	25	1 50	10 00
9 in	25	1 50	10 00
Mærheimi. May to July. White. 2 to 2½ ft persicifolia (Peach Bells). June and July.	35	2 50-	
Blue. 18 inpersicifolia alba. June and July. White. 18 in	25	1 50	10 00
persicifolia alba. June and July. White. 18 in	25	1 50	10 00
pyramidalis (Chimney Bellflower). August and September. Blue. 2 ft	25	1 50	10 00
CENTAUREA montana (Perennial ('ornflower).			117 177
June and July. Dark purple. 1½ ft	25	1 50	
CERASTIUM tomentosum. June and July. White.			
6 in	25	1 50	12/50
CERATOSTIGMA plumbaginoides (Plumbago), Octo-	25	2 00	1= 00
ber and November. Blue. 6 in CHELONE Lyoni (Turtlehead). August and Septem-	25	2 00	15 00
ber. Rose-purple. 2 ft	35	2 50	
obliqua, var. alba (Shell-flower). August and	017	2	
September. White. 2 ft	35	2.50	
CHRYSANTHEMUM leucanthemum hybridum			
(Shasta Daisies). Alaska, California, Wes-	35	2 50	15 00
tralia. All summer. White. 2 ft maximum, var. Triumph (Moonpenny Daisy).	00)	2 30	1.) (//)
July to October. White. 2 ft	25	1 50	12 50
Nipponicum, September and October, White.			
Pompon Varieties. Fall. All colors. 1½ to 2 ft. Pompon Varieties, Heavy Stock.	35	2 50	40.00
Pompon Varieties. Fall. All colors. 1½ to 2 ft.	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$	10 00 15 00
ulignosum. September. White. $2\frac{1}{2}$ ft	25	1 50	10 00
CHRYSOGONUM Virginianum (Golden Joint). June.			
Yellow, 1 ft	25	1 50	12 50
CHRYSOPSIS villosa (Golden Aster). September.	0.0	0	
Yellow. 2 ft	25	2 00	15 00
CIMICIFUGA acerinum. August and September.	35	2.50	
White. $2\frac{1}{2}$ ft Dahurica (Bugbane). August and September.	00	2 .,()	
White, 2 to 3 ft	35	2 50	15 00
White. 2 to 3 ftracemosa (Snakeroot). July. White. 3 to 5 ft.	25	1 50	12/50
CINERARIA. See Artemisia.			
CLEMATIS crispa (Leather-flower). June to Sep-	25	1 50	12 50
tember. Lavender. 3 to 4 ft	(نک	1 90	12 50
Fragrant 3 ft	25	1 50	12 50
Fragrant. 3 ftrecta. June to August. White. Fragrant.			
2 to 3 ft	25	1 50	12 - 50
CONOCLINIUM coelestinum (Mist-flower). Septem-	25	1 50	12 50
ber and October. Deep blue. 18 in	2.)	1 :30)	12 00
convallaria majalis (Lily-of-the-Valley). May and June. White, 6 to 9 in	25	2 00	15 00
COREUPSIS lanceolata (Tickseed). June to October.			
Golden yellow. 2 ft	15	1 25	10 00
CORONILLA varia (Crown Vetch). June and Octo-	0-	4 80	10 50
ber. Pink, 1 to 2 ft	25	1 50	12 50

PRICE LIST FOR SPRING OF 1911 55

E	lach	10	100
DELPHINIUM Chinense (Larkspur). July to September Blue 14 ft. \$0	25	\$1 50	\$10 00
tember. Blue. 1½ ft\$0 Chinense, var. album. July to September. White.	25	1 50	10 00
elatum (Bee Larkspur), June to August. Blue.			
formosum (Larkspur). June to September.	25	1 50	10 00
Deep blue. 4 ft	25	1 50	10 00
Mixed colors. $1\frac{1}{2}$ ft	$\frac{25}{25}$	1 50	10 00
Mixed colors, 1½ ft. deltoides (Maiden Pink), June, Pink, 4 in. latifolius, June, Red, 1 ft.	25	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 10 & 00 \\ 10 & 00 \end{array}$
Varieties: Varieties:	25	2 00	15 00
Delicata. Rose, with fringed petals.			
Delicata. Rose, with fringed petals. Laura Wilmer. White, with maroon center. Her Majesty. White. Mrs. Sinkins. White.			
Stanislaus. Violet-rose, with crimson center.			
DICENTRA eximia (Seal-flower). June to August.	25	1 50	10 00
Pink. 1 ftspectabilis (Bleeding-heart). May and June.			
DICTAMNUS fraxinella (Gas Plant) June Purple.	25	2 00	12 50
3 ft. fraxinella, var. alba. June. White. 3 ft	35° 35	$\begin{array}{ccc} 2 & 50 \\ 2 & 50 \end{array}$	15 00 15 00
Pale yellow. 3 ft. purpurea (Common Foxglove). June and July.	25	2 00	15 00
Mixed colors. 4 to 5 ftpurpurea, var. gloxiniæflora. June and July.	25	1 50	10 00
Mixed colors. 4 to 5 ft	25	1 50	10 00
DORONICUM Austriacum. April and May. Yellow.	35	2 50	15 00
plantagineum, var. excelsum. April to June. Yellow. 2 ft	35	2 50	15 00
ECHINACEA purpurea (Purple Cone-flower). July to	25	9.00	1= 00
September. Rosy purple. 3 ft ERIGERON speciosus (Fleabane). June to August.	49	2 00	15 00
Violet-blue. $1\frac{1}{2}$ to 2 ft	25	2 00	15 00
September. Amethyst-blue. 2 ft	35	2 50	
tember and October. White, 3 ft	25	1 50	12 50
cœlestinum. Fall. Light blue. 2 ft EUPHORBIA corollata (Spurge). July to Septem-	$\overline{25}$	1 50	
ber. White, 1½ ft	25	1 50	12 50
FEVERFEW, Little Gem. June to October. White.	25	1 50	10 00
FUNKIA Fortunei (Day Lily). July to August. Blue.			
1½ to 2 ft. ovata. July to August. Deep blue. 1½ to 2 ft.	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{c} 12 \ 50 \\ 12 \ 50 \end{array}$
subcordata, var. grandinora. September, white.	25	2 00	15 00
Fragrant. 2 ft. undulata, var. media picta variegata. July and	25	1 50	12 50
August. Lilac. 1 ft	20	1 50	12 90

	Each	10	100
GAILLARDIA grandiflora (Blanket-flower). June to November. Yellow. 1½ ft\$0	95	\$1 50	\$10 00
GALEGA officinalis (Goat's Rue). July and August.	20	φ1 90	\$10.00
Blue. 2 ft	25	1 50	10 00
2 ft	25	1 50	10 00
GERANIUM sanguineum (Cranesbill). June to Sep-		1 00	10 00
tember. Red. 1½ ft	25	1 50	
GEUM coccineum (Avens). June and July. Scarlet.	25	2 00	15 00
Heldrechi. June Orange. 18 in montanum. June and July. Yellow. 18 in	$\frac{25}{25}$	2 00	15 00
montanum. June and July. Yellow. 18 in	25	2 00,	15 00
GILLENIA trifoliata (Bowman's Root). Rose and white, July. 3 ft	35	2 50	
GYPSOPHILA paniculata (Baby's Breath) July.			
White, 2 to 3 ft	25	1 50	12 50
HELENIUM, pumilum (Sneezewort). July to October. Yellow. 14 ft	25	1 50	10 00
ber. Yellow. 1½ ft			10 00
Yellow. 4 ft. grandicephalum, var. striatum. August to Octo-	25	1 50	10 00
per. Orange. 5 It	25	2 00	15 00
Hoopesi, All summer. Orange-vellow, 2 ft	25	2 00	15 00
HELIANTHUS (Perennial Sunflowers) giganteus. August to October. Pale yellow. 6 to 10 ft.	25	1 50	10 00
Maximiliana. September, Deep yellow, 6 to 8 ft.	$\frac{25}{25}$	$\frac{1}{1} \frac{50}{50}$	10 00
mollis. September and October. Golden yellow.	25	1 50	10 00
4 ft. multiflorus fl. pl. July and August. Golden	2.)	1 50	10 (0)
yellow. 4 ft	25	1 50	10 00
vellow 6 ft	25	1.50	10 00
yellow, 6 ftrigidus. July to October. Golden yellow, 3 ft. rigidus, yar. Miss Mellish. September and Octo-	$\overline{25}$	1 50	10 00
rigidus, var. Miss Mellish. September and Octo-	25	1 50	10 00
ber, Golden yellow, 6 ftrigidus, var. Wolly Dodd. September. Deep yellow. 3 ft			
yellow. 3 ft	25	1 50	10 00
HELIOPSIS Pitcheriana. June to October. Orange- yellow. 3 ft	25	1 50	10 00
HELLEBORUS niger (Christmas Rose), March.			40, 00,
White. 6 in	$\frac{35}{35}$	3 00 3 00	
White. 6 in	1317	9 (10)	
June and July, Orange-vellow, 2 ft	25	1 50	12 50
fulva (Tawny Day Lily) July and August A	25	1 50	12 50
flava. June. Yellow. 2 ft	25	1 50	12 50
fulva, var. Kwanso fl. pl. (Double Orange Lily). July and August. Coppery yellow. $2\frac{1}{2}$ ft	25	1 50	12 50
fulva, var. Thunbergii. August and September.		,(/	
fulva, var. Thunbergii. August and September. Lemon-yellow. 2½ ft	25	1 50	12 50
blue. 6 in,	25	1 25	10 00
HEUCHERA sanguinea (Alumroot). June to Sep-			
tember. Coral-red, 18 insanguinea, var. alba. June to September. White.	25	2 00	15 00
18 in	25	2 00	



A field of Japanese Iris at Andorra

	Each	10	100
HIBISCUS militaris. June to September. Buff-yellow.	2 0=	00.00	
18 in	25	\$2 00	
	05	1 50	010 00
Rose, 5 ft.	25	1 50	\$10 00
Moscheutos, var. Crimson Eye. July to Sep-	0=	4 50	40.00
tember. White. 5 ft	25	1 50	10 00
HOLLYHOCKS. See Althæa rosea.			
IBERIS sempervirens (Candytuft). April and May.	0=	4 50	40.00
White, 6 in	25	1 50	10 00
corifolia. April and May. White, 9 in	25	1 50	10 00
INULA Britannica (Fleabane). July to September.			40 70
Light yellow. 2 ft	25	1 50	12 50
IRIS. For Special Descriptive Lists, consult Calen-			
dar of Hardy Perennials.			
atroviolacea. May. Dark violet. 2 to $2\frac{1}{2}$ ft	35	3 00	
cristata. April and May. Light blue. 6 in	25	1 50	12 50
Florentina. May. Tinted white. Fragrant. 1½ ft	25	2 00	
Germanica. May, Named varieties, $1\frac{1}{2}$ to $2\frac{1}{2}$ ft.	25	1 50	10 00
lævigata; syn., Kæmpferi (Japanese Iris), June			
and July. Our selection, all colors. $2\frac{1}{2}$ to 4 ft.	25	2 00	15 00
Customer's selection	35	3 00	
Pallida, var. Dalmatica. June. Light blue. 3 ft.	35	3 00	25 00
Pallida, var. speciosa. June. Indigo-blue.			
2 to 3 ft	35	3 00	25 00
Pseudacorus, June, Yellow, 2 to 3 ft	25	2 00	15 00
pumila nova. May. Various colors. 8 to 10 in.	$\overline{25}$	$\bar{1} \ 50$	12 50
Sibirica. May and June, Bright blue, 1½ ft.	$\overline{25}$	$\tilde{1}$ $\tilde{50}$	10 00
Sibirica, var. alba. June. White, 2 ft. Rare	$\overline{35}$	3 00	25 00
Sibirica, var. orientalis. May. Deep blue, $1\frac{1}{2}$ ft.	25	1 50	10 00
tectorum. May. Bright lilac. 1 ft	$\overline{25}$	2 00	15 00
tootorum. May, Dilgit mac. I it			

57

	ach	10	100
KNIPHOFIA aloides (Red-hot Poker). August and September. Crimson. 3 ft\$0	25	\$1 50	\$12 50
September. Crimson. 3 ft\$0 obelisque. July and August. Saffron-yellow. 3 to 4 ft	35	2 50	15 00
3 to 4 ft	35	2 50	15 00
LATHYRUS latifolius, var. albus (Hardy White			15 00
Pea). Summer, Climbinglatifolius, var, roseus. Summer, Rose, Climbing.	25 25	$\frac{2}{2} \frac{00}{00}$	
latifolius, var. splendens. Summer. Climbing latifolius, var. Pink Beauty. Summer. Bright	25	2 00	15 00
pink. Climbing	25	2 00	15 00
LAVENDULA spica (Lavender), 15 to 18 in vera (Lavender), 15 to 18 in	25 25	$\begin{array}{c} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{c} 12 & 50 \\ 12 & 50 \end{array}$
LIATRIS graminifolia (Blazing Star). August and		1 50	10 50
September. Rosy purple. 2 ft	25	1 50	12 50
ber. Rosy purple. 4 to 5 ftspicata (Gay Feather). August and Septem	25	1 50	12 50
ber. Deep purple. 3 to 4 ft	25	1 50	12 50
LILIUM Canadense (Meadow Lily), July Shades of yellow, 2 to 4 ft	25	1 50	12 50
Philadelphicum (Wood Lily). July and August. Orange-scarlet. 2 to 4 ft	25	2 00	15 00
speciosum, var. roseum (Japan Lily). July and	25	2 00	15 00
speciosum, var. roseum (Japan Lily). July and August. Rosy white. 2 to 4 fttigrinum (Tiger Lily). August. Salmon-red.			
LINUM Austriacum (Austrian Flax). June to	25	1 50	12 50
LINUM Austriacum (Austrian Flax), June to August, Bluish purple, 18 in	25	1 75	
perenne (Perennial Flax). June to September. Clear blue. 18 in	25	1 75	
LOBELIA cardinalis (Cardinal Flower). August and September. Scarlet. 2 to 3 ft	25	1 50	12 50
and September. Scarlet, 2 to 3 ft syphilitica (Blue Lobelia). August and September. Deep blue, 2 ft	25	1.50	
LYCHNIS Chalcedonica (London Pride). July to			
September, Vermilion, 2 to 3 ft	25	1 50	12 50
coronaria (Rose Campion). June and July. Crimson. 1½ to 2 ft	25	1 25	10 00
1½ to 2 ft	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$	10 00
vespertina, var. alba plena (White Campion).			
May to September. White, 1 ft viscaria (Catchfly). June and July. Red. 1½ ft.	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{c} 12 & 50 \\ 12 & 50 \end{array}$
viscaria, var. splendens. (German Catchfly). June and July. Pink. 15 in	25	1 50	12 50
LYSIMACHIA clethroides (Loosestrife). July to			
September. White. 1½ ft	25	1 25	10 00
Yellow. Creeping	25	1 50	10 00
LYTHRUM roseum superbum (Rose Loosestrife). July to September. Rose. 3 ft	25	1 50	12 50
MERTENSÍA pulmonarioides (Virginia Cowslip). May and June. Blue. 2 ft	25	1 50	10 00
may and ounc. Dide, 2 Ittilition		_ 00	

FRICE LIST FOR SPRING OF	1911		6)9
	Each	10	100
MONARDA didyma (Oswego Tea). July and			
August. Scarlet. 23 ff \$ didyma, var. Cambridge Scarlet. July and	25	\$1 50	\$10 00
didyma, var. Cambridge Scarlet. July and	0=	4 50	10.00
August. Scarlet. 2 ft	25	1 50	10 00
Crimcon-searlet 9 ft	25	1 50	10 00
Crimson-searlet, 2 ft	40	1 00	10 00
Light blue. 6 to 9 in	25	1 50	10 00
palustris (Forget-me-not). May and June.			
Light blue. Spreading	25	1 50	10 00
NEPETA glecoma, var. variegata (Ground Ivy).	25	1 50	10.00
May. Purple. 6 in. CENOTHERA fruticosa, var. major (Sundrops). July. Yellow. 1½ ft. fruticosa, var. Youngi (Young's Primrose). June. Lemon. 1½ to 2 ft.	20	1 50	10 00
July Yellow, 15 ft	25	2 00	15 00
fruticosa, var. Youngi (Young's Primrose).		_ ~~	
June. Lemon. $1\frac{1}{2}$ to 2 ft	$\frac{25}{25}$	1 50	$\begin{array}{ccc} 12 & 50 \\ 15 & 00 \end{array}$
Frazeri. June. Rich yellow. 1½ ft	25	2 00	15 00
Missouriensis (Large Evening Primrose). June and July. Yellow. 1 ft	25	2 00	15 00
species (White Primrose) June and July	20	2 00	19 00
speciosa (White Primrose). June and July. White, $1\frac{1}{2}$ ft	25	1 50	10 00
OPHIOPOGON Jaburan, var. aureus variegatus			
OPHIOPOGON Jaburan, var. aureus variegatus (Snake's Beard). September. Blue. 6 in	50	3 50	
PACHYSANDRA procumbens (Mountain Spurge).	~~		40 70
March to May. White or purple. Spreading.	$\frac{25}{25}$	1 50	$\begin{array}{c} 12 \ 50 \\ 12 \ 50 \end{array}$
terminalis. May and June. White. 8 in PÆONIA. See our Calendar of Hardy Perennials	20	1 50	12 50
PÆONIA. See our Calendar of Hardy Perennials for Special List.			
Chinensis, Double Varieties, Our selection May			
and June	35	3 00	25 00
Chinensis, Heavy Clumps. Our selection 1		12 50	0= 00
Chinensis, Single Varieties. Our selection	35	$\frac{-3}{3} \frac{00}{00}$	$\begin{array}{ccc} 25 & 00 \\ 25 & 00 \end{array}$
Moutan (Tues Deeply) May and June Dif	35	5 00	20 00
Moutan (Tree Peony). May and June. Different colors	00	9 00	
omeinalls var runra niena Early Abril	. 00		
Double; deep crimson	50	4 00	35 00
Double; deep crimson		0.00	
Double; pink	50	$\frac{9}{4} \frac{00}{00}$	
Double; pink	50	4 00	
	50	4 00	
triternata. April, Single, Bright red PAPAVER bracteatum. June, Blood-red, 4 ft	35	3 00	25 00
PAPAVER bracteatum. June. Blood-red. 4 ft	25	2 00	12 50
nudicable (Iceland Poppy). All summer, Many	25	1 50	10 00
colors. 1 ft	20	1 90	10 00
let. 2 ft.	25	2 00	12 50
PARDANTHUS. See Relemcanda			
PENTSTEMON barbatus, var. Torreyi (Torrey's Beard Tongue). June to August. Scarlet.			
Beard Tongue). June to August. Scarlet.	05	4 50	10.00
3 to 4 ft	25	1 50	10 00
2 to 21 ft	25	2 00	15 00
2 to $2\frac{1}{2}$ ft. lævigatus, var. Digitalis. July and August. White. 3 ft. ovatus. July and August. Purplish blue. 2 to 3 ft.		_ 00	20 00
White. 3 ft	25	2 00	
ovatus. July and August. Purplish blue.	OF.	0.00	
2 to 3 ft	25	2 00	

	Each	10	100
PHLOX amœna. May. Bright pink. 3 to 4 in\$0	25	\$1.50	\$10 00
Carolina, May and June, Rosy red. 1 ft	25	1 50	
Carolina. May and June. Rosy red. 1 ft divaricata (Wild Sweet William). May and			
June. Lavender. 1 ft	25	1.50	12 50
paniculata; syn., decussata (Perennial Phlox).	2.5	1 1117	12 .10
See the Calendar of Hardy Perennials for			
See the Calendar of Hardy Ferentials for	25	2 00	15 00
Special List. All colors	20	2 00	15 00
subulata (Mountain Pink). May and June.	OF.	1 50	40.00
Rose. Creeping	25	1 50	10 00
subulata, var. alba. May and June. White.	05	4 =0	10.00
Creeping subulata, var. atropurpurea. May and June.	25	1 50	10 00
subulata, var. atropurpurea. May and June.	0=	4 =0	
Purple, Creeping, May, Lilac, Creeping, subulata, var, Illacian, May, Lilac, Creeping, subulata, var, Melani, May, and June Pare	25	1 50	40 80
subulata, var. Illacina. May. Lilac. Creeping	$\overline{25}$	1 50	12 50
	~~		
white. Creeping subulata, var. Model. May and June. Rosy white. Creeping.	25	1 50	10 00
subulata, var. Model. May and June. Rosy			
white. Creeping	25	1 50	10 00
PHYSOSTEGIA Virginiana (False Dragonhead).			
August. Deep rose. 3 ft	25	1 50	
Virginiana, var. alba. August. White. 3 ft	$\overline{25}$	1 50	10 00
Virginiana, var. speciosa. August. Pink. 3 ft.	25	1 50	10 00
PLATYCODON grandiflorum (Balloon-flower). July.		1 00	20 00
	25	1 50	
Blue, 1½ ft.	$\frac{25}{25}$	1 50	
grandiflorum, var. album. July. White. 1½ ft. grandiflorum, var. Mariesi. June to October.	2:)	1 50	
grandinorum, var. mariesi. June to October.	0=	4 50	10 70
Blue. 1 ft	25	1 50	12 50
POLEMONIUM coeruleum (Jacob's Ladder). May to			
July. Deep blue. $1\frac{1}{2}$ ft	25	2 00	15 00
cæruleum, var. album. May to July. White. $1\frac{1}{2}$ to 2 ft.			
$1\frac{1}{2}$ to 2 ft	25	2 00	
PRIMULA acaulis (Primrose). May. Yellow.			
6 to 9 in	25	1 50	12 50
capitata (Primrose). Deep lilac. 9 in suaveolens (Cowslip). May. Yellow and	$\tilde{25}$	1 50	12 50
suaveolens (Cowelin) May Vollow and	20	1 .00	12 00
orange. 1 ft	25	1 50	12 50
warie (Polyanthua) May Vollow and arange	20	1 90	1= 50
veris (Polyanthus). May, Yellow and orange-	25	1 50	12 50
wigania (English Drivenaya) Mary Vallant	20	1 90	12 00
crimson. 6 to 9 invulgaris (English Primrose). May. Yellow.	25	1 50	12 50
0 to 9 m	20	1 90	12 00
PYRETHRUM roseum (Feverfew). June and July.			40.00
White, pink and red. $1\frac{1}{2}$ to 2 ftroseum fl. pl. Named varieties. $1\frac{1}{2}$ to 2 ft	25	1 50	10 00
roseum fl. pl. Named varieties. $1\frac{1}{2}$ to 2 ft	35	3 00	
RANUNCULUS aconitifolius fl. pl. (Crow's-foot).			
	25	1 50	
June. White. 1½ to 2 ftacris fl. pl. (Yellow Bachelor's Buttons).			
June. Yellow. 2 ft.	25	1 50	
repens (Double Buttercup). May to July.			
Yellow. 1 ft	25	1 50	10 00
	20	2 00	20 00
ROSMARINUS officinalis (Rosemary). Scented	05	1 50	
foliage	25	1 50	
RUDBECKIA laciniata, var. Golden Glow. July to			
September. Yellow. 8 ft	$\frac{25}{25}$	1 25 1 50	10 00
Newmani. August and September, Yellow, 1½ ft.	25	1 50	10 00
nitida (Cone-flower). August and September.			
Pale yellow, 5 ft	25	1 50	10 00

PRICE LIST FOR SPRING OF 1911 61

TRICE DIST TOR STRING ST			
SALVIA argentea. June. White, white foliage. 2 ft\$0	Each 25	10 \$1 50	\$10 00
Caucasicum. July and August. Reddish purple. 3 ft	25	1 50	10 00
Deep blue. 2 to 3 ft	25	1 50	10 00
SANGUINARIA Canadensis (Bloodroot). White. April, 6 in	25	1 50	10 00
SANTOLINA incana (Lavender Cotton). July. Deep yellow. 1 ft	25	1 50	10 00
SAXIFRAGA cordifolia (Rockfoil). April to June. Rosy purple. 15 in	25	2 00	15 06
scablosa Caucasica (Mourning Bride). Lavender-blue. June. 15 to 18 in	35	2 50	15 00
SEDUM acre (Golden Moss). May and June. Yel-	0-	4 05	40.00
low. Spreading	25	1 25	10 00
album. July. White. 4 to 6 in	25	1 25	10 00
Rhodiola. August. Light pink. 1 ft sexangulare (Stonecrop). June and July. Yel-	25	1 25	10 00
low. 6 inspectabile (Brilliant Stonecrop). September	25	1 25	10 00
and October. Rose. 12 to 15 in	25	2 00	15 00
spectabile, var. atropurpurea. September and October. Purplish crimson. 15 in	25	2 00	15 00
telephoides. July and August, Pink, 1 ft	$\frac{25}{25}$	$\frac{5}{2} \stackrel{00}{00}$	15 00
		2 50	15 00
senecio elivorum. Summer. Yellow. 3 ft pulcher (Groundsel). July to October. Rosy	35		19 00
purple. 1½ to 2 ft	25	1 50	
May. Rose or white. 9 in	25	1 25	10 00
April. White. $1\frac{1}{2}$ ft	25	1 50	
SPIRAA (Goat's Beard or Meadowsweet) aruncus.	•		
SPIRÆA (Goat's Beard, or Meadowsweet) aruncus. June and July. White. 4 to 5 ft filipendula fl. plJune and July. White. 2 ft.	35	2 50	15 00
filipendula fl. pl. June and July. White. 2 ft.	25	1 50	12 50
lobata. July. Pink. 3 to 4 ft	25	$\begin{array}{c}2&00\\2&00\end{array}$	15 00
lobata. July. Pink. 3 to 4 ftpalmata. June and July. Deep crimson. 2 ft. palmata, var. elegans. June and July. White;	25	2 00	15 00
crimson anthers. 3 ft	25 25	2 00	
crimson anthers, 3 ft	25	$\tilde{2}$ $\tilde{00}$	
grant, o It	25	2 00	
STACHYS Betonica; syn., Betonica rosea. July and August. Rose. 1 ft	25	1 50	12 50
Red. 15 to 18 in	25	1 50	10 00
August. Deep blue. 2 ft	25	1 50	10 00
STOKESIA cyanea (Stokes' Aster). July to October. Lavender. 1½ ft	25	2 00	15 00
12 11.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	50	3 50	
TANACETUM globiferum (Tansy). August. Golden yellow. 3 ft	25	1 50	10 00

	Each	10	100
THALICTRUM adiantifolium (Meadow Rue), June, Yellow, 18 in	25	\$1.50	\$10 00
aquilegifolium (Feathered Columbine). June. White. 2 to 4 ft	25	1 50	
polyganum (Tall Rue). June. White. 3 to 4 ft. purpurascens. June to August. Purple. 3 to	25	1 50	
4 ft	25	1 50	
THERMOPSIS Caroliniana. June. Yellow. 3 to 4 ft.	95	1.50	
mollis. May to July, Yellow, 2 to 3 ft	25 25	1 50	
THYMUS montanus, var. coccineus (Searlet Thyme). May. Bright red. 4 in	25	1.50	
vulgaris (Common Thyme). May. Lilac. 1 to	25	1 25	
2 ft		1 200	
October. Purple. 2 ft	25	1 50	12 50
2 ft	25	1 50	12 50
TRILLIUM erectum (Wake Robin). March and April. Purple. 9 to 12 in	25	1 50	
grandiflorum (Wood Lily). March and April. White. 9 to 12 in	25	1 50	
TROLLIUS Europæus (Globe-flower), May to August.	au 1.)	1 •)()	
Yellow, 2 ft	25	1 50	12 50
Reddish. 2 ft	25	1 50	10 00
officinalis (Hardy Heliotrope). June and July.	25	1 50	10.00
Rose-pink, 2 ft. rubra. June to October. Red. 2 ft.	25 25	1 50	10 00
VERBASCUM Olympicum (Mullein). July to September. Yellow. 6 ft.	25	1 50	12 50
vernonia Arkanasa (Ironweed). August to Octo-	25	9 00	
ber. Red. 5.ft	$\frac{25}{25}$	$\frac{2}{2} \frac{00}{00}$	
VERONICA longifolia, var. rosea (Speedwell). July to October. Rose. 14 ft	25	1 50	
longitolia, var Subsessills, August to Novem-			4 = 745
ber. Deep blue, 1½ to 2 ftrupestris (Rock Speedwell). June and July.	25	2 00	15 00
Blue Spreading	25	1 50	10 00
1½ ft Virginica. August to September, White, 4 ft.	$\frac{25}{25}$	1 50 1 50	10 00 10 00
VINCA minor (Periwinkle), May, Bright blue.		1 .)()	10 00
Spreading	25	1 50	10 00
VIOLA pedata, var. bicolor (Bird's-foot Violet). May. Purple and White. 4 in	25	1 50	12 50
Mixed	25	1 25	10 00

A CALENDAR OF PERENNIALS

This booklet, in a revised edition, with monthly lists, and special lists of Phlox, Iris, Peonies and Chrysanthemums, will be found valuable in arranging hardy gardens.

SEE PAGE

FERNS

ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions. ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen. Dry or moist soils in shady places. Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist soils. Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils. marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils. ASPLENIUM Filix-fœmina (Lady Fern). 2 to 3 ft. Open or shaded positions, in moist or dry soils.

BOTRYCHIUM Virginianum (Moonwort). 6 to 12 in. Shaded positions, moist or dry soils.

DICKSONIA punctilobula (Boulder Fern). 2 to 3 ft. For open positions; forms large plantations.

ONOCLEA sensibilis (Sensitive Fern). 1 to 2 ft. For open planting and wet soils. Struthiopteris (Ostrich Fern). 2 to 4 ft. For open positions, dry or moist soils. OSMUNDA gracilis (Flowering Fern). 2 to 4 ft. Open or shaded positions, and moist soils. Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils. cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions, in wet soils. WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil. WOODWARDIA angustifolia (Chain Fern). 1 ft. Open or shaded positions, in moist soils. The above varieties, 25 cts. each, \$2 per 10, \$15 per 100. The above collection, 15 varieties, \$3. 100 in 5 varieties, our selection, \$12.50.

HEDGE PLANTS

We shall be pleased to name special prices for plants in quantity for hedging purposes.

EVERGREEN TREES

SEE PAGE

Biota orientalis	Thuya occidentalis		
DECIDUOL	JS TREES		
Carpinus Americana	Cratægus Oxyacantha		
EVERGREEN SHRUBS			
Azalea amœna	Ilex crenata microphylla		
DECIDUOU			
Acanthopanax spinosa 33 Berberis Thunbergi and vulgaris 35 Elæagnus longipes 39 Forsythia viridissima 39 Hibiscus Syriacus 39	Hippophae rhamnoides 40 Ligustrum Ibota, Regelianum, ovalifolium, vulgare 41 Lonicera Tatarica 42 Rhamnus cathartica 43		

OUR CATALOGS

THE ANDORRA HANDBOOK. Planters who desire a complete descriptive list will be supplied with our Handbook of Trees and Plants for 50 cents, which will be credited upon their first purchase amounting to \$5.

ANDORRA'S HANDBOOK will serve as a standard guide, being up-to-date in nomenclature, and containing conservative descriptions of a

date in nomenclature, and containing conservative descriptions of a vast list of trees and plants, with hints on planting, pruning and caring for them. It is illustrated and fully indexed.

- PRICE-LISTS are issued semi-annually. Owing to our large output, and the changes in sizes of stock by reason of each season's growth, frequent revisions of the PRICE-LIST are necessary, to keep customers thoroughly posted on the stock we offer. You are always sure your order will be filled if you find the items in the current season's PRICE-LIST.
- MORE SPECIALTIES, a booklet of 32 pages, describing and illustrating a large number of very choice things for the country home. A great help in deciding upon just the right thing to plant.
- **BEAUTIFUL LAWNS**, **BOOKLET No. 27.** This little pamphlet treats of Lawn Fertilizing, and its eight pages should be carefully read by all interested in having a good lawn.
- BOXWOOD, BOOKLET No. 28. For formal gardens and in connection with architectural effects, BOXWOOD is now absolutely necessary. This booklet shows the different forms we offer.
- HINTS FOR SUCCESSFUL PLANTING, BOOKLET No. 30. Does not aim to cover every point that may arise, but it gives the principles in such a way that any one, by following its directions, can secure the best results.
- A CALENDAR OF HARDY PERENNIALS, BOOKLET No. 33-26, with special lists of Iris, Phlox, Peonies and Chrysanthemums. This little booklet gives a complete list of Perennials, and shows in tabulated form their height, color, and months of bloom; invaluable to those planning herbaceous gardens.

MEASURING TREES AND SHRUBS

All trees and shrubs are measured as they stand in the Nursery before digging. In evergreen trees and in evergreen and deciduous shrubs the height is taken from the ground to the top of the plant.

Deciduous trees are measured from the ground to the top of the head, and the caliper or diameter of the trunk is taken above the collar. Measurements are expressed thus: 10 to 12 ft. (height), $2\frac{1}{2}$ to $2\frac{3}{4}$ in. (caliper).

DEPARTMENTS

Fertilizers	Vines and Climbing Plants
Deciduous Trees 20 Deciduous Shrubs 33 Reeds and Grasses 47	Ferns .63 Hedge Plants .63 Catalogs .64

INDEX

PAGE	PAGE	
Aaron's Beard40	Baby's Breath56	Cata
Abelia33	Baccharis35	Cear
Abies 4	Bambusa47	Ced
Acanthus	Bantisia 53	Ced
Acanthopanax33	Baptisia	Ced
Acer20-22	Basswood32-33	Cela
Achillea51		Celt
Aconitum	Beard Tongue59	Cep.
Actinidia47	Bear's Breech51	Cepi
Adam's Needle20	Beauty-fruit35	Cera
Adiantum63	Beech26	Cera
Æsculus23, 33	Belemcanda53	Cera
Ailanthus23	Bell-flower54	Cero
Ajuga51	Bellis53	Cere
Akebia47	Benzoin35	Cha
Alder23	Berberis35	Cha
Allspice, or Sweet Shrub35	Betonica. See Stachys.	Cha
Shrub35	Betula24	Che
Alnus23	Bignonia47	Che
Althæa (see, also, Hibiscus)39, 40, 51	Balloon-flower60	Che
	Biota4-5	Che
Alum Root56	Birch24	Chir
Alyssum51	Bittersweet47	Chi
Amelanchier23, 33	Black Alder23	Chir
Amorpha34	Blackberries49	Chic
Ampelopsis47 Amygdalus. See Prunus.	Black Haw47	Cho
Amygdalus. See Prunus.	Black Walnut27	Chr
Anchusa51	Bladder Nut44 Bladder Senna36	Chr
Andromeda (see, also,	Bladder Senna36	Chr
Oxydendrum)15, 23	Blanket-flower55	Chr
Anemone51, 52	Blazing Star58 Bleeding Heart55	Cim
Anthemis52	Bleeding Heart55	Cine
Apples49	Blue Spirea35	m
Aquilegia52	Bocconia53	Cinc
Arabis	Boltonia53	Clad
Aralia23	Botrychium63	Cler
Arborvitæ4, 5, 13	Box	Clet
Arenaria	Bridal Wreath44	Colu
Aristolochia57	Broussonetia24	Colu
Armeria53	Buckthorn	Con
Aronia. See Pyrus.	Butterfly Weed53	Con
Arrow-wood46	Buttonwood30	Con
Artemesia53	Buxus	Cor
Arundo	Calimeris53	Cor
Ash27, 32	Callicarpa35	Cor
	Callirhoe	Cor
Asparagus	Campanula54	Cor
Asplenium63	Campanula	Cot
Aster53	Candytuft	Cra
Astilbe53	Cardinal-flower58	Cra
Astrantia53	Carpinus24	Cra
Aubrietia53	Caryopteris35	Cry
Azalea15, 34, 35	Castanea24	Cue
	Custanca	Cuc

PA	GE
Catalpa	24
Ceanothus	.36
Cedar	. 7
Cedrela	24
Codrus	i i
Celastrus	47
Celastius	01
Certis	20
Celtis Cephalanthus Cephalotaxus	St
Cephalotaxus	
Cerastium Cerasus 16, Ceratostigma Cercidiphyllum	.54
Cerasus	25
Ceratostigma	.54
Cercidiphyllum	25
Cercis	36
Chamadanhna	16
Chamamila	50
Chaste Tree	45
Chaste Tree	3
Chelone	.04
Cherries	48
Cherry	.25
Chelone Cherries Cherry Chestnut Chestnut Chinese Angelica Tree Chinese Arboyuitm	48
Chinese Angelica Tree.	.25
Chinese Arborvitæ	
Chinese Cork Tree	.29
Chionanthus	.36
Chokeberry	4:
Chinese Arborvitæ Chinese Cork Tree Chionanthus Chokeberry Christmas Rose	56
Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte	54.54
Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte	54.54
Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte	54.54
Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte	54.54
Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte	54.54
Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte	54.54
Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte	54.54
Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte	54.54
Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte	54.54
Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte	54.54
Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte	54.54
Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte	54.54
Chrysogonum Chrysogosis Cimeraria. See Arte misia. Cinquefoil Cladrastris Clematis 48, Clethra Columbine 52, Colutea Comptonia 36, Cone-flower 55, Conoclinium Convallaria	544.54 .544.54 .543.62 .543.62 .544.54
Chrysogonum Chrysogosis Cimeraria. See Arte misia. Cinquefoil Cladrastris Clematis 48, Clethra Columbine 52, Colutea Comptonia 36, Cone-flower 55, Conoclinium Convallaria	544.54 .544.54 .543.62 .543.62 .544.54
Chrysogonum Chrysogosis Cimeraria. See Arte misia. Cinquefoil Cladrastris Clematis 48, Clethra Columbine 52, Colutea Comptonia 36, Cone-flower 55, Conoclinium Convallaria	544.54 .544.54 .543.62 .543.62 .544.54
Chrysogonum Chrysogosis Cimeraria. See Arte misia. Cinquefoil Cladrastris Clematis 48, Clethra Columbine 52, Colutea Comptonia 36, Cone-flower 55, Conoclinium Convallaria	544.54 .544.54 .543.62 .543.62 .544.54
Chrysogonum Chrysogosis Cimeraria. See Arte misia. Cinquefoil Cladrastris Clematis 48, Clethra Columbine 52, Colutea Comptonia 36, Cone-flower 55, Conoclinium Convallaria	544.54 .544.54 .543.62 .543.62 .544.54
Chrysogonum Chrysogosis Cimeraria. See Arte misia. Cinquefoil Cladrastris Clematis 48, Clethra Columbine 52, Colutea Comptonia 36, Cone-flower 55, Conoclinium Convallaria	544.54 .544.54 .543.62 .543.62 .544.54
Chrysogonum Chrysogosis Cimeraria. See Arte misia. Cinquefoil Cladrastris Clematis 48, Clethra Columbine 52, Colutea Comptonia 36, Cone-flower 55, Conoclinium Convallaria	544.54 .544.54 .543.62 .543.62 .544.54
Chrysogonum Chrysogosis Cimeraria. See Arte misia. Cinquefoil Cladrastris Clematis 48, Clethra Columbine 52, Colutea Comptonia 36, Cone-flower 55, Conoclinium Convallaria	544.54 .544.54 .543.62 .543.62 .544.54
Chrysogonum Chrysogosis Cimeraria. See Arte misia. Cinquefoil Cladrastris Clematis 48, Clethra Columbine 52, Colutea Comptonia 36, Cone-flower 55, Conoclinium Convallaria	544.54 .544.54 .543.62 .543.62 .544.54
Chrysogonum Chrysogosis Cimeraria. See Arte misia. Cinquefoil Cladrastris Clematis 48, Clethra Columbine 52, Colutea Comptonia 36, Cone-flower 55, Conoclinium Convallaria	544.54 .544.54 .543.62 .543.62 .544.54
Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte	544.54 .544.54 .543.62 .543.62 .544.54

ANDORRA NURSERIES

PAGE	PAGE	PAC	E3 24
Cupressus	Ginkgo32	Kniphofia	50
Cupressus	GIREO	Kniphona	20
Current		Kœfreuteria Kudzu Vine	27
Current Titterining at	Globe-flower 36 Goat's Beard 61 Gold-flower 40 Golden Bell 39 Golden Chain 26 Golden Tuft 51 Glyptostrobus. See Tax-	Transferred	-
Cydonia	Globe-flower36	Kudzu Vine	48
Cydomia	Clouble Donal 01	Lond	07
Cypress9, 12, 32	Goat's Beard	Larch	
O3 P1 C55 11111110, 12, 02	Cold flower 40	Larix	4377
Cytisu27, 37	Gold-Hower	LittlA	-
03 4.04 1111111111111111111111111111111111	Golden Rell 39	Larkspur	55
Daisy53	Golden Den	Larkspur Lathyrus 48, Laurel 16- Lavandula	JU
	Golden Chain 26	Lathyrus 48	58
Day Lily	CONTROL CHARLES THE TA	Trucky ton exercise to	100
Day Ling	Golden Tuft	Laurel16-	-17
Donhno 17	Claretechnology Co. War	T amountain	-
Dapine	Glyptostropus, See Tax-	Lavandula	56
Deciduous Shrubs .33-47	odium.	Lavender	EO
Daphne	ourum.	Lavenuer	00
Deciduous Trees20-55	Consoberries 49	Lavender-cotton	61
Dalahining 55	Googenerites		
Delphimium	Gooseberries	Lespedeza	440
Dosmodium See Les-	Character 1 (1) 9" (1)		
Desmoutum. See Les-	Groundsel Shrub 35, 61	Liatris	SG.
nedeza37	Cuoldon Dogo 46	Ligustrum40-	
Delphinium55 Desmodium. See Lespedeza37 Deutzia37, 38	Guelder Rose46		
Dentzia	Gymnocladus 27 Gypsophila 56 Halesia 39	Lilac	44
Total Albert	dyminociadus	Lillian seeses execute exe	2.4
Dianthus55	Gypsophila	Lillium	58
Dicontro 55	TT-1	T 11 0 +1 11	F 4
Dicentra	Halesia39	Lalv-of-the-valley	D4
Dicksonia 63	Hamamalia .20	Lindon 90	22
Dicksonia	namamens	Lilium Lily-of-the-valley Linden32-	99
Dicentra	Hamamelis39 Hardy Roses50-51	Linum	5,8
D1 111 90	maruy moses	Tunam	200
Diervilla38	Hawthorn	Liquidambar	28
Digitalia 55		Tital and the second	00
Digitalis	Hazel 37-39	Liriodendron	28
Diognypos 96	Tlodono 10	Timen Took	20
Diospy10820	Hedera	Liver Leaf	JU
Dogwood25, 36-37	Hodgo Plants 69	Labolia	50
208 11004 1111120, 00-01	Heage Flants05	Lobella	20
Digitalis	Helenium 56	Locust 97	39
Dananianan	Helenium	Lobelia Locust	20
Doronicum	Helianthus 56	London Pride	58
Dot-bearin Die. 47	Lichanthus	Dondon Time	100
Dutchman's Pipe47	Heliopsis56	Lonicera41, 42	48
Echinagea 55	Tallahaman 50	T	=0
Echinacea	Helleborus56	Loosestriie	200
Echinacea55 Elæagnus39	Hemerocallis, or Day	Lychnis	20
Literagnus	nemerocams, or Day	LIYCHHIS	00
Elder43	_Lily56	Lycium	4.0
731	_ Lilly	Liyelum	7
Elm33	Hemlock14	Lysimachia	58
T21	TICHIOCK	Lij Simachia	100
Elymus41	Hepatica	Lythrum	58
Elymus	Hepatica	3.5	00
English Frimrose00	Herbaceous Plants .51-62	Maclura	28
English Ivv 48	Houshone 50	Magnalia	90
rangusu ivy	Heuchera	Magnolia	20
Erianthus47	Hibiscus39, 40, 57 High Cranberry Bush 46	Mahonia Maidenhair Tree Maple Matrimony Vine	17
Tariantinas	HIDISCUS 30, 40, 31	Manoma	11
Erigeron	High Cranbarry Rush 46	Maidenhair Tree	29
Dame of the second	Tright Citatiocity Daish to	Marachan Tree	000
Eryngium	Hippophae40	Maple	23
Esculent Roots50	Holly 17 Hollyhocks (see, also, Althæa) .51 Honey Locust .27 Honeysuckle .41, 48 Hop Tree .30 Hownbeau .30	35-4-1	40
Escurent moots	Hony	Matrimony vine	44
Eulalia	Hollyhooka (ann alan	Mandam Dua	01
Ediana	Honyhocks (see, also,	Meadow Rue	OI
Euonymus 17, 39, 48	Althona) 51	Meadow Sweet	61
73	Aithea)		
Eupatorium55	Honey Locust 27	Mertensia	58
Darbanhia 25	TT LIGHT LIGHT TO A CO	THE LECTION OF STREET	50
Euphorbia55	Honeysuckle41. 48	Mint-flower	54
Evening Primrose59	TT TO OO	3.51 6 65 1 50	10
Evening Frimrose 39	Hop Tree	Mint-flower	4.5
Evergroon Shrube 15.90	Hounhoom 94	Mark Oneman	40
invergreen burubs19-20	mornbeam	Mock Orange	42
Evergreen Thorn 17	Horse chostnut 92	Monarda	50
Breigicen Inoin	Horse-chestnut20	Monarua	00
Evergreen Shrubs15-20 Evergreen Thorn17 Evergreen Trees4-15	Hornbeam 24 Horse-chestnut 23 Hydrangea 40	Moneywort	58
Dwonlagting Dec 40	TT drainged	THOUGH IT OF DIE	23
Everiasting Pea48	LLypericum	Monkshood	16
Evochoude 90	Thereto	3.0	00
Exochorda39	Iberis	Morus	29
Fague 26	Tlov 5 17 40	Monntoin Ash	20
Fagus	. IICA	Mountain Ash Mourning Bride Mulberry Myosotis	234
Ferns	Inula57	Mourning Bride	67
Magtuce		36 11	00
restuca	Iris57	Mulberry24	29
Foverfow 55 co	Inon Wood co	Mycantin	EO
reversew	110H Weed	Myosotis	99
Fir	Iron Weed	Myrica	49
Festuca	Itea	Myrica Negundo. See Acer Ne-	200
Flame-nower	Jacob's Ladder 60	Negundo, See Acer Ne.	
T31	Jacob's Ladder60 Japanese Maples22-23	riegulido. Dec acer no-	
Flowering Almond43	Japanese Maples . 22-23	gundo.	
Ellomoning Chuh	Tarana Danta Tarana	37	EG
Flowering Almond43 Flowering Crab30	Japan, or Boston Ivv27	Nepeta	03
Forget-me-not59	Jonan Cannoga	Nottle Tree	97
	Japan Cypress 9	Nepeta Nettle Tree	40)
Forsythia39	Janan Indae 26	Nuts	49
2010jtilla	oapan dudas	Times	247
Foxgloves 55 Fox Grape 48 Fraxinus 27 Fruit 49	Japanese Maples .22-23 Japan, or Boston Ivy .27 Japan Cypress .9 Japan Judas .36 Japan Quince .37 Japanese Snowball .46 Jasmine .40 Jasminum .40	Nyassa30-	29
To C	Jupan guinet	2.74	04
rox Grape48	Japanese Snowball46	Uak	31
Unovinua 07	Togmin - 40	Consthana	EO
Flaxinus	Jasmine	Œnothera	29
Renit 40	Jasminum .40 Jersey Tea .36 Judas Tree .25	Old ManOld Woman	50
Fruit	Jasminum40	Old Mail	20
Funkia55	Jersey Tea 26	Old Woman	53
C 171 71	ocise, 1ca	Old Wollan	000
Gaillardia56	Judas Tree	Oleaster	39
Colores	Total Committee of the	0	00
Galega56	Juglans27	Onoclea	0.5
	Tunchouser	Onblonogen	EO
Gas Plant55	Juneberry23	Ophiopogon	510
Caranium	Tuninowns 507	Oriental Plane	20
Geranium58	Jumperus	Oriental Flane	UU
German Catchfly56	Kalmia 17	Oriental Ponny	50
German Catching	Juneberry 23 Juniperus 5-6-7 Kalmia 17 Kentucky Coffee Tree 27	Oriental roppy	00
Geum56	Kentucky Coffee Tree 27	Osage Orange	28
	Transfer Confee Free.21	0	400
Gillenia	Kerria. See Corchorus. 43	Osmanthus	17
Gillenia56	Kerria. See Corchorus. 43	Oriental Plane Oriental Poppy Osage Orange Osmanthus	17

PRICE LIST FOR SPRING OF 1911

PAGE	PAGE	PAGE
Oswego Tea, or Fragrant Balm59	Ribbon Grass47	Sweet Shrub35
Oswego Tea, or Fra-	Ribes43	Sycamore30
grant Ralm 59	Robinia32, 43	Symphoricarpus44
Oxydendrum29	Rock Cress52	Syringa44
Oxydendrum25		Topogotum et
Pæonia	Rockfoil61	Tanacetum61
Pachysandra59	Rose Acacia43	Tamarix46
Papaver59	Rose Campion58	Taxodium32
Pardanthus. See Bel-	Rosemary60	Taxus11-12
emcanda.	Rose of Sharon39, 40	Tecoma See Bignonia
Parrotia29	Roses50-51	Taxus 11-12 Tecoma. See Bignonia. Thalictrum 62 Thermopsis 62 Thermopsis 95 26
Danlamaia 20	Dogmorinus 60	Thormongia 69
Paulownia 29 Pavia. See Æsculus. Peaches 29, 49	Rosmarinus60 Rosy Milfoil51	Thermopsis02
Pavia. See Æsculus.		тноги
Peaches	Rubus43	Thorn, Evergreen17
Pearl Bush39	Rudbeckia60	Thrift
Pears49	Rugosa Roses51	Thuya
Pentstemon59	Salisburia32	Thujopsis12
Desiglates 40	Salix32	
Periploca48		Thymus
Periwinkle62 Persian Iron Tree29	Salvia	Tickseed 54 Tiger Lily 58 Tilia 32-33
Persian Iron Tree29	Sambucus43	Tiger Lily58
Persica	Sandwort	Tilia32-33
Persimmon26	Sanguinaria61	Tradescantia62
Phalaris47	Santolina61	Tree of Heaven23
The Hedendren 90	Saxifraga61	Trillium62
Phellodendron29		
Philadelphus42	Scotch Broom37	Trollius62
Phillyrea17	Scabiosa	Trumpet Vine47
Phlox60	Sciadopitys11	Tsuga14
Physostegia 60	Sea Buckthorn40 Sea Holly55	Tulin Tree28
Picea	Sea Holly 55	Ulmus
Dino 80 11	Sea Lavender61	Umbrolla Tree 99
Di-1 60	Sea Lavenuel	Vaccinium 11ee20
Pinks60	Senecio	Vaccinium46
Pinus8-9	Sedum61	Valeriana62
Plane30	Sheepsberry	Valerian62
Platanus30	Shrub Yellow Root 47	Varnish Tree27
Platycodon60	Shrubby Cinquefoil 42	Verbascum62
Plumbago54	Silene61	Vernonia62
Dlama 40	Cilly Wine 40	Venenica
Plums49	Silk Vine48 Small Fruits49	Veronica62
Podocarpus	Small Fruits49	Viburnum46-47
Polemonium60	Smilacina61	Vinca62 Vines and Climbing
Poplar30	Snakeroot	Vines and Climbing
Populus30	Snowball46	Plants47. 48
Poppy53, 59	Snowborry 44	Viola62
Detentille 42	Sophora32	Virgilia25
Potentilla42	борнога	Virgilia20
Primrose59-60	Sorbus32	Virginia Creeper47
Primula60	Speedwell62	Vitex47
Privet40-41	Spice Bush35	Vitis
Prunus. See, also,	Spiderwort 62	Walnut 27-49
Prunus. See, also, Cerasus30, 42	Spindle Tree 39	Wax Myrtle42
Pseudotsuga9	Spings 42 44 52 61	Wayfaring Tree46
Disless Disles	Spindle Tree 39 Spiræa 43, 44, 53, 61 Spruce 7, 8, 9	Weigela38
Ptelea30	Spruce, 6, 9	Weigeia
Pterostyrax30	Stachys	White Fringe36
Pueraria48	Staphylea	White Rod46
Purple Mist43	Statice	Wolf's-bane51
Pyrethrum60	Stephanandra45	Willow32
Pyrus	Stokesia61	Windflower51-52
Oneness 20 21	Chalcas Agton 61	Winele 47
Quercus30, 31	Stokes' Aster61	Winola47
Quinces	Stonecrop61	Winter Berry40
Ranunculus60	Strawberries50	Wistaria48
Raspberries50 Red Bud, or Judas25	Strawberry Bush39	Witch Hazel39
Red Bud, or Judas 25	Styrax	Woodsia63
Reeds and Grasses47	Styrax	Woodwardia63
	Cunflower 50	Vanthaganag
Retinospora9-11	Sunflower56	Xanthoceras47
Rhamnus43	Swamp_Huckleberry46	Xanthorrhiza47
Rhododendron18	Sweet Fern36	Yarrow51
Rhodotypus43	Sweet Gum28	Yellow Wood25
Rhubarb50	Sweet William54, 60	Yellow Wood25 Yew5, 9, 11, 12
Rhubarb	Sweet William54, 60 Sweet Pepper Bush36	Yucca
202 00 11111111111111111111111111111111	. Sheet report Bushir. 00	

Plant for Immediate Effect

Not for Future Generations

Start with large stock—it has taken years of special preparation to grow such Trees and Shrubs as we offer you.

We have done the long waiting—you can secure at once specimens that will give immediate and permanent results.

AS AN EXAMPLE

Note in this Price-List, page 21, Norway Maples, 14 to 20 ft. in height with trunks 4 to 10 in. in diameter. Specimen trees with broad tops and a system of fibrous roots that makes transplanting successful—trees that are sure to grow. Such trees simply "make your place."

AN IMPORTANT POINT

These specimen Trees and Shrubs are Andorra-Grown—they are here at our Nurseries where you may inspect them and reserve such as suit your purpose.

ANDORRA-GROWN MEANS QUALITY
QUALITY IN TREES MEANS SUCCESSFUL PLANTING